


HP Photosmart C6180 [[[[]]] A4 4800 x 1200 DPI 8,2 ppm [[]]

Brand: HP **Product family:** Photosmart Product code: BQ8181B

000000, 000 0000000 0000000: 1200 x 1200 DPI. 000000 000: 00 00000000, 00000000 00000000 0000000: 4800 x 4800 DPI. 000000 000: 000000 0000000. 0000000 ISO A-0000 000000

0000: A4. 0000-000. 000000 000000 000. 000000 00: 0000







0000000 00000000 *	000000	ISO A	Α4
00000000 *		*	216 x 297 mm
00000000 00000000 *	4800 x 1200 DPI		Banner,
00000000 000 (00000, 00000000 00, A4/US 00000) *	8,2 ppm	00000 00000 000000 000000 *	00000000, 00000, 0000 0000, 000000 0000, 0000000
00000000 000 (000000, 00000000 000, A4/US 00000)	6 ppm	ISO A (A0A9) *	A4, A5, A6
0000000 000 (00000, 0000 000000,	32 ppm		C6, DL
A4/US [[[[[]]]]])	52 pp	000000 0 000000000000	
0000000 000 (00, 00000 000000, A4/US 0000)	31 ppm		Ethernet, USB 2.0, [[[[[[]]]]] LAN
	4,9 ppm	00000 000000 000 *	✓
, A4)		USB [[[[]]]]	✓
00000000 000 (000000, 00000000 000, A4)	2,5 ppm	00000000	
0000000 000 (00000, 00000 000000 000000, A4)	8,2 ppm	0000-000 *	<i>'</i>
0000000 000 (0000, 00000 000000 000000, A4)	8,2 ppm	000000 LAN *	•
0000000 000 (0000 0000, 0000	5 ppm		✓
	••	00000000 000000 *	64 MB
0000000 000 (0000 0000, 000000 000000)	0,75 ppm		miniSD, MMC, MS Duo, SD
موم ، مومو مومو ، موموموموم	0,9 ppm		✓
00000) 0000 00000			
			ПППП
000 000 *		00000 000000 0000 *	00000 0 0000
0000 000000000 00000000 *	1200 x 1200 DPI	00000-00 0000000 *	1
0000 000 (00000, 000000000 000, A4)	8,9 cpm	000000	LCD
	5,5 cpm		
000 000 (00000, 0000, A4)	32 cpm		20, 9.8
000 000 (000000, 0000, A4)	31 cpm		8,8 W
	50 🖂	000000 0000 (0000)	0,4 W

		AC 0000 000000	100 - 240 V
		AC 00000 0000000000	50 - 60 Hz
0000 000000000 000 (00000, A4) 0000 000000000 000 (00000, A4)	32 cpm 31 cpm	00000000 00000000	
	32 cpm	0000000 RAM	128 MB
	'		425 MB
000000 000 *		000 0000 000000000	
	4800 x 4800 DPI	00000000 00000000 0000000 (H-	15 - 80%
	19200 x 19200 DPI	H)	13 00%
00000000 00000000 00000	216 x 297 mm	000000000 00000000 00000000 0000	15 - 80%
0000000000 000 *	000000000 00000000		15 - 32 °C
	CIS	(T-T)	
	48 bit 256		-20 - 50 °C 5 - 40 °C
	230	00000000 000000000 (T-T)	
000000			5 - 90%
000000 000 * 000000 0000000 (00000)	300 x 300 DPI	000000000 0000000 0000000 (H-H)	5 - 90%
	33,6 Kbit/s		41 - 104 °F
	90 00000	000 0 0000000	
000000000-000000000	✓	00000	450 mm
0000000 00000 0000000 (000000000 000000)	75		385 mm
	/		247 mm
00000000 000 (A4)	3 sec/page		10,6 kg
	48 000000000	00000000 0000	
000000 0000000 0000000	✓	00000000 000	13,5 kg
	1		
	•		
	•		540,3 kg
000000000000			540,3 kg 40 pc(s)
	3000 0000 0000 00000		
000000000 00000 000000 *	3000 00000 0000 000000	00000000 0000 0000000 00000 000000 000000	
00000000000000000000000000000000000000	3000 00000 0000 000000 6 00000, 00000, 00000 00000,	00000000 00000 000000 0000000 00000 000000	40 pc(s)
00000000 00000 * 00000000 000000 * 00000000	3000 00000 0000 000000 6 00000, 00000, 00000 00000, 0000000000	00000000 000 0000000 000000000000 000000	40 pc(s)
00000000000000000000000000000000000000	3000 00000 0000 000000 6 00000, 00000, 00000 000000, 0000000000	00000000 000 0000000 00000 000000 000000	40 pc(s) 4800 DPI
00000000000000000000000000000000000000	3000 00000 0000 000000 6 00000, 00000, 00000 00000, 000000000, 0000 100 000 50 000	00000000 000 0000000 000000000000 000000	40 pc(s) 4800 DPI 45 cm (17.7")
00000000000000000000000000000000000000	3000 00000 0000 000000 6 00000, 00000, 00000 000000, 0000000000	0000000 00000 000000 0000000 000000000	40 pc(s) 4800 DPI ✓ 45 cm (17.7") 54,4 dB
00000000000000000000000000000000000000	3000 00000 0000 000000 6 00000, 00000, 00000 00000, 000000000, 0000 100 000 50 000	0000000 00000 (W x D x H)	40 pc(s) 4800 DPI 45 cm (17.7") 54,4 dB 1219 x 1016 x 2322 mm
000000000 00000 00000 * 00000000 00000000	3000 0000 0000 000000 6 00000, 00000, 0000 0000	0000000 0000 00000 0000000 00000 000000	40 pc(s) 4800 DPI 45 cm (17.7") 54,4 dB 1219 x 1016 x 2322 mm 300 DPI
00000000000000000000000000000000000000	3000 00000 0000 0000000 6 00000, 00000, 00000 00000, 0000000000	00000000 0000 000000 0000000 000000000	40 pc(s) 4800 DPI ✓ 45 cm (17.7") 54,4 dB 1219 x 1016 x 2322 mm 300 DPI 600 DPI
00000000000000000000000000000000000000	3000 00000 0000 0000000 6 00000, 00000, 00000 100 000 50 000 50 000 30 000	0000000 0000 00000 0000000 00000 000000 00000000	40 pc(s) 4800 DPI
000000000 00000 000000 * 00000000 000000 * 00000000	3000 0000 0000 00000 6 00000, 00000, 0000 00000, 0000000000, 0000 100 000 50 000 20 000 100 000 100 000	00000000 0000 000000 0000000 00000 000000	40 pc(s) 4800 DPI
00000000000000000000000000000000000000	3000 0000 0000 00000 000000 6 00000, 00000, 00000 00000, 00000 100 000 50 000 30 000 20 000 10 000	00000000 000 0000000 0000 000000 0000000	40 pc(s) 4800 DPI
00000000000000000000000000000000000000	3000 0000 0000 00000 6 00000, 00000, 0000 00000, 0000000000, 0000 100 000 50 000 20 000 100 000 100 000	00000000 000 0000000 00000 000000 000000	40 pc(s) 4800 DPI 45 cm (17.7") 54,4 dB 1219 x 1016 x 2322 mm 300 DPI 600 DPI 450 x 501 x 247 mm 10 [[[[]]]] 21,6 cm (8.5") 500,4 x 300 x 438,9 mm (19.7 x 11.8 x 17.3") 1016 x 1219,2 x 2321,6 mm (40 x 48 x 91.4") 540,3 kg (1191.2 lbs)
000000000 00000 000000 * 00000000 000000 * 00000000	3000 0000 0000 00000 6 00000, 00000, 0000 00000, 0000000000, 0000 100 000 50 000 20 000 100 000 100 000	00000000 000 00000 0000000 00000 000000	40 pc(s) 4800 DPI 45 cm (17.7") 54,4 dB 1219 x 1016 x 2322 mm 300 DPI 600 DPI 450 x 501 x 247 mm 10 [[[[]]]] 21,6 cm (8.5") 500,4 x 300 x 438,9 mm (19.7 x 11.8 x 17.3") 1016 x 1219,2 x 2321,6 mm (40 x 48 x 91.4")
000000000 00000 000000 * 00000000 000000 000000 * 00000000	3000 0000 0000 00000 6 00000, 00000, 0000 00000, 0000000000, 0000 100 000 50 000 20 000 100 000 100 000	00000000 000 00000 0000000 00000 000000 000000	40 pc(s) 4800 DPI 45 cm (17.7") 54,4 dB 1219 x 1016 x 2322 mm 300 DPI 600 DPI 450 x 501 x 247 mm 10 [[[[]]]] 21,6 cm (8.5") 500,4 x 300 x 438,9 mm (19.7 x 11.8 x 17.3") 1016 x 1219,2 x 2321,6 mm (40 x 48 x 91.4") 540,3 kg (1191.2 lbs) 45 cm (17.7") 10 [[[[]]]]
00000000000000000000000000000000000000	3000 0000 0000 00000 6 00000, 00000, 0000 00000, 0000000000, 0000 100 000 50 000 20 000 100 000 100 000	00000000 000 0000000 00000000000000000	40 pc(s) 4800 DPI 45 cm (17.7") 54,4 dB 1219 x 1016 x 2322 mm 300 DPI 600 DPI 450 x 501 x 247 mm 10 [][] 21,6 cm (8.5") 500,4 x 300 x 438,9 mm (19.7 x 11.8 x 17.3") 1016 x 1219,2 x 2321,6 mm (40 x 48 x 91.4") 540,3 kg (1191.2 lbs) 45 cm (17.7")

