



**HP LP2475w 24-inch Widescreen LCD Monitor PC Flachbildschirm
61 cm (24") Schwarz**

Marke : HP

Artikel-Code: KD911AT

Produktname : LP2475w 24-inch Widescreen LCD Monitor

LP2475w 24-inch Widescreen LCD Monitor, 1920 x 1200, 1000:1, 6 ms

HP LP2475w 24-inch Widescreen LCD Monitor PC Flachbildschirm 61 cm (24") Schwarz:

Der HP LP2475w 24 Zoll Widescreen LCD-Monitor bietet die umfangreichste Auswahl an Eingangsanschlüssen aller HP Monitore. Diese erhalten Sie zusammen mit den modernsten LCD-Displaytechnologien für Power- und Workstation-Benutzer und Designer.
HP LP2475w 24-inch Widescreen LCD Monitor. Bildschirmdiagonale: 61 cm (24"). Anzeige: LCD. Blickwinkel, horizontal: 178°, Blickwinkel, vertikal: 178°. USB hub version: 2.0. Produktfarbe: Schwarz



Bildschirm		Verpackungsinformation	
Anzeigetechnologietyp	S-IPS	Paketgewicht	12 kg
Bildschirmdiagonale *	61 cm (24")	Verpackungsinhalt	
Touchscreen *	✗	HP Display Assistant is a software utility that enables theft deterrence and allows monitor adjustment, color calibration, and security/asset management using the Display Data Channel Command Interface (DDC/CI) protocol of the connected PC; HP Display LiteSaver allows you to schedule Sleep mode at preset times to help protect the monitor against image retention, drastically lower power consumption and energy costs, and extend the lifespan of the monitor; Pivot Pro software from Portrait Displays, Inc. interacts with your PC's native graphics driver to enable seamless portrait screen redraws with a simple mouse-click or keyboard command. Pivot Pro supports 90-degree portrait and landscape views. Language support is available in English, Japanese, French, German, Spanish, Italian, and Traditional and Simplified Chinese	
Helligkeit (typisch)	400 cd/m²		
Kontrastverhältnis *	1000:1		
Blickwinkel, horizontal	178°		
Blickwinkel, vertikal	178°		
Pixel Abstand	0,270 x 0,270 mm		
Horizontaler Scanbereich	30 - 94 kHz		
Vertikaler Scanbereich	48 - 85 Hz		
Abtastraten	Horizontal frequency: 30-94 kHz, Vertical frequency: 48-85 Hz		
Multimedia		Gebündelte Software	
Eingebaute Lautsprecher *	✗		
Integrierte Kamera *	✗		
Design			
Produktfarbe *	Schwarz		
Anschlüsse und Schnittstellen			
Weitere Anschlüsse	USB 2.0 Hub: self-powered, six ports (cable included)		
USB-Hub-Version	2.0		
Anzahl der nachgeschalteten Steckplätze vom Typ USB-A	6		
Anzahl HDMI Anschlüsse	1		
Composite Video-Eingang	1		
Komponenteneingang Video (YPbPr/YCbCr)	1		
		Sustainability	
		Nachhaltigkeitszertifikate	ENERGY STAR
		Weitere Spezifikationen	
		Ursprungsland	China
		Anzeige	LCD
		Audio Chip	No audio included at platform level

Ergonomie		Weitere Spezifikationen	
VESA Montageadapter	100 x 100 mm	TV Tuner integriert	✗
Plug & Play	✓	Verpackungsabmessungen (BxTxH)	672 x 464 x 352 mm
Anzeigebewegungswinkel	Tilt range: -5° to + 30° vertical tilt, swivel range: -45° to +45°, height adjust: 100 mm, pivot rotation	Energiebedarf	100 to 240 VAC, 50 to 60 Hz
Energie		Empfohlene Auflösung	Preset VESA Graphic Modes (non-interlaced): 640 x 480 @ 60 Hz and 75 Hz, 800 x 600 @ 60 Hz and 75 Hz, 1024 x 768 @ 60 Hz, 75 Hz, and 85 Hz, 1152 x 900 @ 65 Hz, 1280 x 768 @ 60 Hz, 1280 x 900 @ 60 Hz, 1280 x 1024 @ 60 Hz, 75 Hz and 85 Hz, 1600 x 1000 @ 60 Hz, 1600 x 1200 @ 60 Hz, 1680 x 1050 @ 60 Hz, 1920 x 1080 @ 60 Hz; 1920 x 1200 @ 60 Hz; Text Mode: 720 x 400 @ 70 Hz; Mac Mode: 1152 x 870 @ 75 Hz and 832 x 624 @ 75 Hz; Sun Mode: 1152 x 900 @ 66 Hz
Stromverbrauch (aus)	2 W		
Betriebsbedingungen			
Temperaturbereich in Betrieb	5 - 35 °C		
Temperaturbereich bei Lagerung	20 - 60 °C		
Luftfeuchtigkeit in Betrieb	20 - 80%	Empfohlene Auflösung	Preset VESA Graphic Modes (non-interlaced): 640 x 480 @ 60 Hz and 75 Hz, 800 x 600 @ 60 Hz and 75 Hz, 1024 x 768 @ 60 Hz, 75 Hz, and 85 Hz, 1152 x 900 @ 65 Hz, 1280 x 768 @ 60 Hz, 1280 x 900 @ 60 Hz, 1280 x 1024 @ 60 Hz, 75 Hz and 85 Hz, 1600 x 1000 @ 60 Hz, 1600 x 1200 @ 60 Hz, 1680 x 1050 @ 60 Hz, 1920 x 1080 @ 60 Hz; 1920 x 1200 @ 60 Hz; Text Mode: 720 x 400 @ 70 Hz; Mac Mode: 1152 x 870 @ 75 Hz and 832 x 624 @ 75 Hz; Sun Mode: 1152 x 900 @ 66 Hz
Luftfeuchtigkeit (außer Betrieb)	5 - 95%		
Luftfeuchtigkeit (außer Betrieb)	5 - 90%		
Relative Luftfeuchtigkeit	20 - 80%		
Gewicht & Abmessungen			
Gerätebreite (inkl. Fuß)	556 mm	Videoeingang	DVI-I (2), HDMI, DisplayPort, Component Video, S-Video and Composite Video
Gerätetiefe (inkl. Fuß)	253 mm		
Gerätehöhe (inkl. Fuß)	521 mm		
Breite (ohne Standfuß)	556 mm		
Tiefe (ohne Standfuß)	83 mm		
Höhe (ohne Standfuß)	362 mm	Audio im Lieferumfang	No audio included at platform level
Gewicht (ohne Standfuß)	9,1 kg		
		Sicherheit Eigenschaften	Kensington Lock-ready
		Multimedia	Optional HP Silver LCD Speaker Bar: powered directly by the monitor or PC, the Speaker Bar seamlessly attaches to the monitor's lower bezel to bring full audio support to select HP LCD monitors. Features include dual speakers with full sound range and external jack for headphones, part number EE418AA. For more information, refer to the product's Quick Specs. Optional Kensington Security Lock: combines aircraft-grade steel and Kevlar fiber to securely lock down your monitor and help prevent theft, part number PC766A. For more information, refer to the product's Quick Specs
		Benutzerkontrollen	Power on/off; 3-button OSD (menu, plus, minus); function, input Brightness, contrast, positioning, color temperature (6500k, 9300k, custom), individual color control, serial number, display, clock, clock phase, monitor management, factory reset
		Video-Pixelrate	205 MHz

Weitere Spezifikationen	
Multimedia-Anschlüsse	Optional HP Silver LCD Speaker Bar: powered directly by the monitor or PC, the Speaker Bar seamlessly attaches to the monitor's lower bezel to bring full audio support to select HP LCD monitors. Features include dual speakers with full sound range and external jack for headphones, part number EE418AA. For more information, refer to the product's Quick Specs. Optional Kensington Security Lock: combines aircraft-grade steel and Kevlar fiber to securely lock down your monitor and help prevent theft, part number PC766A. For more information, refer to the product's Quick Specs
Produktabmessungen mit Standfuß,imperial (B x T x H)	556,3 x 253 x 421,6 mm (21.9 x 9.96 x 16.6")
Zertifizierung	TCO'99, ISO 13406-2 VDT Guidelines Approval, CISPR Requirements, VCCI Approvals, MIC (Korean) Requirements, CSA, Australian ACA Approval, "GS" Mark, TUV Approvals, CE Marking, FCC Approval, Microsoft Windows Certification (Microsoft Windows 98, Microsoft Windows 2000, Microsoft Windows XP, and Windows Vista Premium)
Thin Client	
Prozessor-Taktfrequenz	2 GHz



0883585765461




883585765461



0883585765454



883585765454



0883585765478



883585765478



0883585765485



883585765485

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.