


GIGABYTE MW50-SV0 Motherboard Intel® C612 LGA 2011-v3 ATX

Marke : GIGABYTE

Artikel-Code: MW50-SV0

Produktname : MW50-SV0

GIGABYTE MW50-SV0. Prozessorhersteller: Intel, Prozessorsockel: LGA 2011-v3, Prozessor FSB unterstützt: 1600,2600 MHz. Supported memory types: DDR4-SDRAM, Speicherkanäle: Vierfach-Kanal, Speicherspannung: 1.2 V. Supported storage drive interfaces: mSATA, RAID-Niveaus: 0, 1, 5, 10. LAN controller: Intel I210, Intel® I218. Component for: PC, Motherboardformfaktor: ATX, Motherboard Chipsatz: Intel® C612



Prozessor		Rückwandplatine Anschlüsse	
Prozessorhersteller *	Intel	Serielle Anschlüsse	1
Prozessorsockel *	LGA 2011-v3	Netzwerk	
Prozessor FSB unterstützt	1600,2600 MHz	Ethernet/LAN	✓
Supported processor sockets	LGA 2011-v3 (Socket R)	LAN controller	Intel I210, Intel® I218
Speicher		Features	
Supported memory types *	DDR4-SDRAM	Motherboard Chipsatz *	Intel® C612
Speicherkanäle	Vierfach-Kanal	Audio Kanäle *	7.1 Kanäle
Speicherspannung	1.2 V	Component for *	PC
ECC-Kompatibilität	ECC	Motherboardformfaktor *	ATX
Supported memory clock speeds	1600,1866,2133 MHz	Erweiterungssteckplätze	
Laufwerk Controller		PCI Express x4 slots	1
Unterstützte Speicherlaufwerk-Schnittstellen *	mSATA	PCI-Express x16 (Gen 3.x)-Anschlüsse	3
RAID-Niveaus	0, 1, 5, 10	PCI-Slots	1
Interne Anschlüsse		Betriebsbedingungen	
Anzahl USB 2.0 Schnittstellen *	1	Temperaturbereich bei Lagerung	-40 - 60 °C
USB 3.2 Gen 1 (3.1 Gen 1) Anschlüsse *	2	Temperaturbereich bei Betrieb	10 - 35 °C
Number of SATA III connectors *	13	Luftfeuchtigkeit bei Betrieb	8 - 80%
Anzahl SATA Schnittstellen	16	Luftfeuchtigkeit (ausser Betrieb)	20 - 95%
ATX Energie Stecker (24-pin)	✓	Verpacken	
CPU Ventilatorstecker	✓	Paketbreite	360 mm
Chassis Intrusion Stecker	✓	Pakettiefe	330 mm
TPM connector	✓	Pakethöhe	80 mm
Rückwandplatine Anschlüsse		Gewicht u. Abmessungen	
Anzahl der USB 2.0 Ports *	4	Breite	305 mm
		Tiefe	244 mm

Rückwandplatine Anschlüsse		Verpackungsinhalt	
USB 3.2 Gen 1 (3.1 Gen 1) Anzahl der Anschlüsse vom Typ A *	4	Kabel eingeschlossen	SATA
Anzahl Ethernet LAN (RJ-45) Anschlüsse *	3	User guide	✓
		Weitere Spezifikationen	
Anzahl PS/2 Anschlüsse	1	Zahl der DIMM Slots	8



0818313022110



818313022110



4053162513846



4719331822279

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.