



DELL PowerEdge R750XS server 480 GB Stativ (2U) Intel® Xeon Silver 4314 2,4 GHz 32 GB DDR4-SDRAM 1100 W

Mærke : DELL

Produktserie: PowerEdge

Produktkode: R750XSARQ2



Produkt navn : R750XS

DELL PowerEdge R750XS. Processorserie: Intel® Xeon Silver, Processorfrekvens: 2,4 GHz, Processormodel: 4314. Intern hukommelse: 32 GB, Intern hukommelsestype: DDR4-SDRAM. Samlet lagringskapacitet: 480 GB. Ethernet LAN, Kabelteknologi: 10/100/1000Base-T(X). Strømforsyning: 1100 W, Redundant strømforsyning. Kabinetttype: Stativ (2U)



Processor		Porte & Grænseflader	
Processorproducent *	Intel	Antal USB 2.0-porte	2
Processorserie *	Intel® Xeon Silver	Antal USB 3.2 Gen 1 (3.1 Gen 1) type-A-porte	1
Processorgeneration	Intel Xeon skalerbar 3. generation	Antal strømkabler	2
Processormodel *	4314	Design	
Processorfrekvens *	2,4 GHz	Kabinetttype *	Stativ (2U)
Processor boost frekvens	3,4 GHz	Produktfarve	Sort
Processor-cache	24 MB	Præstation	
Antal installerede processorer	1	Fjernstyret administration	iDRAC9, Express 15G
Hukommelse		Software	
Intern hukommelse *	32 GB	Operativsystem installeret *	✗
Intern hukommelsestype *	DDR4-SDRAM	Kompatible operativsystemer *	
Pufret hukommelsestype	Registered (buffered)		
Hukommelse rangering	2		
Hukommelsesstik	16x DIMM	Canonical Ubuntu Server LTS Citrix Hypervisor Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server VMware ESXi	
Overførselshastighed for hukommelsesdata	3200 MT/s		
Maksimal intern hukommelse *	1 TB		
Lagring		Strømstyring	
Samlet lagringskapacitet *	480 GB	Redundant strømforsyning *	✓
Antal installerede SSD'er	1	Strømforsyning *	1100 W
SDD-kapacitet	480 GB	Antal understøttede overflødige strømforsyninger	2
SSD-grænsefladetype	SATA III	Antal installerede strømforsyninger	2
SSD-størrelse	2.5"	Strømforsyning indgangsspænding	250 V
Understøttede SSD-størrelser	3.5"	Strømkabellængde	2,5 m
Antal understøttede SSD'er	8	Strømkabelstik 1	IRSM 2073
Understøtter RAID *	✓	Strømkabelstik 2	C13 forbinder
RAID-niveauer	0, 1, 5, 6, 10, 50, 60	Strømkabelstrøm	10 A
Understøttede RAID-kontroller	PERC H755		

Lagring		Driftsbetingelser	
Understøtter hot-plug	✓	Driftstemperatur (T-T)	10 - 35 °C
Optisk drevtype *	✗	Opbevaringstemperatur (T-T)	-40 - 65 °C
Daglige drevskrivninger (DWPD)	1	Relativ luftfugtighed ved opbevaring (H-H)	5 - 95%
Lagerdisk adapter inkluderet	✓	Driftshøjde	0 - 3048 m
Lagringsdrev adaptertype	2.5" - 3.5"	Ikke-drift højde	0 - 12000 m
Netværk		Vægt & størrelser	
LAN Kontroller	Broadcom 57416	Bredde	482 mm
Ethernet LAN	✓	Dybde	721,6 mm
Kabelteknologi	10/100/1000Base-T(X)	Højde	86,8 mm
Ethernet-grænsefladetype	10 Gigabit Ethernet	Vægt	28,6 kg
Porte & Grænseflader		Andre funktioner	
Ethernet LAN-porte (RJ-45) *	2	Dataoverførselshastighed	6 Gbit/sek.
		Bytes pr. sektor	512

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.