HP

HP Scanjet 5530 Flatbed scanner 2400 x 4800 DPI A4 Grey, Metallic

Brand : HP

Product name : 5530

Product family: Scanjet

Product code: Q3871A

A4, Flatbed, 2400x4800dpi, 48-bit, USB 2.0

HP Scanjet 5530 Flatbed scanner 2400 x 4800 DPI A4 Grey, Metallic:

HP Scanjet 5530 Photosmart Scanner is the best way to quickly & easily convert stacks of traditional photos into digital files for printing, e-mailing, & storing. One-touch sends HP Photosmart Share e-mails. HP Scanjet 5530. Maximum scan size: 216 x 297 mm, Optical scanning resolution: 2400 x 4800 DPI, Input colour depth: 48 bit. Scanner type: Flatbed scanner, Product colour: Grey, Metallic. Sensor type: CCD, Light source: CCFL. Maximum ISO A-series paper size: A4, Scanning media types supported: Envelopes, Labels, Photo paper, Plain paper, Plastic Card, Transparencies. Standard interfaces: USB 2.0

Scanning

Maximum scan size *	216 x 297 mm
Optical scanning resolution *	2400 x 4800 DPI
Colour scanning	✔
Duplex scanning *	✘
Input colour depth	48 bit
Film scanning	✔
Greyscale levels	256

Design

Scanner type *	Flatbed scanner
Product colour *	Grey, Metallic
Built-in display *	✔

Performance

Sensor type *	CCD
Light source	CCFL

Paper handling

Scanning media types supported	Envelopes, Labels, Photo paper, Plain paper, Plastic Card, Transparencies
Maximum ISO A-series paper size *	A4

Ports & interfaces

USB port *	✔
USB version	2.0
Standard interfaces	USB 2.0

Power

Power supply type *	AC
Power consumption (typical)	31.9 W

Power

AC input frequency	50 - 60 Hz
Input voltage	100-240 V

Weight & dimensions

Width	312 mm
Depth	545 mm
Height	173 mm
Weight	5.5 kg

Packaging data

Package weight	8 kg

Sustainability

Sustainability certificates	ENERGY STAR

System requirements

Minimum storage drive space	450 MB
Minimum RAM	256 MB
Minimum processor	500MHz
Windows operating systems supported	Windows 2000, Windows 2000 Professional, Windows 98, Windows 98SE, Windows ME, Windows XP Home, Windows XP Professional
Mac operating systems supported	Mac OS 9.1, Mac OS 9.2, Mac OS X 10.0 Cheetah, Mac OS X 10.1 Puma, Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks

Operational conditions

Operating temperature (T-T)	10 - 35 °C
Storage temperature (T-T)	-40 - 70 °C

Operational conditions

Operating relative humidity (H-H)	15 - 85%
Storage relative humidity (H-H)	0 - 90%

0808736552127

808736552127

0808736552134

808736552134

8087365522332

0808736552318

808736552318

0808736552233

808736552233

0808736552301

808736552301

0808736552264

808736552264

0808736552158

808736552158

0808736552295

808736552295

0808736552165

808736552165

0808736552172

808736552172

0808736552189

808736552189

0808736552196

808736552196

0808736552202

808736552202

0808736552219

808736552219

0808736552226

808736552226

0808736552240

808736552240

0808736552257

808736552257

0808736552110

808736552110

0808736552271

808736552271

0808736552288

808736552288

0808736552141

808736552141