



TP-Link MX515V wireless router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) 4G White

Brand : TP-Link

Product code: MX515V

Product name : 4G+ Cat12 AX3000 Wi-Fi 6 Telephony Router

2.4 GHz (574Mbps), 5GHz (2402Mbps), 3× 10/100/1000 Mbps RJ45, 1x RJ11, 802.11a/b/g/n/ac/ax, 4G/3G, 99 × 99 × 192mm

TP-Link MX515V. WAN connection type: RJ-11, RJ-45. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 6 (802.11ax), WLAN data transfer rate (max): 3000 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s, Cabling technology: 10/100/1000Base-T(X). Mobile network generation: 4G, 3G standards: DC-HSDPA, HSPA+, HSUPA, WCDMA, 4G standard: LTE-TDD & LTE-FDD. Security algorithms: SNMP, WPA, WPA2, WPA3



WAN connection		Management features	
Ethernet WAN *	✓	MU-MIMO technology	✓
3G/4G USB modem compatibility *	✓	MIMO	✓
WAN connection type	RJ-11, RJ-45	Security	
Wireless LAN features		Security algorithms	SNMP, WPA, WPA2, WPA3
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Firewall	✓
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Guest access	✓
WLAN data transfer rate (max) *	3000 Mbit/s	Parental control	✓
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Design	
WLAN data transfer rate (first band)	574 Mbit/s	Product colour	White
WLAN data transfer rate (second band)	2402 Mbit/s	LED indicators	LAN, Power, WAN
Modulation	1024-QAM, OFDMA	Product type *	Tabletop router
Network		Packaging content	
Ethernet LAN *	✓	Cables included	LAN (RJ-45), Phone (RJ-11)
Ethernet LAN interface type *	Gigabit Ethernet	AC adapter included	✓
Ethernet LAN data rates	10,100,1000 Mbit/s	Quick installation guide	✓
Cabling technology	10/100/1000Base-T(X)	Antenna	
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11k, IEEE 802.11n, IEEE 802.11r, IEEE 802.11v	Antenna design *	Internal
Port forwarding	✓	Features	
Dynamic DNS (DDNS)	✓	Built-in processor	✓
Mobile network		Processor frequency	1000 MHz
Mobile network generation	4G	Processor cores	2
3G standards	DC-HSDPA, HSPA+, HSUPA, WCDMA	Power	
		Power source type *	DC
		AC input voltage	100 - 240 V
		AC input frequency	50/60 Hz

Mobile network		Power	
4G standard	LTE-TDD & LTE-FDD	Output voltage	12 V
Ports & interfaces		Output current	2 A
Ethernet LAN (RJ-45) ports *	3	Operational conditions	
USB port *	✗	Operating temperature (T-T)	0 - 40 °C
RJ-11 ports quantity	1	Storage temperature (T-T)	-40 - 60 °C
DC-in jack	✓	Operating relative humidity (H-H)	10 - 90%
Management features		Storage relative humidity (H-H)	5 - 90%
Quality of Service (QoS) support	✓	Weight & dimensions	
Reset button	✓	Width	99 mm
WPS push button	✓	Depth	99 mm
		Height	192 mm



4897098686850

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.