



## HP Pavilion 27xi computer monitor 68,6 cm (27") 1920 x 1080 pixels Full HD LED Black, Silver

**Brand :** HP

**Product code:** C4D27AA#ABB

**Product name :** Pavilion 27xi

27" IPS, 1920 x 1080, 250 cd/m<sup>2</sup>, 7ms, VGA, DVI-D, HDMI, 35W

HP Pavilion 27xi. Display diagonal: 68,6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED. Display: LED. Display surface: Gloss, Response time: 7 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Product colour: Black, Silver



| Display                             |                       | Ergonomics                        |              |
|-------------------------------------|-----------------------|-----------------------------------|--------------|
| Display diagonal *                  | 68,6 cm (27")         | Tilt adjustment                   | ✓            |
| Display resolution *                | 1920 x 1080 pixels    | Tilt angle range                  | -5 - 25°     |
| HD type *                           | Full HD               | On Screen Display (OSD)           | ✓            |
| Native aspect ratio *               | 16:9                  | Plug and Play                     | ✓            |
| Display technology *                | LED                   | LED indicators                    | Power        |
| Panel type *                        | IPS                   |                                   |              |
| Backlight type                      | W-LED                 |                                   |              |
| Touchscreen *                       | ✗                     |                                   |              |
| Display brightness (typical)        | 250 cd/m <sup>2</sup> |                                   |              |
| Response time *                     | 7 ms                  |                                   |              |
| Display surface                     | Gloss                 |                                   |              |
| Supported graphics resolutions      | 1920 x 1080 (HD 1080) |                                   |              |
| Supported video modes               | 1080p                 |                                   |              |
| Aspect ratio                        | 16:9                  |                                   |              |
| Contrast ratio (typical) *          | 1000:1                |                                   |              |
| Contrast ratio (dynamic)            | 10000000:1            |                                   |              |
| Viewing angle, horizontal           | 178°                  |                                   |              |
| Viewing angle, vertical             | 178°                  |                                   |              |
| Display number of colours *         | 16.78 million colours |                                   |              |
| Pixel pitch                         | 0,311 x 0,311 mm      |                                   |              |
| 3D                                  | ✗                     |                                   |              |
| Performance                         |                       | Power                             |              |
| Windows operating systems supported | ✓                     | Power consumption (typical) *     | 35 W         |
| Linux operating systems supported   | ✓                     | Power consumption (standby) *     | 0,5 W        |
|                                     |                       | AC input voltage                  | 100 - 240 V  |
|                                     |                       | AC input frequency                | 50 - 60 Hz   |
|                                     |                       | External power adapter            | ✓            |
| Multimedia                          |                       | Operational conditions            |              |
| Built-in speaker(s) *               | ✗                     | Operating temperature (T-T)       | 5 - 35 °C    |
| Built-in camera *                   | ✗                     | Storage temperature (T-T)         | -20 - 60 °C  |
|                                     |                       | Operating relative humidity (H-H) | 20 - 80%     |
|                                     |                       | Storage relative humidity (H-H)   | 5 - 90%      |
| Design                              |                       | Weight & dimensions               |              |
| Product colour *                    | Black, Silver         | Width (without stand)             | 622 mm       |
|                                     |                       | Depth (without stand)             | 192 mm       |
|                                     |                       | Height (without stand)            | 454 mm       |
|                                     |                       | Weight (without stand)            | 5,3 kg       |
| Ports & interfaces                  |                       | Packaging content                 |              |
| VGA (D-Sub) ports quantity          | 1                     | Cables included                   | AC, DVI, VGA |
| DVI port                            | ✓                     | Quick start guide                 | ✓            |
|                                     |                       | Manual                            | ✓            |
|                                     |                       | Sustainability                    |              |
|                                     |                       | Sustainability certificates       | ENERGY STAR  |
|                                     |                       | Other features                    |              |
|                                     |                       | Country of origin                 | China        |
|                                     |                       | AC adapter included               | ✓            |
|                                     |                       | Display                           | LED          |
|                                     |                       | On/off switch                     | ✓            |

| Ports & interfaces   |            | Other features                    |   |
|----------------------|------------|-----------------------------------|---|
| DVI-D ports quantity | 1          | TV tuner integrated               | ✗   |
| HDMI ports quantity  | 1          | Power cord included               | ✓   |
| HDCP                 | ✓          | Mean time between failures (MTBF) | 30000 h   |
| DC-in jack           | ✓          | Certification                     | CB, CE, FCC, ErP, CSA/C-UL/C-ETL, UL/CSA-NTRL/ETL-NRTL, ICES, CCC, Bauart, CECP, ISO9241-307, GOST 25861, HRN N NO.201, GOST R 50377-1992, GOST 25861, EEI, IS 1121, SASO, SABS IEC 60950-1, NOM-019-SCFI-1998, KC, KCC, PSB, ISC, C-Tick |
| Network              |            |                                   |   |
| Wi-Fi                | ✗          |                                   |   |
| Ethernet LAN         | ✗          |                                   |   |
| Ergonomics           |            |                                   |   |
| Cable lock slot *    | ✓          | Thin Client                       |   |
| Cable lock slot type | Kensington |                                   |   |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-AUG-2025. Prints or copies of Information are only valid on the printed Publication date