## Bosch Serie 2 HBA510BR0 oven 71 L Stainless steel

Brand: Bosch Product family: Serie 2 Product code: HBA510BR0

Product name: HBA510BR0

Bosch Serie 2 HBA510BR0. Oven size: Medium, Oven type: Electric, Total oven(s) interior capacity: 71 L. Appliance placement: Built-in, Product colour: Stainless steel, Control type: Rotary. Energy consumption (conventional): 0,97 kWh, Energy consumption (forced convection): 0,81 kWh, Connected load: 3400 W. Lamps quantity: 1 lamp(s), Lamp type: Halogen. Installation compartment width: 56 cm, Installation compartment depth: 55 cm, Installation compartment height: 58,5 cm





Oven		Power	
Number of ovens *	1	Energy efficiency index (EEI)	95,3
Oven size *	Medium	Current	16 A
Oven type *	Electric	Energy consumption (conventional)	0.97 kWh
Total oven(s) interior capacity *	71 L		
Oven net capacity *	71 L	Energy consumption (forced convection) *	0,81 kWh
Top and bottom heating	<b>✓</b>	Energy efficiency class (old)	Α
Fast heat	✓	Lighting	
Oven thermostat range	50 - 275 °C		
Grill *	✓	Interior light	<b>✓</b>
Convection cooking *	✓	Lamps quantity	1 lamp(s)
Maximum temperature (convection)	275 °C	Lamp type	Halogen
Conventional cooking	✓	Weight & dimensions	
Maximum temperature (conventional)	275 °C	Width	594 mm 548 mm
Self-cleaning *	×	Depth Height	595 mm
3		Weight	42 kg
Design		Depth with door open	104 cm
Appliance placement *	Built-in	Interior dimensions (W x D x H)	480 x 415 x 357 mm
Product colour *	Stainless steel	Installation compartment width *	56 cm
Control type * Control position	Rotary Front	Installation compartment width (min)	56 cm
Retractable knobs Built-in display *	<b>v x</b>	Installation compartment width (max)	56,8 cm
Door hinge	Down	Installation compartment depth *	55 cm
Door material	Glass	Installation compartment height *	58,5 cm
Cool door	✓	Installation compartment height (min)	58,5 cm
Door cooling fan	<b>✓</b>	Installation compartment height	59.5 cm
Door temperature (max)	50 °C	(max)	39,3 CIII
Effective tray surface area	1290 cm <sup>2</sup>	Packaging data	
Cord length	1,2 m	Package width	660 mm
Certification	CE, VDE	Package depth	690 mm
		- 1	

Ergonomics	
Integrated clock	×
Power	
Connected load	3400 W
AC input voltage	220 - 240 V
AC input frequency	50 - 60 Hz

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.