

LG 21HK512D computer monitor 54,1 cm (21.3") 2048 x 1536 pixels Full HD LCD Black

Brand : LG Product code: 21HK512D-B

Product name: 21HK512D

- 21.3" IPS 3MP
- DICOM Part 14
- Auto Luminance Sensor
- Remote & Self Calibration
- Pivot

21.3", 2048x1536px, 4:3, IPS, 1000 cd/m², 30ms, 178°, 100-240V, 50/60Hz, 100W LG 21HK512D. Display diagonal: 54,1 cm (21.3"), Display resolution: 2048×1536 pixels, HD type: Full HD, Display technology: LCD, Response time: 30 ms, Native aspect ratio: 4:3, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 2.0. VESA mounting, Height adjustment. Product colour: Black





Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time *	30 ms Flat 1400:1 178° 178°	Adjustable height (max) Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range Power Power Power consumption (typical) *	13 cm -90 - 90° -45 - 45° -5 - 35° 100 W
Anti-glare screen Screen shape * Contrast ratio (typical) * Viewing angle, horizontal Viewing angle, vertical		Power consumption (standby) * Power consumption (off) AC input voltage AC input frequency Weight & dimensions	6,5 W 6,5 W 100 - 240 V 50 - 60 Hz
Pixel pitch Colour depth Colour gamut	0,2113 x 0,2113 mm 10 bit 72%	Width (with stand) Depth (with stand) Height (with stand)	377 mm 248,2 mm 606 mm
Design Market positioning * Product colour * Ports & interfaces	Medical Black	Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) Weight (without stand)	9,8 kg 377 mm 89,6 mm 473 mm 7 kg
Built-in USB hub * USB hub version Number of upstream ports DVI port DVI-D ports quantity	2.0 1 1	Packaging data Package width Package depth Package height Package weight	502 mm 348 mm 701 mm 12,8 kg
DisplayPorts quantity Ergonomics	1	Other features Compliance certificates	REACH, RoHS, WEEE
VESA mounting * Panel mounting interface Height adjustment *	100 x 100 mm	Certification	CE MDD Class 2, UL60601-1, IEC60601-1, IEC60601-1, IEC60601-2, EN60601-1-2

	::	4-4-
LOG	istics	aata

Harmonized System (HS) code

85285210

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.