HP

HP Deskjet 990cxi inkjet printer Colour 600 x 2400 DPI A4

Brand : HP   **Product family:** Deskjet   **Product code:** C6455A

Product name : Deskjet 990cxi Printer

Deskjet 990cxi Printer

HP Deskjet 990cxi inkjet printer Colour 600 x 2400 DPI A4:

This ground-breaking package delivers highest ever speed in a personal inkjet printer, ultimate photo-quality and next generation connectivity in a sleek cutting-edge design. It is designed for high-end, professional-level users requiring speed, quality, style and connectivity.
HP Deskjet 990cxi. Colour, Number of print cartridges: 2, Maximum duty cycle: 5000 pages per month. Maximum resolution: 600 x 2400 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 6,5 ppm. Duplex printing

Features

Duplex printing *	✔
Page description languages *	PCL 3
Printing colours *	Black, Cyan, Magenta, Yellow
Colour *	✔
Maximum duty cycle *	5000 pages per month
Number of print cartridges *	2

Printing

Print speed (colour photo, normal quality) on photo paper	0,5 ppm
Print speed (colour photo, draft quality)	7,9 ppm
Print speed (colour photo, best quality) on photo paper	0,5 ppm
Print speed (colour photo, draft quality) on photo paper	2,4 ppm
Print speed (colour photo, normal quality)	2,4 ppm
Print speed (colour, full-page colour, normal quality, A4)	0,9 ppm
Print speed (colour, full-page colour, draft quality, A4)	3,1 ppm
Print speed (colour, draft quality, A4/US Letter)	13 ppm
Print speed (colour, full-page colour, best quality, A4)	0,3 ppm
Print speed (colour, best quality, A4)	1,2 ppm
Print speed (black, draft quality, A4/US Letter)	17 ppm
Print speed (black, best quality, A4)	1,3 ppm
Print quality (colour, best quality)	2400 DPI
Maximum resolution *	600 x 2400 DPI
Print speed (black, normal quality, A4/US Letter) *	6,5 ppm

Paper handling

Envelopes sizes	10, C6, DL
Photo paper sizes (imperial)	4x6"
Custom media width	77 - 216 mm
Custom media length	77 - 356 mm
Paper tray media weight	60 - 90 g/m²
A6 Card	✔

Ports & interfaces

I/O ports	IR, USB, Parallel
USB port *	✔
USB 2.0 ports quantity	1
Standard interfaces	Serial, USB 2.0

Network

Ethernet LAN *	✘
Wi-Fi *	✘
Bluetooth	✘

Performance

Acoustic power emissions	6.0 B(A)
Internal memory *	8 MB
Acoustic pressure emissions	47 dB

Design

Market positioning *	Home & office

Power

Power consumption (printing) *	40 W
Power consumption (off)	2 W
Power consumption (standby)	4 W
AC input voltage	110 - 240 V
AC input frequency	50 - 60 Hz

Printing

Print speed (colour, normal quality, A4/US Letter)	5 ppm
Borderless printing	✗

Input & output capacity

Maximum input capacity for transparencies	25 sheets
Maximum input capacity for labels	20
Maximum input capacity for envelopes	15
Maximum input capacity for cards	30
Maximum input capacity for banners	20
Total number of input trays *	1
Total input capacity *	150 sheets
Total output capacity *	50 sheets

Paper handling

Maximum print size	216 x 356 mm
Maximum ISO A-series paper size *	A4
Paper tray media types *	Banner, Card stock, Envelopes, Glossy paper, Labels, Photo paper, Plain paper, Transparencies
ISO A-series sizes (A0...A9) *	A4, A5
ISO B-series sizes (B0...B9)	B5
Non-ISO print media sizes	Executive, Hagaki card, Legal

System requirements

Mac compatibility	✔
Compatible operating systems	Windows 95 Windows 98 Windows NT 4.0 Windows 2000 Professional Windows ME Windows 3.1x Mac OS v7.61, v8.5.1 MS-DOS
Minimum processor	Pentium 66MHz
Minimum RAM	32 MB
Minimum system requirements	CD-ROM
Minimum system requirements for Macintosh	USB 32MB RAM

Operational conditions

Recommended operating temperature range (T-T)	15 - 35 °C
Operating temperature (T-T)	5 - 40 °C
Storage temperature (T-T)	-40 - 60 °C
Operating relative humidity (H-H)	15 - 80%
Operating temperature (T-T)	41 - 104 °F

Weight & dimensions

Width	440 mm
Depth	375 mm
Height	196 mm
Weight	5,85 kg

Other features

Dimensions (WxDxH)	440 x 375 x 196 mm
Infrared data port	✔
Print technology	Thermal inkjet
Print quality, vertical alignment accuracy	+/-0.002''
Dimensions (W x D x H) (imperial)	439,9 x 374,9 x 196,1 mm (17.3 x 14.8 x 7.72")
Weight (imperial)	5,85 kg (12.9 lbs)
Fonts included	✔
Skew (transparency)	+/-0.012 mm
Skew	+/-0.006 mm

0725184480133

725184480133

0725184479991

725184479991

0725184480096

725184480096

0725184480102

725184480102

0725184480119

725184480119

0725184480126

725184480126

0725184480140

725184480140

0725184480157

725184480157

0725184480164

725184480164

0725184480171

725184480171

0725184480188

725184480188

0725184480195

725184480195

0725184480201

725184480201

0725184480218

725184480218

0725184480225

725184480225

0725184480058

725184480058

0725184601026

725184601026

0725184760105

725184760105

0725184962707

725184962707

0725184480065

725184480065

0725184480072

725184480072

0725184480089

725184480089

0808736081030

808736081030

0725184480003

725184480003

0725184480010

725184480010

0725184480027

725184480027

0725184480034

725184480034

0725184480041

725184480041