



Canon EOS 70D SLR Camera Body 20,2 MP CMOS 5472 x 3648 pixels Black

Brand : Canon

Product family: EOS

Product code: 8469B025

Product name : 70D

DSLR (Body), 20.2MP, CMOS, 3:2 Native, 5472 x 3648 max, 1/8000 - 30 sec, AF, AE, ISO 100-12800 (H: 25600), Video Full HD, PictBridge, USB, HDMI Type C, SD/SDHC /SDXC, WiFi, 3.0" TFT LCD Touchscreen Canon EOS 70D. Camera type: SLR Camera Body, Megapixel: 20,2 MP, Sensor type: CMOS, Maximum image resolution: 5472 x 3648 pixels. ISO sensitivity (max): 25600. Fastest camera shutter speed: 1/8000 s. Wi-Fi. HD type: Full HD, Maximum video resolution: 1920 x 1080 pixels. Display diagonal: 7,62 cm (3"), Touchscreen. PictBridge. Product colour: Black



Picture quality		Audio	
Camera type *	SLR Camera Body	Built-in microphone *	✓
Megapixel *	20,2 MP	Memory	
Sensor type *	CMOS	Compatible memory cards *	SD, SDHC, SDXC
Maximum image resolution *	5472 x 3648 pixels	Display	
Still image resolution(s) *	480 x 480, 640 x 480, 720 x 480, 1280 x 1280, 1696 x 1280, 1920 x 1080, 1920 x 1280, 2736 x 1824, 2736 x 2736, 3648 x 2048, 3648 x 2432, 3648 x 2736, 3648 x 3648, 5472 x 3080, 5472 x 3648	Display *	LCD
		Touchscreen *	✓
		Display diagonal *	7,62 cm (3")
		Display resolution (numeric)	1040000 pixels
Image stabilizer *	✗	Display aspect ratio	3:2
Supported aspect ratios	1:1, 3:2, 16:9	Vari-angle LCD display	✓
Total megapixels	20,9 MP	Field of view	98%
Image sensor size (W x H)	22,5 x 15 mm	Second display	✗
Image formats supported *	JPG, RAW	Viewfinder	
Lens system		Magnification	0,95x
Lens mount interface	Canon EF	Ports & interfaces	
Focusing		PictBridge *	✓
Focus *	TTL	USB version *	2.0
Focus adjustment *	Auto/Manual	HDMI *	✓
Auto focusing (AF) modes *	Multi Point Auto Focus, Servo Auto Focus, Single Auto Focus, Tracking Auto Focus	HDMI connector type	Mini
		Network	
Auto Focus (AF) object detection	Face	Wi-Fi *	✓
Auto Focus (AF) points	19	Camera	
Auto Focus (AF) points selection	Auto	White balance *	Auto, Cloudy, Custom modes, Daylight, Fluorescent, Halogen, Shade, Tungsten
Auto Focus (AF) lock	✓	Scene modes *	Close-up (macro), Night portrait, Portrait, Sports, Landscape
Auto Focus (AF) assist beam	✓	Self-timer delay *	2,10 s
Exposure		Dioptrre correction	✓
ISO sensitivity (min) *	100		
ISO sensitivity (max) *	25600		
ISO sensitivity	100, 25600		
Light exposure modes *	Aperture priority AE, Auto, Manual, Shutter priority AE		
Light exposure control	Program AE		
Light exposure correction *	±5EV (1/2; 1/3 EV step)		

Exposure		Camera	
Light metering *	Centre-weighted, Evaluative (Multi-pattern), Spot	Languages support	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Russian, Swedish, Thai, Turkish, Ukrainian
Auto Exposure (AE) lock	✔		
Shutter			
Fastest camera shutter speed *	1/8000 s		
Slowest camera shutter speed *	30 s	Histogram	✔
Camera shutter type	Mechanical		
Flash			
Flash modes *	Flash off, Red-eye reduction		
Flash exposure lock	✔	Live view	✔
Flash guide number	12 m	Camera file system	DCF 2.0, DPOF 1.1, Exif 2.3
Flash exposure compensation	✔	Multi-shot	✔
Flash exposure correction	±3EV (1/2; 1/3 EV step)	Image processor	DIGIC 5+
Video		Design	
Video recording *	✔	Product colour *	Black
Maximum video resolution *	1920 x 1080 pixels	Battery	
HD type *	Full HD	Battery type	LP-E6
Video resolutions	640 x 480,1280 x 720,1920 x 1080	Battery level indicator	✔
Motion JPEG frame rate	50 fps	Operational conditions	
Resolution at capture speed	1920x1080@24fps, 640x480@25fps, 640x480@30fps	Operating temperature (T-T)	0 - 40 °C
Analog signal format system	NTSC, PAL	Weight & dimensions	
Video formats supported	H.264, MOV, MPEG4	Width	139 mm
		Depth	78,5 mm
		Height	104,3 mm
		Weight (including battery)	755 g
		Packaging content	
		Hand strap	✔
		Cables included	USB
		Battery charger included	✔
		Batteries included	✔
		Other features	
		Built-in flash	✔
		HDMI ports quantity	1
		Power source type	Battery
		Aspect ratio	3:2



8714574610603



4960999979786

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.