



Canon Digital IXUS 980 IS 1/1.7" Compact camera 14,7 MP CCD 4416 x 3312 pixels Red

Brand : Canon

Product family: Digital IXUS

Product code: 3285B006

Product name : 980 IS

IXUS 980 IS - 14.7MP, 1/1.7" CCD, 4416 x 3312, 3.7x Optical zoom, DIGIC 4, 2.5" LCD TFT, USB 2.0, PAL/NTSC, 160g

Canon Digital IXUS 980 IS. Camera type: Compact camera, Megapixel: 14,7 MP, Image sensor size: 1/1.7", Sensor type: CCD, Maximum image resolution: 4416 x 3312 pixels. Optical zoom: 3,7x, Digital zoom: 4x, Focal length range: 7.7 - 28.5 mm. Maximum video resolution: 640 x 480 pixels. Display diagonal: 6,35 cm (2.5"). Viewfinder type: Optical. PictBridge. Weight: 160 g. Product colour: Red



Picture quality		Display	
Image sensor size *	1/1.7"	Display resolution (numeric)	230000 pixels
Camera type *	Compact camera	Field of view	100%
Megapixel *	14,7 MP	Viewfinder	
Sensor type *	CCD	Viewfinder type	Optical
Maximum image resolution *	4416 x 3312 pixels	Ports & interfaces	
Still image resolution(s) *	640 x 480,1600 x 1200,2592 x 1944,3456 x 2592,4416 x 2480	PictBridge *	✓
Image stabilizer *	✓	USB version *	2.0
Lens system		Camera	
Optical zoom *	3,7x	White balance *	Auto, Cloudy, Custom modes, Daylight, Fluorescent, Tungsten
Digital zoom *	4x	Scene modes *	Beach, Children, Fireworks, Night, Party (indoor), Portrait, Self-portrait, Snow, Sunset, Underwater, Landscape
Focal length range	7.7 - 28.5 mm	Shooting modes *	Auto, Movie, Scene
Lens structure (elements/groups)	7/5	Photo effects *	Black&White, Neutral, Positive film, Sepia, Skin tones, Vivid
Combined zoom	15x	Self-timer delay *	2,10 s
Number of aspheric elements	2	Camera playback	Movie, Single image
Focusing		Playback zoom (max)	10x
Focus *	TTL	Custom colour	✓
Auto focusing (AF) modes *	Single Auto Focus	Histogram	✓
Face tracking	✓	Live view	✓
Closest focusing distance	0,05 m	Image editing	Resizing
Auto Focus (AF) lock	✓	Orientation sensor	✓
Auto Focus (AF) assist beam	✓		
Exposure			
ISO sensitivity	80, 100, 200, 400, 800, 1600, Auto		
Light exposure correction *	± 2EV (1/3EV step)		
Light metering *	Centre-weighted, Spot		

Flash		Camera	
Flash modes *	Auto, Flash off, Flash on, Manual, Red-eye reduction, Slow synchronization	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Ukrainian
Flash exposure lock	✓		
Flash range (wide)	0,5 - 4,6 m		
Flash range (tele)	0,5 - 2,4 m		
Video		Camera file system	DPOF 1.1, Exif 2.2
Video recording *	✓	Image quality adjustment	Brightness
Maximum video resolution *	640 x 480 pixels	Image processor	DIGIC 4
HD type *	Not supported	Design	
Video resolutions	320 x 240 pixels	Product colour *	Red
Motion JPEG frame rate	30 fps	Battery	
Analog signal format system	NTSC, PAL	Battery technology *	Lithium-Ion (Li-Ion)
Video formats supported	H.264, MOV	Battery life (CIPA standard)	280 shots
Audio		Battery type	NB-5L
Built-in microphone *	✓	Operational conditions	
Memory		Operating temperature (T-T)	0 - 40 °C
Compatible memory cards *	MMC, MMC+, SD, SDHC	Operating relative humidity (H-H)	10 - 90%
Display		Weight & dimensions	
Display *	LCD	Width	96,7 mm
Touchscreen *	✗	Depth	27,9 mm
Display diagonal *	6,35 cm (2.5")	Height	62,2 mm
		Weight	160 g
		Other features	
		Video capability	✓
		Aperture range (F-F)	2,8 - 5,8
		Built-in flash	✓
		Camera shutter speed	1/60 - 1/1600 s
		Focal length (35mm film equivalent)	36 - 133 mm
		Compatible operating systems	Windows XP SP2/Vista Mac OS X v10.4 - 10.5
		Video memory capacity	4GB

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.