

Epson PowerLite 955WH Standard throw projector 3200 ANSI lumens 3LCD WXGA (1280x800) White

Brand : Epson

Article code: V11H683020

Product name : PowerLite 955WH

Epson PowerLite 955WH. Projector brightness: 3200 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WXGA (1280x800). Light source type: Lamp, Service life of light source: 5000 h, Service life of light source (economic mode): 10000 h. Focus: Manual, Focal length range: 18.2 - 29.2 mm, Aperture range (F-F): 1,51 - 1,99. Analog signal format system: NTSC, PAL, PAL 4.43, PAL 60, PAL M, PAL N, SECAM. Serial interface type: RS-232



Projector		Network	
Supported aspect ratios	4:3, 16:9, 16:10	Wi-Fi *	✗
Screen size compatibility *	838,2 - 7112 mm (33 - 280")	Storage	
Projector brightness *	3200 ANSI lumens	Card reader integrated *	✗
Projection technology *	3LCD	Features	
Projector native resolution *	WXGA (1280x800)	Noise level (economic mode)	29 dB
Contrast ratio (typical) *	10000:1	HDCP	✓
Native aspect ratio *	16:10	Noise level *	37 dB
Keystone correction, horizontal	± 30°	Plug and Play	✓
Keystone correction, vertical	± 30°	Multimedia	
Light source		Built-in speaker(s) *	✓
Light source type *	Lamp	RMS rated power	16 W
Service life of light source *	5000 h	Number of built-in speakers	1
Service life of light source (economic mode)	10000 h	Design	
Lamp type	UHE	Product type *	Standard throw projector
Lamp power	200 W	Product color *	White
Lamps quantity	1 lamp(s)	Placement	Desktop
Lens system		LED indicators	✓
Focus *	Manual	Cable lock slot	✓
Focal length range	18.2 - 29.2 mm	Cable lock slot type	Kensington
Aperture range (F-F)	1,51 - 1,99	Display	
Zoom ratio	1.6:1	Built-in display *	✗
Throw ratio	1.38 - 2.24:1	Power	
Video		Power source *	AC
Analog signal format system *	NTSC, PAL, PAL 4.43, PAL 60, PAL M, PAL N, SECAM	Power consumption (typical) *	299 W
Full HD *	✗	Power consumption (standby) *	0,21 W
3D *	✗	Power consumption (economy mode)	221 W
Ports & interfaces		AC input voltage	100 - 240 V
S-Video inputs quantity	1	AC input frequency	50 - 60 Hz
USB 2.0 ports quantity	2	Operational conditions	
Audio (L/R) in *	1	Operating temperature (T-T)	5 - 35 °C
Serial interface type *	RS-232	Weight & dimensions	
PC in (D-Sub)	✓	Width	294,6 mm
VGA (D-Sub) ports quantity *	3		
HDMI ports quantity *	2		

Ports & interfaces		Weight & dimensions	
Composite video in *	1	Depth	269 mm
DVI port *	✗	Height	89 mm
AC (power) in	✓	Weight *	2,9 kg
Network		Packaging content	
Ethernet LAN *	✓	Handheld remote control *	✗
Ethernet LAN (RJ-45) ports	1	Manual	✓
		Technical details	
		Compliance certificates	RoHS
		Other features	
		RS-232 ports	1

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.