




## MSI B150M PRO-DDP Intel® B150 LGA 1151 (Socket H4) micro ATX

**Brand :** MSI

**Article code:** 007975-001R

**Product name :** B150M PRO-DDP



MSI B150M PRO-DDP. Processor manufacturer: Intel, Processor socket: LGA 1151 (Socket H4), Compatible processor series: Intel® Celeron®, Intel® Pentium®. Supported memory types: DDR4-SDRAM, Maximum internal memory: 64 GB, Memory slots type: DIMM. Supported storage drive interfaces: SATA III. Maximum resolution: 4096 x 2304 pixels. Ethernet interface type: Gigabit Ethernet, LAN controller: Realtek RTL8111GN

Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	USB 2.0 ports quantity *	2
Processor socket *	LGA 1151 (Socket H4)	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4
Compatible processor series *	Intel® Celeron®, Intel® Pentium®	Ethernet LAN (RJ-45) ports *	1
Intel® Core i3/i5/i7/i9 series	i3-6xxx, i5-6xxx, i7-6xxx	PS/2 ports quantity	2
Memory		DVI-D ports quantity *	1
Supported memory types *	DDR4-SDRAM	DisplayPorts quantity	2
Number of memory slots *	4	Headphone outputs	1
Memory slots type	DIMM	Microphone in	✓
Memory channels	Dual-channel	Network	
ECC compatibility	ECC	Ethernet LAN	✓
Supported memory clock speeds	2133 MHz	Ethernet interface type	Gigabit Ethernet
Maximum internal memory *	64 GB	LAN controller	Realtek RTL8111GN
Unbuffered memory	✓	Features	
Storage controllers		Motherboard chipset *	Intel® B150
Supported storage drive interfaces * SATA III		Audio chip	Realtek ALC887
Graphics		Audio output channels *	7.1 channels
Maximum resolution	4096 x 2304 pixels	Component for *	PC
DirectX version	12.0	Motherboard form factor *	micro ATX
Internal I/O		Motherboard chipset family *	Intel
USB 2.0 connectors *	1	Power source type	ATX
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	Expansion slots	
Number of SATA III connectors *	6	PCI Express x1 (Gen 3.x) slots	1
Front panel audio connector	✓	PCI Express x16 (Gen 3.x) slots	1
Front panel connector	✓	PCI slots	1
ATX Power connector (24-pin)	✓	BIOS	
CPU fan connector	✓	BIOS type *	UEFI AMI
Number of chassis fan connectors	1	BIOS memory size	64 Mbit
Chassis intrusion connector	✓	ACPI version	5.0
TPM connector	✓	Clear CMOS jumper	✓

Internal I/O		Weight & dimensions	
Parallel connector	✓	Width	244 mm
Serial port headers	1	Depth	223 mm
12V power connector	✓	Other features	
		PCI Express x4 (Gen 3.x) slots	1



4719072477264

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.