

Epson WorkForce DS-1630 Flatbed scanner 1200 x 1200 DPI A4 Black, White

Brand : Epson

Product family: WorkForce

Article code: B11B239401

Product name : DS-1630

Epson WorkForce DS-1630. Maximum scan size: 210 x 297 mm, Optical scanning resolution: 1200 x 1200 DPI, Input color depth: 30 bit. Scanner type: Flatbed scanner, Product color: Black, White. Sensor type: CIS, Daily duty cycle (max): 1500 pages, Light source: RGB LED. Auto document feeder (ADF) input capacity: 50 sheets. Maximum ISO A-series paper size: A4, Auto Document Feeder (ADF) media weight: 50 - 120 g/m², Maximum scan area (ADF): 210 x 3048 mm



Scanning		Weight & dimensions	
Maximum scan size *	210 x 297 mm	Height	121 mm
Optical scanning resolution *	1200 x 1200 DPI	Weight	3,9 kg
Color scanning	✓	Packaging data	
Duplex scanning *	✓	Quantity per pack	1 pc(s)
Input color depth	30 bit	Package width	195 mm
Output color depth	24 bit	Package depth	520 mm
Input grayscale depth	10 bit	Package height	405 mm
Output grayscale depth	8 bit	Package weight	4,83 kg
ADF scan speed (b/w, A4)	25 ppm	Packaging content	
ADF scan speed (color, A4)	25 ppm	Software CD	✓
Duplex ADF scan speed (b/w, A4)	10 ipm	Warranty card	✓
Design		Cables included	AC
Scanner type *	Flatbed scanner	Quick start guide	✓
Product color *	Black, White	Drivers included	✓
Built-in display *	✗	Bundled software	Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2
Performance			
Sensor type *	CIS	System requirements	
Light source	RGB LED	Compatible operating systems	Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7, 64-Bit-Version, Windows 8, Windows 8 (32/64 Bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Vista, Windows Vista, 64-Bit-Version
Scan file formats	JPEG, PDF, TIFF		Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64
Daily duty cycle (max) *	1500 pages	Windows operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Scan to	File, PC		
Scan drivers	TWAIN, ISIS	Operational conditions	
Password protection	✓	Operating temperature (T-T)	10 - 35 °C
Input capacity		Operating relative humidity (H-H)	20 - 80%
Auto document feeder (ADF) input capacity	50 sheets		
Paper handling			
Maximum ISO A-series paper size *	A4		
Auto Document Feeder (ADF) media weight	50 - 120 g/m²		
Maximum scan area (ADF)	210 x 3048 mm		
Minimum scan area (ADF)	89 x 127 mm		
Ports & interfaces			
USB port *	✓		
USB version	3.2 Gen 1 (3.1 Gen 1)		


Ports & interfaces		Operational conditions	
Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1)	Storage relative humidity (H-H)	20 - 80%
Network		Other features	
IPv6 support	✓	Control panel	5-line LCD with Push Scan features
Supported network protocols	TCP/IP, DHCP, DNS, SNMP, SLP	Image formats supported	BMP, JPEG, TIFF
Power		Cabling technology	10/100/1000Base-T(X)
Power supply type *	AC	Compliance certificates	RoHS
Power consumption (typical)	11 W	Logistics data	
Power consumption (standby)	5,8 W	Quantity per pallet	40 pc(s)
Power consumption (off)	0,15 W	Country of origin	Indonesia
Power consumption (PowerSave)	0,8 W	Pallet weight	0 g
AC input frequency	50 - 60 Hz	Pallet length	120 cm
Input voltage	100 - 120 V	Pallet width	80 cm
Weight & dimensions		Pallet height	15 cm
Width	451 mm	Quantity per pallet layer	8 pc(s)
Depth	318 mm	Quantity per pallet layer (UK)	10 pc(s)
		Quantity per pallet (UK)	50 pc(s)
		Pallet weight (UK)	0 g
		Pallet length (UK)	120 cm
		Pallet width (UK)	100 cm
		Pallet height (UK)	15 cm
		Harmonized System (HS) code	84716070



8715946619095



8715946605630



4058154130735

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.