Samsung PS50A410C1XXC TV 127 cm (50") HD Black 1500 cd/m 2

Brand : Samsung Article code: PS50A410C1XXC

Product name : PS50A410C1XXC

Samsung PS50A410C1XXC. Display diagonal: 127 cm (50"), Display resolution: 1365×768 pixels, HD type: HD, Display technology: Plasma, Display brightness: 1500 cd/m^2 , Native aspect ratio: 16:9. Product color: Black





Display		Ports & interfaces		
HD type * P. Display technology * P. Native aspect ratio * P. Supported video modes Display brightness * P. Contrast ratio (dynamic) P. Viewing angle, horizontal Viewing angle, vertical Comb filter P. S. Display brightness * P. Contrast ratio (dynamic) P. Viewing angle, horizontal P. Comb filter P. S. Display brightness * P. Comb filter P. Comb filter P. S. Display brightness * P. Comb filter P. S. Display brightness * P. Comb filter P. Display brig	127 cm (50") HD Plasma 16:9 1080p, 720p 1500 cd/m² 100000:1 175° 3D 1365 x 768 pixels	AC (power) in	✓	
		Management features		
		Picture-in-Picture	×	
		Sleep timer	✓	
		On/Off timer	✓	
		Power		
		Power consumption (typical) *	470 W	
		Power consumption (standby) *	1 W	
		Operational conditions		
Audio		Operating temperature (T-T)	10 - 40 °C	
RMS rated power *	20 W	Weight & dimensions		
Design		Width (with stand)	1230,9 mm	
Product color *	Black	Depth (with stand)	315,9 mm	
Performance		Height (with stand)	848,4 mm	
Teletext function	1	Weight (with stand) Width (without stand) Depth (without stand)	36,9 kg	
Teletext	1000 pages		1230,9 mm 95,1 mm	
Plug and Play	1000 pages ✓	Height (without stand)	788,9 mm	
	•	Weight (without stand)	34 kg	
Ports & interfaces		Packaging content		
PC in (D-Sub) *	✓			
Component video (YPbPr/YCbCr) in	2	Handheld remote control	✓	
Composite video in	1	Other features		
Composite video out	1	Teletext level	1.5	
Audio (L/R) in	1	Built-in speaker(s)	✓	
Headphone outputs RF ports quantity	1	Programmable timers	180 min	
S-Video inputs quantity	1	Storage temperature (T-T)	-20 - 45 °C	
HDMI ports quantity *	2	Operating relative humidity (H-H)	10 - 80%	
		Integrated clock	✓	
		Relative humidity	5 - 95%	

n	+4	or	fο	at:	ures
u	441	ıeı	16	аы	ures

Tuner display

NTSC 4.43, PAL-B/G, D/K, I, SECAM-B/G, D/K, AV Multi, DVB-T

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.