

Xerox WorkCentre 7855i Laser A3 1200 x 2400 DPI 55 ppm

Brand : Xerox

Product family: WorkCentre

Article code: 7855I_T

Product name : 7855i

Xerox WorkCentre 7855i. Print technology: Laser, Printing: Colour printing, Maximum resolution: 1200 x 2400 DPI, Print speed (color, normal quality, A4/US Letter): 50 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Mono faxing. Maximum ISO A-series paper size: A3. Direct printing. Product color: White

Printing		Paper handling	
Duplex printing mode	Auto	Maximum ISO A-series paper size *	A3
Print technology *	Laser	Paper tray media types *	Bond paper, Card stock, Envelopes, Glossy paper, Heavy paper, Labels, Lightweight paper, Plain paper, Pre-printed, Recycled paper, Transparencies
Printing *	Colour printing		
Duplex printing *	✓		
Maximum resolution *	1200 x 2400 DPI		
Print speed (black, normal quality, A4/US Letter) *	55 ppm	ISO A-series sizes (A0...A9) *	A3, A4, A5
Print speed (color, normal quality, A4/US Letter)	50 ppm	Duplex media weight	60 - 128 g/m²
Warm-up time (from sleep mode)	151 s	Ports & interfaces	
Time to first page (black, normal)	5,9 s	Standard interfaces	Ethernet, USB 2.0
Time to first page (color, normal)	7,1 s	Direct printing *	✓
Stored print function	✓	USB port	✓
Auto tray switching function	✓	USB 2.0 ports quantity	1
N-up printing	16	Network	
Watermark printing	✓	Ethernet LAN *	✓
Cover page printing function	✓	Cabling technology	10/100/1000Base-T(X)
Booklet printing function	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
Secure PDF printing function	✓	Security algorithms	256-bit AES, 256-bit TwoFish, HTTPS
Copying		Supported network protocols (IPv6)	DHCP, SNMP, WINS, SLP v2, HTTP, HTTPS, DHCP Autonet, TLS, NTP, MDNS, SSDP
Duplex copying *	✓	Email protocols	POP3, SMTP
Copying *	Colour copying	Hard drive overwrite	✓
Maximum copy resolution *	600 x 600 DPI	Mobile printing technologies	Apple AirPrint, Mopria Print Service, Xerox PrintBack
Time to first copy (black, normal)	5,5 s	Performance	
Time to first copy (color, normal)	7,1 s	Internal storage capacity	250 GB
Maximum number of copies	9999 copies	Card reader integrated	✗
Copier resize	25 - 400%	Internal memory *	3072 MB
N-in-1 copy function	✓	Built-in processor	✓
N-in-1 copy function (N=)	2	Processor frequency	1200 MHz
Edge erase function	✓	Processor cores	2
Scanning		Sound pressure level (printing)	55,8 dB
Scanning *	Colour scanning	Design	
Optical scanning resolution *	600 x 600 DPI	Product color *	White
Maximum scan area	279 x 432 mm	Market positioning *	Business
Scanner type *	ADF scanner	Built-in display *	✓
Scan to	E-mail, FTP, HTTP, PC, SMB, USB	Display	LCD
Scan speed (black)	133 inch/min	Power	
Scan speed (color)	133 inch/min	Power consumption (average operating)	862 W
Image formats supported	JPEG XR, JPG, TIF	Power consumption (standby)	121 W
Document formats supported	PDF, XPS	Power consumption (sleep)	4,8 W
Input color depth	24 bit	Power consumption (off)	4,8 W
Output color depth	24 bit		

Fax		Power	
Duplex faxing	✓	AC input voltage	110 - 220 V
Faxing *	Mono faxing	AC input frequency	50 - 60 Hz
Fax resolution (black)	400 x 200 DPI	System requirements	
Fax forwarding	✓		
Fax forwarding to	E-mail, FTP, SMB	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IoT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64 Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks Fedora 10, Fedora 11, Fedora 12, Fedora 13, Fedora 14, Fedora 15, Fedora 18, Fedora 22, Fedora 23, Fedora 25, Fedora 6, Fedora 7, Fedora 8, Fedora 9, RedHat EL Linux, RedHat EL Linux 3 U9, RedHat EL Linux 4.0, RedHat EL Linux 4.0 U5, RedHat EL Linux 4.0 U6, RedHat EL Linux 4.0 U7, RedHat EL Linux 5.0, RedHat EL Linux 5.1, RedHat EL Linux 5.2, RedHat EL Linux 5.3, RedHat EL Linux 5.6, RedHat EL Linux 6.0, RedHat EL Linux 7.0, Ubuntu 13.10, Ubuntu 14.04, Ubuntu Core Windows Server 2003 R2, Windows Server 2008, Windows Server 2008 R2, Windows Server 2008 R2 x64, Windows Server 2008 x64, Windows Server 2012, Windows Server 2012 R2, Windows Server 2012 R2 x64, Windows Server 2012 x64	
Features			
Recommended duty cycle	18000 - 22000 pages per month		
Maximum duty cycle *	300000 pages per month		
Digital sender	✓		
Number of print cartridges *	4		
Printing colors *	Black, Cyan, Magenta, Yellow		
Page description languages	PCL 5c, PCL 6, PDF 1.7, PostScript 3		
All-In-One-multitasking	✓		
Delay print	✓		
Stapling capacity	50 sheets		
Input & output capacity		Windows operating systems supported	
Total input capacity *	100 sheets		
Total output capacity *	520 sheets		
Paper input type	Paper tray		
Maximum number of input trays	4		
Maximum output capacity	5140 sheets	Mac operating systems supported	
		Linux operating systems supported	
		Server operating systems supported	
Operational conditions			
Operating relative humidity (H-H)		15 - 85%	
Operating temperature (T-T)		10 - 28 °C	

Certificates	
Certification	FCC Class A Compliant (US), ICES Class A Compliant (Canada) CSA Listed (UL 60950-1, Second Edition) CB Certified (IEC 60950-1, Second Edition) EPEAT (United States) GOST NOM Apple AirPrint 1.4 Mopria Wi-Fi Direct ECOLOGO CE Mark Common Criteria (IEEE 2600.2 standard) Citrix WHQL IPv6 Ready Cerner MEDITECH SAP
Sustainability	
Sustainability certificates	Blue Angel, ENERGY STAR
Weight & dimensions	
Width	640 mm
Depth	699 mm
Height	1149,2 mm
Weight	151,9 kg
Other features	
Duplex	✓

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.