

Brother MFC-J220 multifunction printer Inkjet A4 1200 x 6000 DPI 33 ppm

Brand: Brother Article code: MFC-J220

Product name: MFC-J220

Brother MFC-J220. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 1200 x 6000 DPI, Print speed (color, normal quality, A4/US Letter): 27 ppm. Copying: Colour copying, Maximum copy resolution: 1200 x 1200 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Faxing: Mono faxing. Maximum ISO A-series paper size: A4. Direct printing





Printing		Paper handling	
Print technology *	Inkjet	Maximum print size	216 x 356 mm
Printing * Duplex printing *	Colour printing X	Paper tray media types *	Glossy paper, Matte paper, Photo paper, Plain paper, Transparencies
Maximum resolution *	1200 x 6000 DPI	ISO A-series sizes (A0A9) *	A4, A5, A6
Print speed (black, normal quality, A4/US Letter) *	33 ppm	ISO B-series sizes (B0B9) Non-ISO print media sizes	B5 Legal
Print speed (color, normal quality, A4/US Letter)	27 ppm	Photo paper sizes (imperial) Borderless printing media sizes	4x6,5x7" 4x6, 5x7, A4, A6, Legal
Copying		Paper tray media weight	60 - 220 g/m²
Duplex copying *	x	Ports & interfaces	
Copying *	Colour copying	Direct printing *	✓
Maximum copy resolution *	1200 x 1200 DPI	Network	
Copy speed (black, normal quality, A4)	22 cpm	Wi-Fi *	×
Copy speed (color, normal quality, A4)	20 cpm	Ethernet LAN *	x
Maximum number of copies	99 copies	Performance	
Copier resize	25 - 400%	Memory slots	1
PC free copying	✓	Card reader integrated	✓
Scanning		Internal memory *	32 MB
Duplex scanning *	×	Compatible memory cards	Memory Stick (MS), MS Duo, MS PRO, SD, SDHC
Scanning *	Colour scanning	Processor family	RISC
Optical scanning resolution *	1200 x 2400 DPI	Processor frequency	128 MHz
Maximum scan resolution	19200 x 19200 DPI	Sound pressure level (printing)	50 dB
laximum scan area A4 (210 x 297) canner type * Flatbed scanner	Flatbed scanner	Design	
Scan technology	CIS	Market positioning *	Home & office
Scan to	E-mail, File, Image, OCR	Built-in display *	✓
Image formats supported	BMP, JPG, PNG, TIF	Display	LCD
Output color depth	24 bit	Display diagonal	4,83 cm (1.9")
Grayscale levels	256	Power	
Fax		Power consumption (average operating)	19,5 W
Duplex faxing Faxing *	X Mono faxing	Power consumption (PowerSave) Power consumption (standby)	0,65 W 4,5 W

		Pa	
Fax		Power	
Modem speed Fax memory Fax speed dialing (max numbers)	14,4 Kbit/s 170 pages 40 90 locations JPEG, MH, MMR, MR	AC input frequency	50 - 60 Hz
		System requirements	
Fax forwarding Fax broadcasting Auto reduction Error Correction Mode (ECM) Fax dual access Fax coding methods Caller ID Features Digital sender		Windows operating systems supported	Windows 2000 Professional, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Ultimate, Windows 7 Ultimate, Windows 7 Ultimate, Windows 7 Ultimate, Windows Vista Business, Windows Vista Business x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP
Number of print cartridges * Printing colors * Country of origin	4 Black, Cyan, Magenta, Yellow China		Professional, Windows XP Professional x64 Mac OS X 10.4 Tiger, Mac OS X 10.5
Input & output capacity	O.I.I.I.G	Mac operating systems supported	Leopard, Mac OS X 10.6 Snow Leopard
Total number of input trays * Total input capacity *	1 100 sheets	Linux operating systems supported	1
		Sustainability	
Total output capacity *	50 sheets	Sustainability certificates	ENERGY STAR
Paper handling		Weight & dimensions	
Maximum ISO A-series paper size *	A4	Width Depth Height Weight	220 mm 460 mm 462 mm 6,76 kg
		Packaging data	
		Package weight	8,48 kg
		Packaging content	
		Drivers included	✓
		Other features	
		All-in-one functions Color all-in-one functions Package dimensions (WxDxH)	Copy, Fax, Print, Scan Copy, Print, Scan 465 x 255 x 460 mm





4977766678346

4977766702560

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.