



## MSI 970A-G43 PLUS AMD 970 Socket AM3+ ATX


**Brand :** MSI

**Product code:** 007974-001R

**Product name :** 970A-G43 PLUS

Socket AM3+, AMD 970 & SB950 Chipset, 4 x DDR3 up to 32GB, 1 x Gigabit Ethernet, 6 x SATA, 2 x PCI-Express x16, 2 x PCI-Express x1, 2 x PCI

MSI 970A-G43 PLUS. Processor manufacturer: AMD, Processor socket: Socket AM3+, Compatible processor series: AMD Phenom. Supported memory types: DDR3-SDRAM, Maximum internal memory: 32 GB, Memory slots type: DIMM. Supported storage drive interfaces: SATA III, RAID levels: 0, 1, 5, 10. Parallel processing technology support: 2-Way CrossFireX. Ethernet interface type: Fast Ethernet, Gigabit Ethernet, LAN controller: Realtek RTL8111E



| Processor                                |                              | Rear panel I/O ports                              |                                 |
|------------------------------------------|------------------------------|---------------------------------------------------|---------------------------------|
| Processor manufacturer *                 | AMD                          | USB 2.0 ports quantity *                          | 6                               |
| Processor socket *                       | Socket AM3+                  | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * | 2                               |
| Compatible processor series *            | AMD Phenom                   | Ethernet LAN (RJ-45) ports *                      | 1                               |
| Memory                                   |                              | PS/2 ports quantity                               | 2                               |
| Supported memory types *                 | DDR3-SDRAM                   | Headphone outputs                                 | 1                               |
| Number of memory slots *                 | 4                            | Microphone in                                     | ✓                               |
| Memory slots type                        | DIMM                         | S/PDIF out port                                   | ✓                               |
| Memory channels                          | Dual-channel                 | Network                                           |                                 |
| Supported memory clock speeds            | 1066,1333,1600,1866,2133 MHz | Ethernet LAN                                      | ✓                               |
| Maximum internal memory *                | 32 GB                        | Ethernet interface type                           | Fast Ethernet, Gigabit Ethernet |
| Supported memory module capacities       | 8GB                          | LAN controller                                    | Realtek RTL8111E                |
| Storage controllers                      |                              | Wi-Fi *                                           | ✗                               |
| Supported storage drive interfaces *     | SATA III                     | Features                                          |                                 |
| RAID levels                              | 0, 1, 5, 10                  | Motherboard chipset *                             | AMD 970                         |
| Graphics                                 |                              | Motherboard southbridge                           | AMD SB950                       |
| Parallel processing technology support * | 2-Way CrossFireX             | Audio output channels *                           | 7.1 channels                    |
| Internal I/O                             |                              | Component for *                                   | PC                              |
| USB 2.0 connectors *                     | 3                            | Motherboard form factor *                         | ATX                             |
| USB 3.2 Gen 1 (3.1 Gen 1) connectors *   | 1                            | Motherboard chipset family *                      | AMD                             |
| Number of SATA III connectors *          | 6                            | Power source type                                 | ATX                             |
| Front panel audio connector              | ✓                            | Linux operating systems supported                 | ✓                               |
| ATX Power connector (24-pin)             | ✓                            | Windows operating systems supported               | ✓                               |
| CPU fan connector                        | ✓                            | Expansion slots                                   |                                 |
| Number of chassis fan connectors         | 3                            | PCI Express x1 (Gen 2.x) slots                    | 2                               |
| Chassis intrusion connector              | ✓                            | PCI Express x16 (Gen 2.x) slots                   | 2                               |
| EPS power connector (8-pin)              | ✓                            | PCI slots                                         | 2                               |
| TPM connector                            | ✓                            | BIOS                                              |                                 |
| Serial port headers                      | 1                            | BIOS type *                                       | UEFI                            |
|                                          |                              | Clear CMOS jumper                                 | ✓                               |

**Weight & dimensions**

|       |        |
|-------|--------|
| Width | 305 mm |
| Depth | 225 mm |

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.