DELL UltraSharp U2913WM computer monitor 73,7 cm (29") 2560 x 1080 pixels LED Black

Brand : DELL | **Product family:** UltraSharp | **Product code:** 210-41203

Product name : U2913WM

29" AH-IPS 2560 x 1080 px, 1000:1, LED, 300 cd/m2, 8ms, 32W
DELL UltraSharp U2913WM. Display diagonal: 73,7 cm (29"), Display resolution: 2560 x 1080 pixels, Display technology: LED. Display: LED. Response time: 8 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black

Display

Display diagonal *	73,7 cm (29")
Display resolution *	2560 x 1080 pixels
Native aspect ratio *	21:9
Display technology *	LED
Panel type *	IPS
Touchscreen *	✗
Display brightness (typical)	300 cd/m²
Response time *	8 ms
Supported graphics resolutions	2560 x 1080
Aspect ratio	21:9
Contrast ratio (typical) *	1000:1
Contrast ratio (dynamic)	2000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.78 million colours
Pixel pitch	0,09 x 0,26 mm
Viewable size, horizontal	69,5 cm
Viewable size, vertical	30,9 cm
Colour gamut standard	sRGB
3D	✗

Multimedia

Built-in speaker(s) *	✗
Built-in camera *	✗

Design

Market positioning *	Business
Product colour *	Black

Ergonomics

Panel mounting interface	100 x 100 mm
Cable lock slot *	✔
Height adjustment *	✔
Adjustable height (max)	48,7 cm
Swivelling	✔
Tilt adjustment	✔
On Screen Display (OSD)	✔
Plug and Play	✔
LED indicators	Power

Power

Power consumption (typical) *	32 W
Power consumption (standby) *	0,5 W
Power consumption (max)	90 W
Power consumption (off)	0,5 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Input current	1.5 A

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%

Weight & dimensions

Width (with stand)	194,2 mm
Depth (with stand)	358,7 mm
Height (with stand)	699,8 mm

Ports & interfaces

USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB Type-A downstream ports quantity	4
VGA (D-Sub) ports quantity	1
DVI port	✔
DVI-D ports quantity	1
HDMI ports quantity	1
DisplayPorts quantity	2
Mini DisplayPorts quantity	1
Audio output	✔
HDCP	✔

Network

Wi-Fi	✘
Bluetooth	✘
Ethernet LAN	✘

Ergonomics

VESA mounting *	✔

Weight & dimensions

Weight (with stand)	8,34 kg
Width (without stand)	699,8 mm
Depth (without stand)	61,2 mm
Height (without stand)	317 mm
Weight (without stand)	5,76 kg

Packaging data

Package weight	11,3 kg

Packaging content

Cables included	AC, DisplayPort, DVI, USB
Quick start guide	✔
Manual	✔

Sustainability

Sustainability certificates	EPEAT Gold, ENERGY STAR

Other features

Display	LED
TV tuner integrated	✘

Thin Client

Thin client installed	✘

Catalog Object Cloud