## Epson EB-S04 Standard throw projector 3000 ANSI lumens 3LCD SVGA (800x600) Black, White



**Brand :** Epson **Product code:** V11H716041

**Product name:** EB-S04

3LCD, 3000 Lumen, SVGA, 4:3, 200W, 5000h, 2.4 kg

Epson EB-S04. Projector brightness: 3000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: SVGA (800x600). Light source type: Lamp, Service life of light source: 5000 h, Service life of light source (economic mode): 10000 h. Focus: Manual, Focal length range: 16.7 - 16.7 mm, Aperture range (F-F): 1,44 - 1,44. Video processing: 10 bit, Video colour modes: Blackboard, Cinema, Dynamic, Presentation, sRGB. USB connector type: USB Type-A, USB Type-B

Projector		Multimedia	
Projection distance 1,77 - 2,4 m	762 - 8890 mm (30 - 350") 1,77 - 2,4 m	Built-in speaker(s) * RMS rated power Number of built-in speakers	1 W 1
Projection distance (wide) Projection distance (tele) Contrast ratio (dynamic) Projector brightness * Projection technology * Projector native resolution * Native aspect ratio * Number of colours Projector brightness (economic mode)	1,77 - 1,77 m 2,4 - 2,4 m 15000:1 3000 ANSI lumens 3LCD SVGA (800x600) 4:3 1.073 billion colours 2100 ANSI lumens	Product type * Product colour * Placement LED indicators Cable lock slot Cable lock slot type  Display	Standard throw projector Black, White Desktop   Kensington
Keystone correction, horizontal Keystone correction, vertical Matrix size White light output Colour light output	-30 - 30° -30 - 30° 1,4 cm (0.55") 3000 ANSI lumens 3000 ANSI lumens	Power  Power source *  Power consumption (typical) *	AC 277 W
Light source Light source type * Lamp Service life of light source * 5000 h	Lamp	Power consumption (standby) * Power consumption (economy mode) AC input voltage AC input frequency	0,26 W 207 W 100 - 240 V 50 - 60 Hz
Service life of light source (economic mode) Lamp power Lamps quantity Lens system	10000 h 200 W 1 lamp(s)	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	5 - 35 °C -10 - 60 °C 20 - 80%
Focus * Focal length range Aperture range (F-F) Zoom ratio Offset	Manual 16.7 - 16.7 mm 1,44 - 1,44 1.35:1 8%	Storage relative humidity (H-H)  Weight & dimensions  Width  Depth  Height	10 - 90% 297 mm 234 mm 77 mm
Full HD * HD-Ready 3D * Video processing	X X X 10 bit Blackboard, Cinema, Dynamic,	Weight * Package width Package depth Package height Package weight  Packaging content	2,4 kg 350 mm 360 mm 160 mm 3,83 kg
Video colour modes  Ports & interfaces  S-Video inputs quantity	Presentation, sRGB	Handheld remote control *  Batteries included  Carrying case	<b>v</b>

Ports & interfaces		Packaging content	
Audio (L/R) in * VGA (D-Sub) ports quantity *	1	AC adapter included Warranty card	<b>/</b>
HDMI ports quantity * USB connector type	1 USB Type-A, USB Type-B	Logistics data	
Composite video in *	1	Quantity per pack	1 pc(s)
DC-in jack	✓	Quantity per pallet	78 pc(s)
Maturaula		Pallet length	120 cm
Network		Pallet width	80 cm
Ethernet LAN *	×	Pallet height	119 cm
Wi-Fi *	×	Quantity per pallet layer	6 pc(s)
Features		Quantity per pallet layer (UK)	6 pc(s)
		Quantity per pallet (UK)	78 pc(s)
Noise level (economic mode)	28 dB	Pallet length (UK)	120 cm
Noise level *	37 dB	Pallet width (UK)	100 cm
Country of origin	Philippines	Pallet height (UK)	119 cm

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.