Samsung Galaxy S6 edge+ SM-G928C 14,5 cm (5.7") Single SIM Android 5.1 4G Micro-USB 4 GB 32 GB 3000 mAh Silver

Brand : Samsung **Product family:** Galaxy **Product code:** SM-G928CZSATUR

Product name: SM-G928C

Galaxy S6 edge+ - 5.7" 2560 x 1440 Super AMOLED, LTE, Octa core (2.1GHz Quad + 1.5GHz Quad), 4GB RAM (LPDDR4), 16MP, NFC, WiFi, Bluetooth, Android 5.1 (Lollipop)
Samsung Galaxy S6 edge+ SM-G928C. Display diagonal: 14,5 cm (5.7"), Display resolution: 2560 x 1440 pixels. Processor frequency: 2,1 GHz, Processor family: Samsung Exynos, Processor model: 7 Octa 7420. RAM capacity: 4 GB, RAM type: LPDDR4, Internal storage capacity: 32 GB. Rear camera resolution (numeric): 16 MP, Rear camera type: Single camera. SIM card capability: Single SIM. Operating system installed: Android 5.1. Battery capacity: 3000 mAh. Product colour: Silver. Weight: 153 g



Display		Messaging	
Display number of colours	14,5 cm (5.7") Curved edge screen Super AMOLED OLED 2560 x 1440 pixels 16 million colours 16:9 Multi-touch Capacitive 518 ppi X Samsung Exynos	Short Message Service (SMS) Multimedia Messaging Service (MMS) Instant messaging (IM) Chat E-mail	1 1 1 1
Native aspect ratio Touch technology		Navigation	
Touchscreen type C Pixel density 5 Second display X Processor		Assisted GPS (A-GPS) GPS (satellite) GLONASS Position location * Wi-Fi positioning	4445
Processor family * Samsung Exynos Processor model * 7 Octa 7420 Processor cores 4 Processor frequency * 2,1 GHz 64-bit computing ✓	Design Form factor * Product colour * Colour name	Bar Silver Silver Titanium	
Coprocessor	✓	Performance	
Coprocessor frequency Coprocessor cores	1,5 GHz 4	Video call	✓
Storage RAM capacity * RAM type	4 GB LPDDR4 32 GB	Wireless charging Fingerprint reader Personal info management (PIM)	Alarm clock, Calculator, Calendar, Events reminder, Notes, To-do list
Internal storage capacity * Compatible memory cards * USB mass storage	Not supported	Speakerphone Flight mode Voice commands	<i>y y y</i>
Camera	16 MD	Personalization	Icons, Menu, Ringtones, Shortcuts
Rear camera resolution (numeric) * Rear camera resolution Digital zoom Front camera type * Front camera resolution (numeric) * Rear camera flash * Flash type Sensor type	3840 x 2160 pixels 8x Single camera	Support for contact groups Microphone mute Themes Wallpapers Vibrating alert	

C		Maralatina a alta	
Camera		Multimedia	
Video capture resolution (max)	3840 x 2160 pixels		3GA, 3GP, AMR, AWB, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA,
Maximum frame rate	120 fps	Audio formats supported	OGG, OTA, RTTTL, RTX, WAV, WMA,
Video recording modes	720p, 1080p, 2160p		XMF
Rear camera type * Auto focus	Single camera ✓	Video formats supported	3G2, 3GP, ASF, AVI, FLV, M4V, MKV, MP4, WEBM, WMV
Zoom capability	√	Image formats supported	JPG, PNG
•		Voice codecs	AMR-NB, AMR-WB
Face detection	✓ Auto	Call management	
ISO sensitivity White balance	Auto	-	
Video recording	√	Call waiting	✓
-	▼	Call divert	✓
Image stabilizer		Call hold	✓
Geotagging	V	Caller ID	✓
Self-timer	✓	Conference call	✓
Night mode	•	Speed dialling	✓
Smile detection	✓	Call timer	✓
Network		Software	
SIM card capability *	Single SIM	Platform *	Android
Mobile network generation *	4G	Operating system installed *	Android 5.1
SIM card type *	NanoSIM	App distribution platform	Google Play
2G standards	GSM	Google applications	Google Maps, Google Play, YouTube
3G standards * 4G standard *	UMTS, WCDMA LTE	Battery	
Wi-Fi	✓	Battery capacity *	3000 mAh
	802.11a, Wi-Fi 5 (802.11ac), 802.11b,	Talk time (3G) *	20 h
Wi-Fi standards	802.11g, Wi-Fi 4 (802.11n)	Browsing time (Wi-Fi)	12 h
Bluetooth *	✓	Browsing time (3G)	10 h
Bluetooth version	4.2	Browsing time (4G)	11 h
Bluetooth Low Energy (BLE)	✓	Continuous audio playback time	66 h
Bluetooth profiles	A2DP, AVRCP, HFP, HID, HOGP, HSP, MAP, OPP, PAN, PBAP, SAP	Continuous video playback time	15 h
2G bands (primary SIM)	850,900,1800,1900 MHz	Sensors	
3G bands supported	850,900,1900,2100 MHz	Proximity sensor	✓
	700,800,850,900,1800,1900,2100,2600	Accelerometer	✓
4G bands supported	MH/		
	MHz ✓	Ambient light sensor	✓
Tethering (modem-mode)		Ambient light sensor Gyroscope	v
Tethering (modem-mode) Wi-Fi Direct	✓	-	
Tethering (modem-mode) Wi-Fi Direct Near Field Communication (NFC)	*	Gyroscope	
Tethering (modem-mode) Wi-Fi Direct Near Field Communication (NFC) Ports & interfaces	* *	Gyroscope Orientation sensor Barometer	
Tethering (modem-mode) Wi-Fi Direct Near Field Communication (NFC) Ports & interfaces USB port	* * *	Gyroscope Orientation sensor Barometer Weight & dimensions	* *
Tethering (modem-mode) Wi-Fi Direct Near Field Communication (NFC) Ports & interfaces USB port USB connector type	✓ ✓ Micro-USB	Gyroscope Orientation sensor Barometer Weight & dimensions Width	✓ ✓ ✓ 75,8 mm
Tethering (modem-mode) Wi-Fi Direct Near Field Communication (NFC) Ports & interfaces USB port USB connector type USB version	Micro-USB	Gyroscope Orientation sensor Barometer Weight & dimensions Width Depth	75,8 mm 6,9 mm
Tethering (modem-mode) Wi-Fi Direct Near Field Communication (NFC) Ports & interfaces USB port USB connector type USB version Headphone connectivity	Micro-USB 2.0 3.5 mm	Gyroscope Orientation sensor Barometer Weight & dimensions Width Depth Height	75,8 mm 6,9 mm 154,4 mm
Tethering (modem-mode) Wi-Fi Direct Near Field Communication (NFC) Ports & interfaces USB port USB connector type USB version	Micro-USB	Gyroscope Orientation sensor Barometer Weight & dimensions Width Depth Height Weight *	75,8 mm 6,9 mm
Tethering (modem-mode) Wi-Fi Direct Near Field Communication (NFC) Ports & interfaces USB port USB connector type USB version Headphone connectivity	Micro-USB 2.0 3.5 mm	Gyroscope Orientation sensor Barometer Weight & dimensions Width Depth Height Weight * Certificates	75,8 mm 6,9 mm 154,4 mm 153 g
Tethering (modem-mode) Wi-Fi Direct Near Field Communication (NFC) Ports & interfaces USB port USB connector type USB version Headphone connectivity	Micro-USB 2.0 3.5 mm	Gyroscope Orientation sensor Barometer Weight & dimensions Width Depth Height Weight * Certificates Head SAR (EU)	75,8 mm 6,9 mm 154,4 mm 153 g 0,216 W/kg
Tethering (modem-mode) Wi-Fi Direct Near Field Communication (NFC) Ports & interfaces USB port USB connector type USB version Headphone connectivity	Micro-USB 2.0 3.5 mm	Gyroscope Orientation sensor Barometer Weight & dimensions Width Depth Height Weight * Certificates Head SAR (EU) Body SAR (EU)	75,8 mm 6,9 mm 154,4 mm 153 g
Tethering (modem-mode) Wi-Fi Direct Near Field Communication (NFC) Ports & interfaces USB port USB connector type USB version Headphone connectivity	Micro-USB 2.0 3.5 mm	Gyroscope Orientation sensor Barometer Weight & dimensions Width Depth Height Weight * Certificates Head SAR (EU) Body SAR (EU) Packaging content	75,8 mm 6,9 mm 154,4 mm 153 g 0,216 W/kg 0,58 W/kg
Tethering (modem-mode) Wi-Fi Direct Near Field Communication (NFC) Ports & interfaces USB port USB connector type USB version Headphone connectivity	Micro-USB 2.0 3.5 mm	Gyroscope Orientation sensor Barometer Weight & dimensions Width Depth Height Weight * Certificates Head SAR (EU) Body SAR (EU)	75,8 mm 6,9 mm 154,4 mm 153 g 0,216 W/kg
Tethering (modem-mode) Wi-Fi Direct Near Field Communication (NFC) Ports & interfaces USB port USB connector type USB version Headphone connectivity	Micro-USB 2.0 3.5 mm	Gyroscope Orientation sensor Barometer Weight & dimensions Width Depth Height Weight * Certificates Head SAR (EU) Body SAR (EU) Packaging content	75,8 mm 6,9 mm 154,4 mm 153 g 0,216 W/kg 0,58 W/kg
Tethering (modem-mode) Wi-Fi Direct Near Field Communication (NFC) Ports & interfaces USB port USB connector type USB version Headphone connectivity	Micro-USB 2.0 3.5 mm	Gyroscope Orientation sensor Barometer Weight & dimensions Width Depth Height Weight * Certificates Head SAR (EU) Body SAR (EU) Packaging content AC adapter included *	75,8 mm 6,9 mm 154,4 mm 153 g 0,216 W/kg 0,58 W/kg
Tethering (modem-mode) Wi-Fi Direct Near Field Communication (NFC) Ports & interfaces USB port USB connector type USB version Headphone connectivity	Micro-USB 2.0 3.5 mm	Gyroscope Orientation sensor Barometer Weight & dimensions Width Depth Height Weight * Certificates Head SAR (EU) Body SAR (EU) Packaging content AC adapter included * Quick start guide	75,8 mm 6,9 mm 154,4 mm 153 g 0,216 W/kg 0,58 W/kg
Tethering (modem-mode) Wi-Fi Direct Near Field Communication (NFC) Ports & interfaces USB port USB connector type USB version Headphone connectivity	Micro-USB 2.0 3.5 mm	Gyroscope Orientation sensor Barometer Weight & dimensions Width Depth Height Weight * Certificates Head SAR (EU) Body SAR (EU) Packaging content AC adapter included * Quick start guide Warranty card	75,8 mm 6,9 mm 154,4 mm 153 g 0,216 W/kg 0,58 W/kg
Tethering (modem-mode) Wi-Fi Direct Near Field Communication (NFC) Ports & interfaces USB port USB connector type USB version Headphone connectivity	Micro-USB 2.0 3.5 mm	Gyroscope Orientation sensor Barometer Weight & dimensions Width Depth Height Weight * Certificates Head SAR (EU) Body SAR (EU) Packaging content AC adapter included * Quick start guide Warranty card Cables included	75,8 mm 6,9 mm 154,4 mm 153 g 0,216 W/kg 0,58 W/kg
Tethering (modem-mode) Wi-Fi Direct Near Field Communication (NFC) Ports & interfaces USB port USB connector type USB version Headphone connectivity	Micro-USB 2.0 3.5 mm	Gyroscope Orientation sensor Barometer Weight & dimensions Width Depth Height Weight * Certificates Head SAR (EU) Body SAR (EU) Packaging content AC adapter included * Quick start guide Warranty card Cables included Other features	75,8 mm 6,9 mm 154,4 mm 153 g 0,216 W/kg 0,58 W/kg

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.