

Samsung ST ST200F 1/2.3" Compact camera 16.4 MP CCD 4608 x 3456 pixels Red

Brand : Samsung

Product family: ST

Product code: EC-ST200FBPRE1

Product name : ST200F

ST200F, 10x, 16MP, 3 " TFT LCD, USB 2.0, WiFi 802.11b/g/n, red  
Samsung ST ST200F. Camera type: Compact camera, Megapixel: 16.4 MP, Image sensor size: 1/2.3", Sensor type: CCD, Maximum image resolution: 4608 x 3456 pixels. Optical zoom: 10x, Digital zoom: 5x, Focal length range: 4.85 - 48.5 mm. Wi-Fi. HD type: HD, Maximum video resolution: 1280 x 720 pixels. Display diagonal: 7.62 cm (3"). PictBridge. Weight: 143.6 g. Product colour: Red



Picture quality		Audio	
Image sensor size *	1/2.3"	Built-in microphone *	✓
Camera type *	Compact camera	Memory	
Megapixel *	16.4 MP	Internal memory	25 MB
Sensor type *	CCD	Compatible memory cards *	microSDHC, microSDXC
Maximum image resolution *	4608 x 3456 pixels	Maximum memory card size	64 GB
Still image resolution(s) *	1024 x 768,1984 x 1488,2592 x 1944,3648 x 2736,4608 x 2592,4608 x 3072,4608 x 3456	Display	
Image stabilizer *	✓	Display *	TFT
Lens system		Display diagonal *	7.62 cm (3")
Optical zoom *	10x	Display resolution (numeric)	460000 pixels
Digital zoom *	5x	Viewfinder	
Focal length range	4.85 - 48.5 mm	Viewfinder type	Not available
Minimum focal length (35mm film equiv)	27 mm	Ports & interfaces	
Maximum focal length (35mm film equiv)	270 mm	PictBridge *	✓
Minimum aperture number	3.1	USB version *	2.0
Maximum aperture number	5.6	USB connector	Micro-USB A
Focusing		Network	
Focus *	TTL	Wi-Fi *	✓
Auto focusing (AF) modes *	Centre weighted Auto Focus, Multi Point Auto Focus, Selective Auto Focus	Camera	
Auto Focus (AF) object detection	Face	White balance *	Auto, Cloudy, Custom modes, Daylight, Fluorescent, Tungsten
Face tracking	✓	Scene modes *	Backlight, Children, Documents, Night, Night portrait, Panorama, Portrait, Self-portrait, Sunset, Landscape
Macro focusing range (tele)	1.5 - 2 m	Self-timer delay *	2,10 s
Macro focusing range (wide)	0.05 - 0.8 m	Image quality adjustment	Contrast, Saturation, Sharpness
Auto Mode focusing range (tele)	2 - ∞	Album organization	✓
Auto Mode focusing range (wide)	0.8 - ∞		
Exposure			
ISO sensitivity	80, 100, 200, 800, 1600, 3200, Auto		
Light exposure modes *	Auto		
Light exposure correction *	± 2EV (1/3EV step)		

Shutter		Camera	
Fastest camera shutter speed *	1/2000 s	Windows operating systems supported	Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Slowest camera shutter speed *	16 s		
Flash			
Flash modes *	Auto, Fill-in, Flash off, Red-eye reduction		
Flash range (wide)	0.3 - 3.5 m		
Flash range (tele)	0.5 - 2 m	Mac operating systems supported	Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion
Flash recharging time	4 s		
Video			
Video recording *	✓		
Maximum video resolution *	1280 x 720 pixels		
HD type *	HD		
Video resolutions	320 x 240,640 x 480,1280 x 720		
Motion JPEG frame rate	30 fps		
Video format supported	H.264, MPEG4		
Design			
Product colour *	Red		
Battery			
Battery technology *	Lithium-Ion (Li-Ion)		
Battery capacity	850 mAh		
Battery type	BP85A		
System requirements			
Macintosh connectivity	✓		
Operational conditions			
Operating temperature (T-T)	0 - 40 °C		
Operating relative humidity (H-H)	5 - 85%		
Weight & dimensions			
Width	99.6 mm		
Depth	18.9 mm		
Height	58.3 mm		
Weight	143.6 g		
Other features			
Minimum storage drive space	250 MB		
Minimum RAM	512 MB		
Video capability	✓		
Built-in flash	✓		
Date imprinting	✓		
Power source type	USB		

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.