Linksys AC750 wireless router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) Black

Brand : Linksys Product code: X6200-AP

Product name: AC750

2.4 GHz, 5 GHz, USB, 64/128-bit WEP


Linksys AC750. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 5 (802.11ac), WLAN data transfer rate (max): 433 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s, Cabling technology: 10/100/1000Base-T(X). Security algorithms: 64-bit WEP, 128-bit WEP, WPA2. Product type: Tabletop router, Product colour: Black, LED indicators: LAN, Power, USB, WLAN, WPS. Certification: FCC CE





WAN connection		Ports & interfaces	
Ethernet WAN *	1	USB 2.0 ports quantity	1
DSL WAN *	✓	RJ-11 ports quantity	1
Wireless LAN features		DC-in jack	✓
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz) Wi-Fi 5 (802.11ac) 433 Mbit/s	Management features	
Top Wi-Fi standard *		Reset button	✓
WLAN data transfer rate (max) *		Security	
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Security algorithms	64-bit WEP, 128-bit WEP, WPA2
WLAN data transfer rate (first band)	300 Mbit/s	Design	
WLAN data transfer rate (second	433 Mbit/s	Product colour	Black
band)		Indication light	✓
Network		LED indicators	LAN, Power, USB, WLAN, WPS
Ethernet LAN connection *	✓	Integrated on/off switch	✓
Ethernet LAN interface type *	Gigabit Ethernet	Product type *	Tabletop router
Ethernet LAN data rates	10,100,1000 Mbit/s	Certificates	
Cabling technology	10/100/1000Base-T(X) IEEE 802.11a, IEEE 802.11ac, IEEE	Certification	FCC CE
Networking standards	802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u	Packaging content	
		Cables included	LAN (RJ-45)
VPN support	Pass-through	AC adapter included	✓
Mobile network		Quick start guide	✓
3G	×	Antenna	
4G	×	Antenna design *	Internal
DSL features		Power	
ADSL	✓	Power source type *	AC
ADSL2	✓	Output voltages	12 V
		Output current	1.5 A

DSL features		System requirements	
ADSL2+	✓	Windows operating systems supported	✓
VDSL VDSL2	✓ ✓	Mac operating systems supported Macintosh connectivity	✓ ✓
Ports & interfaces		Macintosii connectivity	
Ethernet LAN (RJ-45) ports *	4		
USB port *	✓		





745883696826

0745883696826

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.