

Samsung ES ES60 1/2.33" Compact camera 12.3 MP CCD 4000 x 3000 pixels Pink

Brand : Samsung

Product family: ES

Product code: EC-ES60ZZBPPE1

Product name : ES60

ES60, 12.3MP, 1 / 2.33", CCD, 2.5", LCD-TFT, 4000 x 3000, 11MB, USB 2.0, NTSC/PAL, 116g, Pink
 Samsung ES ES60. Camera type: Compact camera, Megapixel: 12.3 MP, Image sensor size: 1/2.33", Sensor type: CCD, Maximum image resolution: 4000 x 3000 pixels. Optical zoom: 3x, Digital zoom: 3x, Focal length range: 6.3 - 18.9 mm. Maximum video resolution: 640 x 480 pixels. Display diagonal: 6.35 cm (2.5"). Internal memory: 11 MB. PictBridge. Weight: 116 g. Product colour: Pink



Picture quality		Display	
Image sensor size *	1/2.33"	Display diagonal *	6.35 cm (2.5")
Camera type *	Compact camera	Display resolution (numeric)	230000 pixels
Megapixel *	12.3 MP	Ports & interfaces	
Sensor type *	CCD	PictBridge *	✓
Maximum image resolution *	4000 x 3000 pixels	USB version *	2.0
Still image resolution(s) *	1024 x 768, 1800 x 1200, 1920 x 1080, 2048 x 1536, 2592 x 1728, 2592 x 1944, 3264 x 2448, 3968 x 2232, 3984 x 2656	DC-in jack	✓
		Camera	
		White balance *	Auto, Cloudy, Custom modes, Daylight, Fluorescent, Incandescent
		Scene modes *	Backlight, Beach, Children, Close-up (macro), Documents, Dusk, Fireworks, Night, Portrait, Self-portrait, Sunset, Landscape
Image stabilizer *	✓	Photo effects *	Negative film, Vivid
Lens system		Contrast adjustment	✓
Optical zoom *	3x	Saturation adjustment	✓
Digital zoom *	3x	Camera playback	Movie, Single image, Slide show
Focal length range	6.3 - 18.9 mm	Custom colour	✓
Focusing		Image editing	Resizing, Rotating, Trimming
Focus *	TTL	Design	
Focus adjustment *	Auto	Product colour *	Pink
Auto focusing (AF) modes *	Centre weighted Auto Focus	Battery	
Normal focusing range (tele)	0.8 - ∞	Battery type	SLB-10A
Normal focusing range (wide)	0.8 - ∞	Power requirements	4.2 V
Normal focusing range	0.8 m	System requirements	
Macro focusing range (tele)	0.5 - 0.8 m	Macintosh connectivity	✓
Macro focusing range (wide)	0.1 - 0.8 m	Operational conditions	
Exposure		Operating temperature (T-T)	0 - 40 °C
ISO sensitivity	Auto	Operating relative humidity (H-H)	5 - 85%
Light metering *	Centre-weighted, Spot		
Flash			
Flash modes *	Auto, Fill-in, Flash off, Red-eye reduction, Slow synchronization		
Flash range (wide)	0.2 - 3.75 m		
Flash range (tele)	0.5 - 2 m		
Flash recharging time	4 s		

Video		Weight & dimensions	
Video recording *	✓	Width	90.4 mm
Maximum video resolution *	640 x 480 pixels	Depth	21.6 mm
Motion JPEG frame rate	30 fps	Height	59 mm
Video format supported	AVI	Weight	116 g
Audio		Other features	
Built-in microphone *	✓	Minimum storage drive space	250 MB
Voice recording	✓	Minimum RAM	256 MB
Memory		Minimum processor	Pentium III, PowerG3
Internal memory	11 MB	Video capability	✓
Compatible memory cards *	sd, sdhc	Camera effective resolution	12.2 pixels
Maximum memory card size	8 GB	Hardware prerequisites	USB CD-ROM
Display		Aperture range (F-F)	3.2 - 5.8
Display *	LCD	Power supply type	DC
		Built-in flash	✓
		Focal length (35mm film equivalent)	35 - 105 mm
		Compatible operating systems	Windows 2000/XP/Vista
		Digital SLR	✗

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.