

DELL Latitude 7320 Intel® Core™ i7 i7-1165G7 Laptop 33.8 cm (13.3") Full HD 16 GB LPDDR4x-SDRAM 512 GB SSD Wi-Fi 6 (802.11ax) Windows 10 Pro Black

Brand : DELL Product family: Latitude Product code: 7320-6565

Product name: 7320

- Windows 10 Pro 64-bit
- Intel Core i7-1165G7 (12MB Cache)
- 33.8 cm (13.3") Full HD 1920 x 1080 WVA
- 16GB (4267MHz) LPDDR4x-SDRAM & 512GB SSD

Intel Core i7-1165G7 (12MB Cache), 16GB LPDDR4x-SDRAM, 512GB SSD, 33.8 cm (13.3") Full HD 1920 \times 1080 WVA, Intel Iris Xe Graphics, WLAN, Webcam, Windows 10 Pro 64-bit

DELL Latitude 7320 Intel® Core $^{\text{TM}}$ i7 i7-1165G7 Laptop 33.8 cm (13.3") Full HD 16 GB LPDDR4x-SDRAM 512 GB SSD Wi-Fi 6 (802.11ax) Windows 10 Pro Black:

Sleek looks. Enhanced productivity.

This small and premium 13" business laptop with the built-in AI of Dell Optimizer with new ExpressConnect makes you more productive than ever. Featuring our brightest screens with ComfortView Plus, enhanced speakers and Intelligent Audio.





Design		Network	
Product type * Product colour *	Laptop Black	Bluetooth Bluetooth version	✓ 5.1
Form factor * Housing material	Clamshell Carbon fibre	Ports & interfaces	
Market positioning	Business	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1
Display		USB4 Gen 3x2 ports quantity	2
Display diagonal *	33.8 cm (13.3")	HDMI ports quantity *	1
Display resolution *	1920 x 1080 pixels	HDMI version	2.0
Touchscreen *	×	Combo headphone/mic port	✓
71.	Full HD WVA	USB Type-C DisplayPort Alternate Mode	✓
LED backlight	√	PowerShare	✓
Native aspect ratio 16:9		Number of USB ports with PowerShare support	1
Anti-glare screen	100	Keyboard	
Pixel density Maximum refresh rate	166 ppi 60 Hz	Pointing device	Touchpad
	00 п2	Numeric keypad *	×
Processor		Software	
Processor manufacturer *	Intel		
Processor family *	Intel® Core™ i7	Operating system architecture	64-bit
Processor generation	11th gen Intel® Core™ i7	Operating system installed *	Windows 10 Pro
Processor * Processor number of cores	i7-1165G7 4	Processor special features	
Processor humber of cores Processor boost frequency	·	Intel Trusted Execution Technology	×
Processor cache	4.7 GHz 12 MB	Intel VT-x with Extended Page Tables (EPT)	✓
Configurable TDP-up frequency Configurable TDP-up	2.8 GHz 28 W	Intel Stable Image Platform Program (SIPP)	×
Configurable TDP-down Configurable TDP-down frequency	12 W 1.2 GHz	Intel Software Guard Extensions (Intel SGX)	×

Momony		Drococcor chocial factures	
Memory		Processor special features	
Internal memory *	16 GB	Idle States	✓
Internal memory type	LPDDR4x-SDRAM	CPU configuration (max)	1
Memory clock speed	4267 MHz	Embedded options available	×
Memory form factor	On-board 16 GB	Intel Virtualization Technology for	✓
Memory, maximum *	10 GB	Directed I/O (VT-d) Intel Virtualization Technology (VT-	
Storage		x)	✓
Total storage capacity *	512 GB	Battery	
Storage media *	SSD	Battery technology	Lithium-lon (Li-lon)
Total SSDs capacity	512 GB		
Number of SSDs installed	1	Removable battery	X 3 h
Solid-state drive capacity Solid-state drive interfaces	512 GB	Battery recharge time	
	NVMe, PCI Express ✓	Fast charging	/
NVMe		Battery charge indicator	*
SSD form factor	M.2	Power	
Optical drive *	×	AC adapter frequency	50/60 Hz
Card reader integrated		AC adapter input voltage	100 - 240 V
Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC	USB Type-C charging port *	✓
	Microspyc	USB Power Delivery (USB PD)	✓
Graphics		USB charging voltage	5,9,15,20 V
Discrete graphics card model *	Not available	Security	
On-board graphics card *	•	Cable lock slot	1
Diamete annuli e contra			•
Discrete graphics card *	×		
On-board graphics card model *	X Intel Iris Xe Graphics	Password protection	·
On-board graphics card model *		Password protection	
On-board graphics card model * Audio	Intel Iris Xe Graphics	Password protection Operational conditions	/
On-board graphics card model * Audio Audio chip	Intel Iris Xe Graphics Realtek ALC3281-CG	Password protection Operational conditions Operating temperature (T-T)	0 - 35 °C
On-board graphics card model * Audio Audio chip Number of built-in speakers	Intel Iris Xe Graphics Realtek ALC3281-CG 2	Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage humidity	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95%
On-board graphics card model * Audio Audio chip Number of built-in speakers Speaker power	Intel Iris Xe Graphics Realtek ALC3281-CG 2 2 W	Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage humidity Operating altitude	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m
On-board graphics card model * Audio Audio chip Number of built-in speakers Speaker power Built-in microphone	Intel Iris Xe Graphics Realtek ALC3281-CG 2 2 W	Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage humidity Operating altitude Storage altitude	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m
On-board graphics card model * Audio Audio chip Number of built-in speakers Speaker power Built-in microphone Number of microphones Camera	Intel Iris Xe Graphics Realtek ALC3281-CG 2 2 W 2	Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage humidity Operating altitude Storage altitude Operating shock	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G
On-board graphics card model * Audio Audio chip Number of built-in speakers Speaker power Built-in microphone Number of microphones Camera Front camera	Intel Iris Xe Graphics Realtek ALC3281-CG 2 2 W 2	Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage humidity Operating altitude Storage altitude Operating shock Non-operating shock	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G
On-board graphics card model * Audio Audio chip Number of built-in speakers Speaker power Built-in microphone Number of microphones Camera Front camera Video capturing speed	Intel Iris Xe Graphics Realtek ALC3281-CG 2 2 W 2 30 fps	Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage humidity Operating altitude Storage altitude Operating shock Non-operating shock Operating vibration	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G
On-board graphics card model * Audio Audio chip Number of built-in speakers Speaker power Built-in microphone Number of microphones Camera Front camera Video capturing speed Privacy camera	Intel Iris Xe Graphics Realtek ALC3281-CG 2 2 W 2 30 fps	Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage humidity Operating altitude Storage altitude Operating shock Non-operating shock Operating vibration Non-operating vibration	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G
On-board graphics card model * Audio Audio chip Number of built-in speakers Speaker power Built-in microphone Number of microphones Camera Front camera Video capturing speed Privacy camera Privacy type	Intel Iris Xe Graphics Realtek ALC3281-CG 2 2 W 2 30 fps	Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage humidity Operating altitude Storage altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G 1.37 G
On-board graphics card model * Audio Audio chip Number of built-in speakers Speaker power Built-in microphone Number of microphones Camera Front camera Video capturing speed Privacy camera	Intel Iris Xe Graphics Realtek ALC3281-CG 2 2 W 2 30 fps	Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage humidity Operating altitude Storage altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G 1.37 G
On-board graphics card model * Audio Audio chip Number of built-in speakers Speaker power Built-in microphone Number of microphones Camera Front camera Video capturing speed Privacy camera Privacy type	Intel Iris Xe Graphics Realtek ALC3281-CG 2 2 W 2 30 fps Privacy shutter Wi-Fi 6 (802.11ax)	Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage humidity Operating altitude Storage altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G 1.37 G
On-board graphics card model * Audio Audio chip Number of built-in speakers Speaker power Built-in microphone Number of microphones Camera Front camera Video capturing speed Privacy camera Privacy type Network Top Wi-Fi standard *	Intel Iris Xe Graphics Realtek ALC3281-CG 2 2 W 2 30 fps Privacy shutter Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4	Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage humidity Operating altitude Storage altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front)	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G 1.37 G 306.5 mm 199.5 mm 1.7 cm
On-board graphics card model * Audio Audio chip Number of built-in speakers Speaker power Built-in microphone Number of microphones Camera Front camera Video capturing speed Privacy camera Privacy type Network	Intel Iris Xe Graphics Realtek ALC3281-CG 2 2 W 2 30 fps Privacy shutter Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi	Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage humidity Operating altitude Storage altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear)	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G 1.37 G 306.5 mm 199.5 mm 1.7 cm 1.84 cm
On-board graphics card model * Audio Audio chip Number of built-in speakers Speaker power Built-in microphone Number of microphones Camera Front camera Video capturing speed Privacy camera Privacy type Network Top Wi-Fi standard *	Intel Iris Xe Graphics Realtek ALC3281-CG 2 2 W 2 30 fps Privacy shutter Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4	Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage humidity Operating altitude Storage altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight *	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G 1.37 G 306.5 mm 199.5 mm 1.7 cm
On-board graphics card model * Audio Audio chip Number of built-in speakers Speaker power Built-in microphone Number of microphones Camera Front camera Video capturing speed Privacy camera Privacy type Network Top Wi-Fi standard * Wi-Fi standards	Intel Iris Xe Graphics Realtek ALC3281-CG 2 2 W 30 fps Privacy shutter Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage humidity Operating altitude Storage altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear)	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G 1.37 G 306.5 mm 199.5 mm 1.7 cm 1.84 cm
On-board graphics card model * Audio Audio chip Number of built-in speakers Speaker power Built-in microphone Number of microphones Camera Front camera Video capturing speed Privacy camera Privacy type Network Top Wi-Fi standard * Wi-Fi standards Wi-Fi data rate (max)	Intel Iris Xe Graphics Realtek ALC3281-CG 2 2 W 2 30 fps Privacy shutter Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) 2400 Mbit/s	Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage humidity Operating altitude Storage altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight *	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G 1.37 G 306.5 mm 199.5 mm 1.7 cm 1.84 cm
On-board graphics card model * Audio Audio chip Number of built-in speakers Speaker power Built-in microphone Number of microphones Camera Front camera Video capturing speed Privacy camera Privacy type Network Top Wi-Fi standard * Wi-Fi standards Wi-Fi data rate (max) Antenna type	Intel Iris Xe Graphics Realtek ALC3281-CG 2 2 W 30 fps Privacy shutter Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) 2400 Mbit/s 2x2	Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage humidity Operating altitude Storage altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content	0 - 35 °C -40 - 65 °C 10 - 80% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 105 G 40 G 0.26 G 1.37 G 306.5 mm 199.5 mm 1.7 cm 1.84 cm 1.12 kg

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.