ASUS P8B-X Intel® C202 LGA 1155 (Socket H2) ATX

Brand : ASUS **Product code:** 90-MSVDG0-G0UAY0YZ

Product name: P8B-X

P8B-X, 1 x Socket LGA1155, Intel C202 Chipset, ATX 12" x 9.6", 2 x Intel 82574L, DDR3 1066/1333/1600 MHz, Maximum up to 32GB UDIMM

ASUS P8B-X. Processor manufacturer: Intel, Processor socket: LGA 1155 (Socket H2), Intel Xeon series: E3-1200. Supported memory types: DDR3-SDRAM, Maximum internal memory: 32 GB, Memory channels: Dual-channel. Supported storage drive interfaces: SATA II, RAID levels: 0, 1, 5, 10. On-board graphics card memory: 64 MB. Ethernet interface type: Gigabit Ethernet, LAN controller: Intel® 82574L





Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket * Intel Xeon series Processor number of cores supported	Intel LGA 1155 (Socket H2) E3-1200 2, 4	Ethernet LAN (RJ-45) ports * PS/2 ports quantity VGA (D-Sub) ports quantity * Microphone in Serial ports quantity	2 1 1 x 1
Memory		Network	
Supported memory types * Memory channels ECC compatibility Supported memory clock speeds Maximum internal memory *	DDR3-SDRAM Dual-channel ECC 1066,1333,1600 MHz 32 GB	Ethernet LAN Ethernet interface type LAN controller Wi-Fi *	✓ Gigabit Ethernet Intel® 82574L ×
Storage controllers		Features	
Supported storage drive interfaces * RAID levels	SATA II 0, 1, 5, 10	Motherboard chipset * Component for * Motherboard form factor *	Intel® C202 Server ATX
Graphics Parallel processing technology	Not supported	Certification	FCC, CFR47 15, B, CE, EN55022, EN55024, C
support *	• •	Expansion slots	
On-board graphics card On-board graphics card memory	64 MB	PCI Express x1 slots PCI Express x8 slots	2
Internal I/O		PCI Express x16 slots	1
USB 2.0 connectors * Number of SATA II connectors	3 4	PCI slots PCI Express slots version	2 2.0
ATX Power connector (24-pin)	✓	Operational conditions	
Power fan connector Number of chassis fan connectors Chassis intrusion connector EPS power connector (8-pin)	× 5	Storage temperature (T-T) Operating temperature (T-T) Operating relative humidity (H-H)	-40 - 70 °C 10 - 35 °C 20 - 90%

Internal I/O		Weight & dimen	sions	
Number of COM connectors	×	Width	304.8 mm	
TPM connector	✓	Depth	243.8 mm	
Parallel connector	×	Packaging conte	Packaging content	
Serial port headers	1	Cables included	SATA	
Rear panel I/O ports		User guide	✓	
USB 2.0 ports quantity *	2	Other features	Other features	
		Maximum UDIMM	memory 32 GB	
		Number of DIMM	slots 4	
		Number of proces	sors supported 1	
		PCI Express slots	quantity 6	

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.