Epson EB-X11 Standard throw projector 2600 ANSI lumens LCD XGA (1024x768) White

Brand : Epson **Product code:** V11H435040

Product name: Epson EB-X11

XGA education projector

Epson EB-X11. Projector brightness: 2600 ANSI lumens, Projection technology: LCD, Projector native resolution: XGA (1024x768). Light source type: Lamp, Service life of light source: 4000 h, Service life of light source (economic mode): 5000 h. Focus: Manual, Focal length range: 16.9 - 20.28 mm, Optical zoom: 1.2x. Supported graphics resolutions: 1024×768 (XGA), 1920×1080 (HD 1080), Supported video modes: 1080i. Serial interface type: RS-232, USB connector type: USB Type-A, USB Type-B





| Projector | | Storage | |
|---|---|-------------------------------|--------------------------------|
| Screen size compatibility * | 762 - 7620 mm (30 - 300") 1.8 - 2.17 m | Card reader integrated * | × |
| Projection distance | | Features | |
| Projector brightness * | 2600 ANSI lumens LCD | Noise level (economic mode) | 29 dB |
| Projection technology * Projector native resolution * | XGA (1024x768) | Preset modes | Cinema, Dynamic, Presentation, |
| Contrast ratio (typical) * | 3000:1 | | sRGB |
| Projector brightness (economic | | Noise level * | 37 dB |
| mode) | 2080 ANSI lumens | Country of origin | China |
| Keystone correction, horizontal | -30 - 30° | Multimedia | |
| Keystone correction, vertical | -30 - 30° | Built-in speaker(s) * | ✓ |
| Matrix size | 1.4 cm (0.55") | RMS rated power | 2 W |
| Light source | | Number of built-in speakers | 1 |
| Light source type * | Lamp | TV tuner integrated | × |
| Service life of light source * | 4000 h | Image formats supported | BMP, GIF, JPG, PNG |
| Service life of light source (economic mode) | 5000 h | Design | |
| Lamp type | UHE | Product type * | Standard throw projector |
| Lamp power | 200 W | Product color * | White |
| Lens system | | Cable lock slot | ✓ |
| Focus * | Manual | Cable lock slot type | Kensington |
| Focal length range | 16.9 - 20.28 mm | Power | |
| F-number (relative aperture) | 1.58 | Power consumption (typical) * | 270 W |
| Optical zoom | 1.2x | Power consumption (standby) * | 0.47 W |
| Throw ratio | 1.48 - 1.77:1 | Weight & dimensions | |
| Offset | 8:1 | Width | 295 mm |
| Video | | Depth | 228 mm |
| Full HD * | ✓ | Height | 77 mm |
| 3D * | × | Weight * | 2.3 kg |
| Supported graphics resolutions | 1024 x 768 (XGA), 1920 x 1080 (HD | Package width | 357 mm |
| 5 . | 1080) | Package depth Package height | 358 mm 156 mm |
| Supported video modes | 1080i | Package neight | 3.5 kg |
| Ports & interfaces | | 5 5 | 3.3 Ng |
| S-Video inputs quantity | 1 | Packaging content | |
| USB 2.0 ports quantity | 2 | Handheld remote control * | ✓ |
| Audio (L/R) in * | 1 | Batteries included | ✓ |
| Headphone outputs Serial interface type * | 1 RS-232 | Logistics data | |
| Serial interface type ** | 1/3-232 | Quantity per pack | 1 pc(s) |
| | | | |

| Ports & interfaces | | Logistics data | |
|--|---------------------------------------|---|--|
| VGA (D-Sub) ports quantity * USB connector type Composite video in * Component video (YPbPr/YCbCr) in * DVI port * | 1 USB Type-A, USB Type-B 1 1 | Quantity per pallet Pallet length Pallet width Pallet height Quantity per pallet layer | 78 pc(s) 120 cm 80 cm 2.18 m 6 pc(s) |
| Network Ethernet LAN * Wi-Fi * Bluetooth | × × × | Quantity per pallet layer (UK) Quantity per pallet (UK) Pallet length (UK) Pallet width (UK) Pallet height (UK) | 6 pc(s) 78 pc(s) 120 cm 100 cm 2.18 m |
| | | Other features Aspect ratio Dimensions (WxDxH) Connectivity technology RS-232 ports | 4:3 295 x 228 x 77 mm Wired 1 |

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.