FUJITSU PRIMERGY

Fujitsu PRIMERGY Econel 200 S2 server Tower Intel® Xeon® 5000 Sequence 5110 1.6 GHz 1 GB

Brand : Fujitsu

Product family: PRIMERGY

Product code: VFY:ECO200S2-101CZ

Product name : PRIMERGY Econel 200 S2

Fujitsu PRIMERGY Econel 200 S2. Processor family: Intel® Xeon® 5000 Sequence, Processor frequency: 1.6 GHz, Processor: 5110. Internal memory: 1 GB, Memory layout (slots x size): 2 x 0.5 GB. Hard drive interface: SATA, Optical drive type: DVD-ROM. Chassis type: Tower

Processor

Processor manufacturer *	Intel
Processor family *	Intel® Xeon® 5000 Sequence
Processor *	5110
Processor frequency *	1.6 GHz
Processor number of cores	2
Processor cache	4 MB
Motherboard chipset	Intel® 5000V
Thermal Design Power (TDP)	65 W
Processor cache type	L2
Processor front side bus	1066 MHz
Processor socket	LGA 771 (Socket J)
Processor lithography	65 nm
Processor threads	2
Processor operating modes	64-bit
FSB Parity	✔
Bus type	FSB
Processor codename	Woodcrest
Tcase	65 °C
ECC supported by processor	✖
Execute Disable Bit	✔
Idle States	✔
Thermal Monitoring Technologies	✔
Processor package size	37.5 x 37.5 mm
Embedded options available	✖
Number of Processing Die Transistors	291 M
CPU multiplier (bus/core ratio)	6
Processing die size	143 mm²
Processor series	Intel Xeon 5100 Series
Conflict-Free processor	✖

Memory

Internal memory *	1 GB
ECC	✔
Memory layout (slots x size)	2 x 0.5 GB
Maximum internal memory *	8 GB

Ports & interfaces

VGA (D-Sub) ports quantity	1
Serial ports quantity	1

Design

Chassis type *	Tower

Software

Bundled software	ServerStart, ServerView

Processor special features

Intel Rapid Storage Technology	✖
Enhanced Intel SpeedStep Technology	✔
Intel Wireless Display (WiDi) Technology	✖
Intel Virtualization Technology for Directed I/O (VT-d)	✖
Intel Anti-Theft Technology	✖
Intel Hyper-Threading Technology	✖
Intel My WiFi Technology	✖
Intel Turbo Boost Technology	✖
Intel® Quick Sync Video Technology	✖
Intel® InTru™ 3D Technology	✖
Intel Clear Video HD Technology	✖
Intel® Insider™	✖
Intel Flex Memory Access	✖
Intel AES New Instructions	✖
Intel Trusted Execution Technology	✖
Intel Enhanced Halt State	✔
Intel VT-x with Extended Page Tables (EPT)	✖
Intel Demand Based Switching	✖
Intel Clear Video Technology	✖
Intel Clear Video Technology for MID	✖
Intel 64	✔
Intel Virtualization Technology (VT-x)	✔

Storage

Number of hard drives installed	2
Hard drive capacity	160 GB
Hard drive interface	SATA
RAID levels	1, 10
Optical drive type *	DVD-ROM

Graphics

Maximum graphics card memory	32 MB

Network

Networking features	Gigabit Ethernet

Ports & interfaces

Ethernet LAN (RJ-45) ports quantity *	1
USB 2.0 ports quantity	4
PS/2 ports quantity	2

Processor special features

Intel Dual Display Capable Technology	✖
Intel FDI Technology	✖
Intel Fast Memory Access	✖
Processor ARK ID	27214

Weight & Dimensions

Width	215 mm
Depth	520 mm
Height	446 mm
Weight	28 kg

Other features

Diskette drive	1.44 MB
Dimensions (WxDxH)	215 x 520 x 446 mm
Graphics card	ES1000

Catalog Object Cloud