

DELL E Series E2225H computer monitor 54,5 cm (21.4") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL Product family: E Series Product code: DELL-E2225H

Product name: E2225H

- 54.5cm (21.45") Full HD 1920 x 1080 Edge LED VA
- 8ms, 16:9, 250cd/m², 3000:1
- VGA, DisplayPort

54.5cm (21.45") Full HD 1920 x 1080 Edge LED VA, 16:9, 250cd/m², 16.7M, 8ms, 178°/178°, 3000:1

DELL E Series E2225H computer monitor 54,5 cm (21.4") 1920 x 1080 pixels Full HD LCD Black:

Get the essentials to enhance productivity with this affordable 21.5-inch monitor certified by $T\ddot{U}V$ Rheinland® for 3-star eye comfort.

DELL E Series E2225H. Display diagonal: 54,5 cm (21.4"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black





Display		Ergonomics	
Display diagonal * Display resolution *	54,5 cm (21.4") 1920 x 1080 pixels	Swivelling Tilt adjustment	×
HD type * Native aspect ratio * Display technology * Panel type *	Full HD 16:9 LCD VA	Tilt angle range On Screen Display (OSD) Plug and Play LED indicators	-5 - 21° ✓
LED backlight	✓		•
Backlight type Touchscreen * Display brightness (typical) Response time * Anti-glare screen Screen shape * Supported graphics resolutions Supported video modes Contrast ratio (typical) * Maximum refresh rate *	Edge LED X 250 cd/m² 8 ms ✓ Flat 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080) 480p, 576p, 720p, 1080p 3000:1 75 Hz	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) AC input voltage AC input frequency Power supply type Energy efficiency scale	D Not available 12 kWh 11,9 W 0,3 W 19 W 0,3 W 100 - 240 V 50/60 Hz Internal A to G
Viewing angle, horizontal	178°	Operational conditions	
Viewing angle, vertical Colour * Response time (fast) Pixel pitch Pixel density Display scan frequency (horizontal)		Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage humidity Operating altitude Non-operating altitude	0 - 40 °C -20 - 60 °C 10 - 80% 5 - 90% 0 - 5000 m 5000 - 12192 m
Display scan frequency (vertical)	50 - 76 Hz	Weight & dimensions	
Viewable size, horizontal Viewable size, vertical Display diagonal (metric)	47,9 cm 26 cm 544,85 cm	Width (with stand) Depth (with stand) Height (with stand)	504,3 mm 171 mm 384,2 mm

Display		Weight & dimensions	
High Dynamic Range (HDR) supported Surface hardness NTSC coverage (typical) Performance NVIDIA G-SYNC * AMD FreeSync *	3H	Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) Weight (without stand) Bezel width (side) Bezel width (top) Bezel width (bottom)	2,67 kg 504,3 mm 49,6 mm 295,4 mm 2,34 kg 1,28 cm 1,28 cm 1,69 cm
Flicker-free technology	/	Packaging data	
Low Blue Light technology	•	Package weight	4,18 kg
Multimedia		Packaging content	
Built-in speaker(s) * Built-in camera * Design	×	Stand included Cables included Quick start guide	✓ AC, DisplayPort, VGA ✓
Market positioning * Product colour *	Home Black	DisplayPort cable length	1,8 m
Front bezel colour	Black	Sustainability	
Detachable stand Feet colour	✓ Black	Sustainability certificates Doesn't contain	ENERGY STAR, TCO Arsenic, Mercury, PVC/BFR
Ports & interfaces	Black	Carbon footprint	
Built-in USB hub *	×	Total carbon footprint (kg of CO2e)	124
VGA (D-Sub) ports quantity	1	Carbon emissions, manufacturing (kg of CO2e)	56,048
HDMI * DisplayPorts quantity	x 1	Carbon emissions, logistics (kg of CO2e)	7,812
DisplayPort version	1.2	Carbon emissions, energy usage (kg of CO2e)	58,9
Headphone out * HDCP	× •	Carbon emissions, end-of-life (kg of CO2e)	1,24
HDCP version	1.4	Total carbon emissions, w/o use phase (kg of CO2e)	65,1
Network		PAIA version	GaBi version 1, 2024
Wi-Fi	X	Other features	
Ergonomics		Compliance certificates	RoHS
VESA mounting *	✓	Technical details	
VESA mounting interfaces Wall mountable Cable lock slot *	100 x 100 mm ✓	Box contents	C13 Power Cord 220V 1.8M
Cable lock slot type	Kensington		
Height adjustment *	X		
Pivot	x		





884116475712

0884116475712

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.