

Lenovo ThinkPad Edge E530 Intel® Core™ i5 i5-3210M Laptop 39,6 cm (15.6") HD 4 GB DDR3-SDRAM 500 GB HDD FreeDOS Black

Brand : Lenovo Product family: ThinkPad Product code: NZQHLGE

Product name: E530

15.6" HD 1366x768 (16:9) LED, Intel Core i5-3210M (3M Cache, up to 3.10 GHz), 4GB DDR3 RAM, 500GB HDD, Intel HD Graphics 4000, DVD \pm RW, Webcam, Ethernet, 802.11a/b/g/n, Bluetooth 4.0, FreeDOS, Midnight Black

Lenovo ThinkPad Edge E530 Intel® Core $^{\text{TM}}$ i5 i5-3210M Laptop 39,6 cm (15.6") HD 4 GB DDR3-SDRAM 500 GB HDD FreeDOS Black:

Give your small business an edge.

Your business could make the most of a laptop with a professional image, extreme mobility, and great durability. The Edge E530 delivers.

- Durable drop-down hinges;
- Dolby® Advanced Audio™ v2;
- HDD express cache;
- Integrated 720p HD camera;
- Three USB 3.0 ports, 4-in-1 card reader;
- Active Protection System[™];
- Spill Resistant Keyboard.





Design		Ports & interfaces	
Product type *	Laptop	CardBus PCMCIA slot type	×
Product colour *	Black	SmartCard slot	×
Form factor *	Clamshell	Keyboard	
Display		Pointing device	Touchpad
Display diagonal *	39,6 cm (15.6")	Numeric keypad *	✓
Display resolution *	1366 x 768 pixels		·
Touchscreen *	×	Spill-resistant keyboard	•
HD type	HD	Software	
LED backlight	✓	Operating system software *	FreeDOS
Native aspect ratio	16:9	Processor special features	
Processor		Intel Wireless Display (WiDi)	/
Processor manufacturer *	Intel	Technology	
Processor type *	Intel® Core™ i5	Intel My WiFi Technology	V
Processor generation	3rd gen Intel® Core™ i5	Intel Anti-Theft Technology	1
Processor *	i5-3210M	Intel Identity Protection Technology	✓
Processor number of cores	2	Intel Hyper-Threading Technology	✓
Processor threads	4	Intel Turbo Boost Technology	2.0
Processor boost frequency	3,1 GHz	Enhanced Intel SpeedStep	/
Processor frequency *	2,5 GHz	Technology	•
System bus data transfer rate	5 GT/s	Intel Clear Video HD Technology	✓
Processor cache	3 MB	Intel Clear Video Technology	×
Processor cache type	Smart Cache	Intel® InTru™ 3D Technology	✓
Processor socket	BGA 1023	Intel® Insider™	✓
Processor lithography	22 nm	Intel® Quick Sync Video Technology	√
Processor operating modes	64-bit	Intel Flex Memory Access	✓
Processor series	Intel Core i5-3200 Mobile series	•	•
Processor codename	Ivy Bridge	Intel Smart Cache	✓
Bus type	DMI	Intel AES New Instructions	✓
FSB Parity	×	Intel Trusted Execution Technology	×
Stepping	L1	Intel Enhanced Halt State	✓
Thermal Design Power (TDP) Tjunction	35 W 105 °C	Intel VT-x with Extended Page Tables (EPT)	✓

_		_	
Processor		Processor special features	
Maximum number of PCI Express lanes	16	Intel Demand Based Switching	×
PCI Express slots version	3.0	Intel® Secure Key	✓
PCI Express configurations	1x16, 2x8, 1x8+2x4	Intel Clear Video Technology for MID	×
CPU multiplier (bus/core ratio)	25	Intel 64	✓
ECC supported by processor	X	Execute Disable Bit	/
., ,,	^	Idle States	√
Memory		Thermal Monitoring Technologies	<i>√</i>
Internal memory *	4 GB	, ,	
Internal memory type	DDR3-SDRAM	Processor package size	31.0 x 24.0 (BGA1023) AVX
Memory speed	1600 MHz	Supported instruction sets Processor code	SRONO
Memory slots	2x SO-DIMM	CPU configuration (max)	1
Maximum memory *	8 GB	Embedded options available	X
Storage		·	
Total storage capacity *	500 GB	Graphics & IMC lithography	22 nm
Storage media *	HDD	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Number of HDDs installed	1	Intel Identity Protection Technology	1.00
Hard drive capacity	500 GB	version	1,00
Hard drive rotational speed	7200 RPM	Intel Secure Key Technology version	1,00
Hard drive size	2.5"	Intel Virtualization Technology (VT-	/
Optical drives *	DVD±RW	x)	
Card reader integrated	✓	Intel Dual Display Capable Technology	✓
Graphics		Intel FDI Technology	1
	_	Intel Rapid Storage Technology	×
On-board graphics card *	V		
On-board graphics card family	Intel® HD Graphics	Intel Fast Memory Access	/
On-board graphics card model *	Intel® HD Graphics 4000	Processor ARK ID	65708
On-board graphics card base frequency	650 MHz	Conflict-Free processor	1
On-board graphics card dynamic		Integrated 4G WiMAX	1
frequency (max)	1100 MHz	Battery	
rrequericy (max)		Dattery	
On-board graphics card ID	0x166	•	6
· ·	0x166	Number of battery cells Battery life (max)	6 8 h
On-board graphics card ID Audio		Number of battery cells Battery life (max)	
On-board graphics card ID Audio Audio system	HD	Number of battery cells Battery life (max) Power	8 h
On-board graphics card ID Audio Audio system Number of built-in speakers	HD 2	Number of battery cells Battery life (max)	
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone	HD	Number of battery cells Battery life (max) Power	8 h
On-board graphics card ID Audio Audio system Number of built-in speakers	HD 2	Number of battery cells Battery life (max) Power DC-in jack	8 h
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone	HD 2	Number of battery cells Battery life (max) Power DC-in jack Security	8 h
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network	HD 2 ✓	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type	8 h
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi	HD 2 ✓	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions	8 h Kensington
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi Wi-Fi standards	HD 2 ✓ 802.11a, 802.11b, 802.11g	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions Width	8 h Kensington 377 mm
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi Wi-Fi standards Ethernet LAN connection	HD 2 ✓ 802.11a, 802.11b, 802.11g ✓	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions Width Depth	8 h Kensington 377 mm 245 mm
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi Wi-Fi standards Ethernet LAN connection Bluetooth Bluetooth version	HD 2	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions Width Depth Height (front)	8 h * Kensington 377 mm 245 mm 2,95 cm
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi Wi-Fi standards Ethernet LAN connection Bluetooth	HD 2	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions Width Depth Height (front) Height (rear)	8 h Kensington 377 mm 245 mm 2,95 cm 3,53 cm
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi Wi-Fi standards Ethernet LAN connection Bluetooth Bluetooth version	HD 2 802.11a, 802.11b, 802.11g 4.0 IEEE 802.11a, IEEE 802.11b, IEEE	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions Width Depth Height (front)	8 h * Kensington 377 mm 245 mm 2,95 cm
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi Wi-Fi standards Ethernet LAN connection Bluetooth Bluetooth version Networking standards	HD 2 802.11a, 802.11b, 802.11g 4.0 IEEE 802.11a, IEEE 802.11b, IEEE	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions Width Depth Height (front) Height (rear)	8 h Kensington 377 mm 245 mm 2,95 cm 3,53 cm
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi Wi-Fi standards Ethernet LAN connection Bluetooth Bluetooth version Networking standards Ports & interfaces	HD 2 802.11a, 802.11b, 802.11g 4.0 IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions Width Depth Height (front) Height (rear) Weight *	8 h Kensington 377 mm 245 mm 2,95 cm 3,53 cm
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi Wi-Fi standards Ethernet LAN connection Bluetooth Bluetooth version Networking standards Ports & interfaces USB 2.0 ports quantity *	HD 2 802.11a, 802.11b, 802.11g 4.0 IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content	8 h Kensington 377 mm 245 mm 2,95 cm 3,53 cm 2,45 kg
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi Wi-Fi standards Ethernet LAN connection Bluetooth Bluetooth version Networking standards Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A	HD 2 802.11a, 802.11b, 802.11g 4.0 IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included *	8 h Kensington 377 mm 245 mm 2,95 cm 3,53 cm 2,45 kg
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi Wi-Fi standards Ethernet LAN connection Bluetooth Bluetooth version Networking standards Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	HD 2 802.11a, 802.11b, 802.11g 4.0 IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included * Cables included	8 h Kensington 377 mm 245 mm 2,95 cm 3,53 cm 2,45 kg
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi Wi-Fi standards Ethernet LAN connection Bluetooth Bluetooth version Networking standards Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports	HD 2 802.11a, 802.11b, 802.11g 4.0 IEEE 802.11a, IEEE 802.11b, IEEE 802.11g 1 3 1	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included * Cables included Manual Quick start guide	8 h Kensington 377 mm 245 mm 2,95 cm 3,53 cm 2,45 kg
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi Wi-Fi standards Ethernet LAN connection Bluetooth Bluetooth version Networking standards Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity *	HD 2 802.11a, 802.11b, 802.11g 4.0 IEEE 802.11a, IEEE 802.11b, IEEE 802.11g 1 3 1 1	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included * Cables included Manual Quick start guide Other features	8 h Kensington 377 mm 245 mm 2,95 cm 3,53 cm 2,45 kg
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi Wi-Fi standards Ethernet LAN connection Bluetooth Bluetooth version Networking standards Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version	HD 2 802.11a, 802.11b, 802.11g 4.0 IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n 1 3 1 1 1.4	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included * Cables included Manual Quick start guide Other features Maximum internal memory (64-bit)	8 h V Kensington 377 mm 245 mm 2,95 cm 3,53 cm 2,45 kg V AC V S 8 GB
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi Wi-Fi standards Ethernet LAN connection Bluetooth Bluetooth version Networking standards Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version DVI port	HD 2 802.11a, 802.11b, 802.11g 4.0 IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n 1 3 1 1 1.4 X	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included * Cables included Manual Quick start guide Other features	8 h Kensington 377 mm 245 mm 2,95 cm 3,53 cm 2,45 kg
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi Wi-Fi standards Ethernet LAN connection Bluetooth Bluetooth version Networking standards Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version DVI port VGA (D-Sub) ports quantity	HD 2 / 802.11a, 802.11b, 802.11g / 4.0 IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n 1 3 1 1 1.4 X 1	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included * Cables included Manual Quick start guide Other features Maximum internal memory (64-bit)	8 h V Kensington 377 mm 245 mm 2,95 cm 3,53 cm 2,45 kg V AC V S 8 GB
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi Wi-Fi standards Ethernet LAN connection Bluetooth Bluetooth version Networking standards Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version DVI port VGA (D-Sub) ports quantity S/PDIF out port Microphone in	HD 2 / 802.11a, 802.11b, 802.11g / 4.0 IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n 1 3 1 1 1.4 X 1 X	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included * Cables included Manual Quick start guide Other features Maximum internal memory (64-bit)	8 h V Kensington 377 mm 245 mm 2,95 cm 3,53 cm 2,45 kg V AC V S 8 GB
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi Wi-Fi standards Ethernet LAN connection Bluetooth Bluetooth version Networking standards Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version DVI port VGA (D-Sub) ports quantity S/PDIF out port Microphone in Combo headphone/mic port	HD 2 / 802.11a, 802.11b, 802.11g / 4.0 IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n 1 3 1 1 1.4 X X X /	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included * Cables included Manual Quick start guide Other features Maximum internal memory (64-bit)	8 h V Kensington 377 mm 245 mm 2,95 cm 3,53 cm 2,45 kg V AC V S 8 GB
On-board graphics card ID Audio Audio system Number of built-in speakers Built-in microphone Network Wi-Fi Wi-Fi standards Ethernet LAN connection Bluetooth Bluetooth version Networking standards Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version DVI port VGA (D-Sub) ports quantity S/PDIF out port Microphone in	HD 2 / 802.11a, 802.11b, 802.11g / 4.0 IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n 1 3 1 1 1.4 X 1 X X	Number of battery cells Battery life (max) Power DC-in jack Security Cable lock slot Cable lock slot type Weight & dimensions Width Depth Height (front) Height (rear) Weight * Packaging content AC adapter included * Cables included Manual Quick start guide Other features Maximum internal memory (64-bit)	8 h V Kensington 377 mm 245 mm 2,95 cm 3,53 cm 2,45 kg V AC V S 8 GB

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.