ASUS M4A87TD motherboard Socket AM3 ATX

Brand: ASUS Product code: M4A87TD

Product name: M4A87TD

M4A87TD - AMD Socket AM3, AMD 870 / SB850 5200 MT/s, 4 x DIMM Max. 16 GB DDR3 2000/1600/1333/1066 ECC/Non-ECC, 1 x PCle 2.0 x16, 1 x PCle 2.0 x4, 1 x PCle 2.0 x1, 3 x PCl, Gigabit LAN, VIA VT1818 8-Ch., ATX

ASUS M4A87TD. Processor manufacturer: AMD, Processor socket: Socket AM3. Maximum memory: 16 GB, ECC compatibility: ECC & Non-ECC. RAID levels: 0, 1, 5, 10. LAN controller: Realtek RTL8111E, Network interface: Gigabit LAN. Motherboard form factor: ATX, Audio output channels: 7.1 channels, Audio chip: VIA VT1818





Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket *	AMD Socket AM3	PS/2 ports quantity Headphone outputs	2 1
Memory	JUCKEL AINS	Microphone in	<u>·</u>
•		S/PDIF out port	/
Number of memory slots *	4	•	·
ECC compatibility	ECC & Non-ECC	Network	
Maximum memory *	16 GB	LAN controller	Realtek RTL8111E
Storage controllers		Network interface	Gigabit LAN
RAID levels	0, 1, 5, 10	Features	
Graphics		Audio chip	VIA VT1818
Parallel processing technology	Not a constant	Audio output channels *	7.1 channels
support *	Not supported	Motherboard form factor *	ATX
On-board graphics card	×	Power source type	ATX
Internal I/O		Compatible operating systems	Windows
USB 2.0 connectors *	3	Expansion slots	
Number of SATA connectors	6	PCI Express x1 slots	1
Number of Parallel ATA connectors	1	PCI Express x4 slots	1
S/PDIF out connector	✓	PCI Express x16 slots	1
Front panel audio connector	✓	PCI slots	3
ATX Power connector (24-pin)	✓	BIOS	
Number of EATX power connectors	1	BIOS type *	AMI
Power fan connector	✓	BIOS memory size	64 Mbit
CPU fan connector	✓	ACPI version	2.0
Number of chassis fan connectors	1	Weight & dimensions	
Chassis intrusion connector	✓	Width	305 mm
Number of COM connectors	1	Depth	213 mm

Rear panel I/O ports		Packaging content	
USB 2.0 ports quantity * Ethernet LAN (RJ-45) ports *	8 1	Drivers included	✓
		Other features	
		Controller 2nd interface type	UltraDMA 133/100
		Controller interface type	SATA 6.0 Gb/s
		Manageability features	WfM 2.0,DMI 2.0,WOL by PME,W by PME,PXE

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.