

Brother MFC-J220 multifunction printer Inkjet A4 1200 x 6000 DPI 33 ppm

Brand : Brother

Product code: MFC-J220

Product name : MFC-J220




MFC-J220, 33/27ppm, 6000 x 1200dpi, USB, 1.9" LCD, Black

Brother MFC-J220. Print technology: Inkjet, Printing: Colour printing, Resolution (maximum): 1200 x 6000 DPI, Print speed colour (normal, A4/US Letter): 27 ppm. Copying: Colour copying, Maximum copy resolution: 1200 x 1200 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Faxing: Mono faxing. Maximum ISO A-series paper size: A4. Direct print supported

Printing		Paper handling	
Print technology *	Inkjet	Maximum ISO A-series paper size *	A4
Printing *	Colour printing	Maximum print area	216 x 356 mm
Duplex printing *	✗	Paper tray media types *	Glossy paper, Matte paper, Photo paper, Plain paper, Transparencies
Resolution (maximum) *	1200 x 6000 DPI	ISO A-series sizes (A0...A9) *	A4, A5, A6
Print speed black (normal, A4/US Letter) *	33 ppm	ISO B-series sizes (B0...B9)	B5
Print speed colour (normal, A4/US Letter)	27 ppm	Non-ISO print media sizes	Legal
Copying		Photo paper sizes (imperial)	4x6, 5x7"
Duplex copying *	✗	Borderless printing media sizes	4x6, 5x7, A4, A6, Legal
Copying *	Colour copying	Paper tray media weight	60 - 220 g/m²
Maximum copy resolution *	1200 x 1200 DPI	Ports & interfaces	
Copy speed (black, normal quality, A4)	22 cpm	Direct print supported *	✓
Copy speed (colour, normal quality, A4)	20 cpm	Network	
Maximum copies	99 copies	Wi-Fi *	✗
Copier resize	25 - 400%	Ethernet LAN connection *	✗
PC free copying	✓	Performance	
Scanning		Memory slots	1
Duplex scanning *	✗	Card reader integrated	✓
Scanning *	Colour scanning	Internal memory *	32 MB
Optical scanning resolution *	1200 x 2400 DPI	Compatible memory cards	Memory Stick (MS), MS Duo, MS PRO, SD, SDHC
Enhanced scanning resolution	19200 x 19200 DPI	Processor type	RISC
Maximum scan area	A4 (210 x 297)	Processor frequency	128 MHz
Scanner type *	Flatbed scanner	Sound pressure level (printing)	50 dB
Scan technology	CIS	Design	
Scan to	E-mail, File, Image, OCR	Market positioning *	Home & office
Image formats supported	BMP, JPG, PNG, TIF	Built-in display *	✓
Output colour depth	24 bit	Display	LCD
Fax resolution black	256	Display diagonal	4,83 cm (1.9")
Fax		Power	
Duplex faxing	✗	Power consumption (average operating)	19,5 W
Faxing *	Mono faxing	Power consumption (sleep)	0,65 W

Fax		Power	
Modem speed	14,4 Kbit/s	Power consumption (standby)	4,5 W
A4 pages held in memory	170 pages	AC input frequency	50 - 60 Hz
Maximum speed dialing numbers	40	System requirements	
Fax forwarding supported	✓	Windows operating systems supported	Windows 2000 Professional, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Broadcast locations	90 locations		
Auto reduction	✓		
Error Correction Mode (ECM)	✓		
Fax dual access	✓	Mac operating systems supported	Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard
Fax coding methods	JPEG, MH, MMR, MR		
Caller ID	✓	Linux operating systems supported ✓	
Features		Sustainability	
Digital sender	✗	Sustainability certificates	ENERGY STAR
Number of print cartridges *	4	Weight & dimensions	
Colour(s) of print cartridges *	Black, Cyan, Magenta, Yellow	Width	220 mm
Country of origin	China	Depth	460 mm
Input & output capacity		Height	462 mm
Total number of input trays *	1	Weight	6,76 kg
Total input capacity *	100 sheets	Packaging data	
Total output capacity *	50 sheets	Package weight	8,48 kg
		Packaging content	
		Drivers included	✓
		Other features	
		All-in-one functions	Copy, Fax, Print, Scan
		Colour all-in-one functions	Copy, Print, Scan
		Package dimensions (WxDxH)	465 x 255 x 460 mm



4977766678346



4977766702560

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.