



HP L1945wv 19-inch Widescreen LCD Monitor monitor de computadora 48,3 cm (19") 1440 x 900 Pixeles

Marca : HP

Código del producto: KH128AA

Nombre del producto : L1945wv 19-inch Widescreen LCD Monitor

HP L1945wv 19-inch Widescreen LCD Monitor. Diagonal de pantalla: 48,3 cm (19"), Resolución de pantalla: 1440 x 900 Pixeles. Pantalla: LCD. Tiempo de respuesta: 5 ms, Ángulo de visión horizontal: 160°, Ángulo de visión vertical: 160°



Pantalla		Condiciones operativas	
Tratamiento de la superficie	Wide-Aspect Active Matrix TFT (thin film transistor)	Humedad relativa sin operar (no condensable)	5 - 90%
Diagonal de pantalla *	48,3 cm (19")	Humedad relativa	20 - 80%
Resolución de pantalla *	1440 x 900 Pixeles	Peso y dimensiones	
Pantalla táctil *	×	Ancho (con soporte)	446 mm
Brillo de pantalla (típico)	300 cd / m ²	Largo (con soporte)	301 mm
Tiempo de respuesta *	5 ms	Altura (con soporte)	456 mm
Razón de contraste (típica) *	1000:1	Ancho (sin base)	446 mm
Ángulo de visión horizontal	160°	Profundidad (sin base)	59 mm
Ángulo de visión vertical	160°	Altura (sin base)	301 mm
Tamaño de pixel	0,282 x 0,282 mm	Peso (sin base)	6,8 kg
Rango de escaneo horizontal	24 - 83 kHz	Datos de embalaje	
Rango de escaneo vertical	50 - 76 Hz	Peso del paquete	8,5 kg
Frecuencia de escaneo de la pantalla	Horizontal frequency: 24-83 kHz, Vertical frequency: 50-76 Hz		
Multimedia			
Parlante(s) incorporado(s) *	×		
Cámara incorporada *	×		
Puertos e interfaces			
Puertos de entrada y salida (E/S)	USB 2.0 Hub: self-powered, two ports (cable included)		
Cantidad de puertos VGA (D-Sub)	1		
Ergonomía			
Interfaz para montaje en panel	100 x 100 mm		
Ranura para cable de seguridad *	✓		
Tipo de ranura de bloqueo para cables	Kensington		
Altura ajustable (máx)	13 cm		

Ergonomía		Contenido del embalaje		
Rango de ángulo de inclinación	-45 - 45°	Software incluido	HP Display Assistant is a software utility that enables theft deterrence and allows monitor adjustment, color calibration, and security/asset management using the Display Data Channel Command Interface (DDC/CI) protocol of the connected PC; HP Display LiteSaver allows you to schedule Sleep mode at preset times to help protect the monitor against image retention, drastically lower power consumption and energy costs, and extend the lifespan of the monitor; Pivot Pro software from Portrait Displays, Inc. interacts with your PC's native graphics driver to enable seamless portrait screen redraws with a simple mouse-click or keyboard command. Pivot Pro supports 90-degree portrait and landscape views	
Rango del ángulo de inclinación	-5 - 35°			
Conectar y usar (Plug and Play)	✓			
Inclinación y rango de giro de pantalla	Tilt range: -5° to + 35° vertical tilt, swivel range: -45° to +45°, height adjust: 130 mm, pivot rotation, attachable base			
Ergonomía	The monitor meets the ergonomic requirement of EN-ISO 13406-2 for flat panel displays.			
Potencia				
Consumo energético (típico) *	65 W			
Consumo de energía (en espera) *	2 W			
Condiciones operativas		Otras características		
Temperatura de operación (T-T)	5 - 35 °C	País de origen	China	
Temperatura de almacenamiento (T-T)	20 - 60 °C	Pantalla	LCD	
Humedad relativa de operación (H-H)	20 - 80%	Sistema de audio	No audio included at platform level	
Humedad relativa de almacenamiento (H-T)	5 - 95%	Sintonizador de TV integrado	✗	
		Dimensiones del paquete (ancho x profundidad x alto)	562 x 235 x 381 mm	
		Requisitos de energía	100 - 240 VAC, 50 - 60 Hz	
		Resolución recomendada	Preset VESA Graphic Modes (non-interlaced): 1280 x 1024 @ 60 and 75 Hz, 1024 x 768 @ 60 and 75 Hz, 1152 x 870 @ 75 Hz (Mac), 1152 x 900 @ 66 Hz (Sun), 832 x 624 @ 75 Hz (Mac), 800 x 600 @ 60 and 75 Hz, 720 x 400 @ 70 Hz, 640 x 480 @ 60 and 75 Hz, 1440 x 900 @ 60 Hz, 1280 x 960 @ 60 Hz	
		Resolución recomendada	Preset VESA Graphic Modes (non-interlaced): 1280 x 1024 @ 60 and 75 Hz, 1024 x 768 @ 60 and 75 Hz, 1152 x 870 @ 75 Hz (Mac), 1152 x 900 @ 66 Hz (Sun), 832 x 624 @ 75 Hz (Mac), 800 x 600 @ 60 and 75 Hz, 720 x 400 @ 70 Hz, 640 x 480 @ 60 and 75 Hz, 1440 x 900 @ 60 Hz, 1280 x 960 @ 60 Hz	
		Tipo de ficha para monitor	15-pin D-sub VGA	
		Audio incluido	No audio included at platform level	
		Características de seguridad	Kensington Lock-ready	

Otras características	
Multimedia	Optional HP LCD Speaker Bar: powered directly by the monitor or PC, the Speaker Bar seamlessly attaches to the monitor's lower bezel to bring full audio support to select HP LCD monitors. Features include dual speakers with full sound range and external jack for headphones, part number EE418AA. For more information, refer to the product's Quick Specs. Optional HP LCD Monitor Quick Release: an easy-to-use, VESA-compliant, flat panel monitor mounting solution that allows you to quickly and securely attach a flat panel monitor to a variety of stands, brackets, arms or wall mounts, part number EM870AA. For more information, refer to the product's Quick Specs. Optional HP Compaq dc7800 Series Ultra-slim Desktop Integrated Work Center Stand: allows mounting of an HP LCD monitor and an HP Compaq dc7800 Ultra-slim Desktop PC on a single stand for the convenience of an "all-in-one" form factor, part number GN783AA. For more information, refer to the product's Quick Specs. Optional Kensington Security Lock: combines aircraft-grade steel and Kevlar fiber to securely lock down your monitor and help prevent theft, part number PC766A. For more information, refer to the product's Quick Specs.
Controles de usuario	Power on/off; 3-button OSD (menu, plus, minus) Brightness, contrast, positioning, color temperature (6500k, 9300k, custom), serial number, display, clock, clock phase, monitor management, factory reset
Frecuencia de puntos de vídeo	140 MHz
Conexiones multimedia	Optional HP LCD Speaker Bar: powered directly by the monitor or PC, the Speaker Bar seamlessly attaches to the monitor's lower bezel to bring full audio support to select HP LCD monitors. Features include dual speakers with full sound range and external jack for headphones, part number EE418AA. For more information, refer to the product's Quick Specs. Optional HP LCD Monitor Quick Release: an easy-to-use, VESA-compliant, flat panel monitor mounting solution that allows you to quickly and securely attach a flat panel monitor to a variety of stands, brackets, arms or wall mounts, part number EM870AA. For more information, refer to the product's Quick Specs. Optional HP Compaq dc7800 Series Ultra-slim Desktop Integrated Work Center Stand: allows mounting of an HP LCD monitor and an HP Compaq dc7800 Ultra-slim Desktop PC on a single stand for the convenience of an "all-in-one" form factor, part number GN783AA. For more information, refer to the product's Quick Specs. Optional Kensington Security Lock: combines aircraft-grade steel and Kevlar fiber to securely lock down your monitor and help prevent theft, part number PC766A. For more information, refer to the product's Quick Specs.

Otras características	
Certificación	TCO'03, ISO 13406-2 VDT Guidelines Approval, CISPR Requirements, VCCI Approvals, MIC (Korean) Requirements, CSA, Australian ACA Approval, "GS" Mark, TUV Approvals, CE Marking, FCC Approval, ENERGY STAR qualified, PC-2001 Certified, Microsoft Windows Certification (Microsoft Windows 98, Microsoft Windows 2000, Microsoft Windows XP, and Windows Vista)



0883585662029



883585662029



0883585662067



883585662067




0883585662036



883585662036



0883585662081



883585662081



0883585662050



883585662050



0883585662074



883585662074



0883585662043



883585662043

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-AUG-2025. Prints or copies of Information are only valid on the printed Publication date