



HP LP2475w 24-inch Widescreen LCD Monitor monitor de computadora 61 cm (24") Negro

Marca : HP

Código del producto: KD911AT

Nombre del producto : LP2475w 24-inch Widescreen LCD Monitor


HP LP2475w 24-inch Widescreen LCD Monitor. Diagonal de pantalla: 61 cm (24"). Pantalla: LCD. Ángulo de visión horizontal: 178°, Ángulo de visión vertical: 178°. Versión del conector USB: 2.0. Color del producto: Negro



Pantalla		Peso y dimensiones	
Tratamiento de la superficie	S-IPS	Peso (sin base)	9,1 kg
Diagonal de pantalla *	61 cm (24")	Datos de embalaje	
Pantalla táctil *	✗		
Brillo de pantalla (típico)	400 cd / m²	Peso del paquete	12 kg
Razón de contraste (típica) *	1000:1	Contenido del embalaje	
Ángulo de visión horizontal	178°		
Ángulo de visión vertical	178°	Software incluido HP Display Assistant is a software utility that enables theft deterrence and allows monitor adjustment, color calibration, and security/asset management using the Display Data Channel Command Interface (DDC/CI) protocol of the connected PC; HP Display LiteSaver allows you to schedule Sleep mode at preset times to help protect the monitor against image retention, drastically lower power consumption and energy costs, and extend the lifespan of the monitor; Pivot Pro software from Portrait Displays, Inc. interacts with your PC's native graphics driver to enable seamless portrait screen redraws with a simple mouse-click or keyboard command. Pivot Pro supports 90-degree portrait and landscape views. Language support is available in English, Japanese, French, German, Spanish, Italian, and Traditional and Simplified Chinese	
Tamaño de pixel	0,270 x 0,270 mm		
Rango de escaneo horizontal	30 - 94 kHz		
Rango de escaneo vertical	48 - 85 Hz		
Frecuencia de escaneo de la pantalla	Horizontal frequency: 30-94 kHz, Vertical frequency: 48-85 Hz		
Multimedia			
Parlante(s) incorporado(s) *	✗		
Cámara incorporada *	✗		
Diseño			
Color del producto *	Negro		
Puertos e interfaces			
Puertos de entrada y salida (E/S)	USB 2.0 Hub: self-powered, six ports (cable included)		
Versión del conector USB	2.0		
Cantidad de puertos USB hacia abajo de tipo A	6		
Número de puertos HDMI	1		
Entrada de video compuesto	1		
Video componente (YPbPr/YCbCr) entrada	1		

Ergonomía		Otras características	
Interfaz para montaje en panel	100 x 100 mm	Pantalla	LCD
Conectar y usar (Plug and Play)	✔	Sistema de audio	No audio included at platform level
Inclinación y rango de giro de pantalla	Tilt range: -5° to + 30° vertical tilt, swivel range: -45° to +45°, height adjust: 100 mm, pivot rotation	Sintonizador de TV integrado	✖
Potencia		Dimensiones del paquete (ancho x profundidad x alto)	672 x 464 x 352 mm
Consumo de energía (apagado)	2 W	Requisitos de energía	100 to 240 VAC, 50 to 60 Hz
Condiciones operativas		Resolución recomendada	Preset VESA Graphic Modes (non-interlaced): 640 x 480 @ 60 Hz and 75 Hz, 800 x 600 @ 60 Hz and 75 Hz, 1024 x 768 @ 60 Hz, 75 Hz, and 85 Hz, 1152 x 900 @ 65 Hz, 1280 x 768 @ 60 Hz, 1280 x 900 @ 60 Hz, 1280 x 1024 @ 60 Hz, 75 Hz and 85 Hz, 1600 x 1000 @ 60 Hz, 1600 x 1200 @ 60 Hz, 1680 x 1050 @ 60 Hz, 1920 x 1080 @ 60 Hz; 1920 x 1200 @ 60 Hz; Text Mode: 720 x 400 @ 70 Hz; Mac Mode: 1152 x 870 @ 75 Hz and 832 x 624 @ 75 Hz; Sun Mode: 1152 x 900 @ 66 Hz
Temperatura de operación (T-T)	5 - 35 °C		
Temperatura de almacenamiento (T-T)	20 - 60 °C		
Humedad relativa de operación (H-H)	20 - 80%		
Humedad relativa de almacenamiento (H-T)	5 - 95%		
Humedad relativa sin operar (no condensable)	5 - 90%		
Humedad relativa	20 - 80%		
Peso y dimensiones		Resolución recomendada	Preset VESA Graphic Modes (non-interlaced): 640 x 480 @ 60 Hz and 75 Hz, 800 x 600 @ 60 Hz and 75 Hz, 1024 x 768 @ 60 Hz, 75 Hz, and 85 Hz, 1152 x 900 @ 65 Hz, 1280 x 768 @ 60 Hz, 1280 x 900 @ 60 Hz, 1280 x 1024 @ 60 Hz, 75 Hz and 85 Hz, 1600 x 1000 @ 60 Hz, 1600 x 1200 @ 60 Hz, 1680 x 1050 @ 60 Hz, 1920 x 1080 @ 60 Hz; 1920 x 1200 @ 60 Hz; Text Mode: 720 x 400 @ 70 Hz; Mac Mode: 1152 x 870 @ 75 Hz and 832 x 624 @ 75 Hz; Sun Mode: 1152 x 900 @ 66 Hz
Ancho (con soporte)	556 mm		
Largo (con soporte)	253 mm		
Altura (con soporte)	521 mm		
Ancho (sin base)	556 mm		
Profundidad (sin base)	83 mm		
Altura (sin base)	362 mm		
		Tipo de ficha para monitor	DVI-I (2), HDMI, DisplayPort, Component Video, S-Video and Composite Video
		Audio incluido	No audio included at platform level
		Características de seguridad	Kensington Lock-ready
		Multimedia	Optional HP Silver LCD Speaker Bar: powered directly by the monitor or PC, the Speaker Bar seamlessly attaches to the monitor's lower bezel to bring full audio support to select HP LCD monitors. Features include dual speakers with full sound range and external jack for headphones, part number EE418AA. For more information, refer to the product's Quick Specs. Optional Kensington Security Lock: combines aircraft-grade steel and Kevlar fiber to securely lock down your monitor and help prevent theft, part number PC766A. For more information, refer to the product's Quick Specs
		Controles de usuario	Power on/off; 3-button OSD (menu, plus, minus); function, input Brightness, contrast, positioning, color temperature (6500k, 9300k, custom), individual color control, serial number, display, clock, clock phase, monitor management, factory reset
		Frecuencia de puntos de vídeo	205 MHz

Otras características	
Conexiones multimedia	Optional HP Silver LCD Speaker Bar: powered directly by the monitor or PC, the Speaker Bar seamlessly attaches to the monitor's lower bezel to bring full audio support to select HP LCD monitors. Features include dual speakers with full sound range and external jack for headphones, part number EE418AA. For more information, refer to the product's Quick Specs. Optional Kensington Security Lock: combines aircraft-grade steel and Kevlar fiber to securely lock down your monitor and help prevent theft, part number PC766A. For more information, refer to the product's Quick Specs
Dimensiones del producto (con soporte, en medidas imperiales)	556,3 x 253 x 421,6 mm (21.9 x 9.96 x 16.6")
Certificación	TCO'99, ISO 13406-2 VDT Guidelines Approval, CISPR Requirements, VCCI Approvals, MIC (Korean) Requirements, CSA, Australian ACA Approval, "GS" Mark, TUV Approvals, CE Marking, FCC Approval, Microsoft Windows Certification (Microsoft Windows 98, Microsoft Windows 2000, Microsoft Windows XP, and Windows Vista Premium)
Cliente liviano/Computadora cliente	
Frecuencia del procesador	2 GHz



0883585765461




883585765461



0883585765454



883585765454



0883585765478



883585765478



0883585765485



883585765485

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.