



HP t5740 Thin Client 1,66 GHz Windows Embedded Standard 2009 1,58 kg N280

Marca : HP

Código del producto: VU902AA

Nombre del producto : t5740 Thin Client

HP t5740 Thin Client. Frecuencia del procesador: 1,66 GHz, Familia de procesador: Intel Atom®, Modelo del procesador: N280. Memoria interna: 2 GB, Memoria interna máxima: 32 GB. Capacidad total de almacenaje: 2 GB. Memoria máxima de adaptador de gráficos: 64 MB. Protocolos soportados: Windows Embedded Standard 2009; Citrix ICA 11.0 (XenApp Plugin for Hosted Apps 11.0); Microsoft...



Procesador		Certificados	
Frecuencia del procesador *	1,66 GHz	Certificación	ENERGY STAR Qualified; UL 1950; CSA 950; TÜV-GS (EN60 950); FCC Class B; CE Mark; EN55022B; VCCI
Familia de procesador	Intel Atom®	País de origen	China
Modelo del procesador	N280	Peso y dimensiones	
Memoria		Peso	1,58 kg
Memoria interna *	2 GB	Otras características	
Memoria interna máxima	32 GB	Dimensiones (Ancho x Profundidad x Altura)	44 x 222 x 266,7 mm
Medios de almacenaje		Ergonomía	Safety: UL 1950, CSA 950; TÜV-GS (EN60 950) approved; RF Interference: FCC Class B, CE Mark, VCCI
Capacidad total de almacenaje *	2 GB	Ranuras de expansión	1 optional Expansion Module with X4 PCI-EI or PCI slot including 1 parallel and second serial port
Gráficos		Dimensiones (Ancho x Profundidad x Altura) con stand	44 x 222 x 266,7 mm
Memoria máxima de adaptador de gráficos	64 MB	Tipo de fuente de alimentación	Worldwide auto-sensing 100-240 VAC, 50-60 Hz energy-saving automatic power-down, surge-tolerant, Energy Star 2.0 compliant 65-watt power supply
Red		Dispositivo apuntador	HP USB 2-Button Optical Scroll Mouse
Protocolos soportados	Windows Embedded Standard 2009; Citrix ICA 11.0 (XenApp Plugin for Hosted Apps 11.0); Microsoft RDP 6.1; Microsoft Internet Explorer 7; Windows Media Player 11; HP TeemTalk Terminal Emulator 7		
Puertos e Interfaces			
Cantidad de puertos VGA (D-Sub)	1		
Puertos Ethernet LAN (RJ-45) *	1		
Cantidad de puertos USB 2.0 *	8		
Cantidad de puerto paralelo	1		

Puertos e Interfaces		Otras características	
Cantidad de puerto serial	1	Requisitos de energía	Worldwide auto-sensing 100-240 VAC, 50-60 Hz energy-saving automatic power-down, surge-tolerant 65-watt power supply
Cantidad de puertos PS/2	2		
Exhibición			
Pantalla incluida *	✗	Protocolos de red compatibles	USB or PS/2, local and/or network printer support
Software		Navegador compatible	Microsoft Internet Explorer 7.0
Sistema operativo instalado *	Windows Embedded Standard 2009	Sistemas operativos compatibles	Windows 2000/2003 Server families, Windows 2000/2003 Server Terminal Services, Windows Server 2008, Windows 2000 Advanced Server, Windows 2000 Advance Server Terminal Services, Citrix Presentation Server (up to 4.0), Citrix Metaframe Presentation Server 3.0, Citrix Metaframe XP Presentation Server, Citrix Metaframe 1.x, VMware Virtual Desktop Infrastructure using RDP
Software incluido	Citrix ICA 11.0 (XenApp Plugin for Hosted Apps 11.0), Microsoft RDP 6.1, Windows Media Player 11, Enhanced Write Filter, Symantec Endpoint Protection, HP Remote Graphics Software Receiver 5.3, HP RDP Multimedia and USB Redirection Enhancement Software, Citrix HD-X support for XenApp, Citrix HD-X support for XenDesktop, HP TeemTalk Terminal Emulator 7.0, HP Universal Print Driver (available as a free download), Microsoft Firewall (available as add-on)		
Condiciones ambientales		Características de red	10/100/1000 Gigabit Ethernet (RJ-45), TCP/IP with DNS and DHCP, Point-to-Point Protocol (PPP), Direct Connection through RS-232, Point-to-Point over Ethernet (PPPoE), Point-to-Point Tunneling Protocol (PPTP), Layer-2 Tunneling Protocol (L2TP), Wake on LAN (WOL), PXE, Server Network Time Protocol (SNTP), Simple Network Management Protocol (SNMP)
Intervalo de temperatura operativa (T-T)	10 - 40 °C	Tamaño (imperial)	4,39 cm (1.73")
Intervalo de temperatura de almacenaje	-30 - 60 °C	Puertos de entrada y salida (E/S)	8 USB 2.0 ports (two in front, four in rear, two in secure USB compartment), 1 VGA, 2 PS/2, 1 serial, 1 parallel, 1 RJ-45, DisplayPort monitor connectors
		Audio incluido	Output: internal amplified speaker, 1/8-inch mini-jack, full 16-bit stereo, 44-kHz sample rate; Input: 1/8-inch microphone mini-jack
		Descripción de administración de configuraciones	Altiris Deployment Solution (must purchase license directly from vendor), HP Device Manager, HP ThinState for rapid deployment, support for HP Client Automation, HP Easy Config Utility for Citrix, VMware and web appliance configuration
		Características de la tarjeta de vídeo	Intel GL40 graphics with support for two high-resolution monitors up to 2048 x 1536 or up to 32 bit color depth
		Tipo de teclado	HP USB Standard Keyboard
		Peso (imperial)	with stand 3.48 lb
		Nota de dimensión (imperial)	with stand
		Nota de dimensión (métrico)	with stand
		Multimedia	1/8-inch mini microphone; Internal amplified speaker, 1/8-inch mini, full 16-bit stereo, 44-kHz sample rate; RealTek ALC 272 audio
		Medidas del producto con soporte (P x A x L)	43,9 x 222 x 263,9 mm (1.73 x 8.74 x 10.4")
		Dimensiones de producto (con soporte, imperial)	43,9 x 222 x 255 mm (1.73 x 8.74 x 10")
		Tipo de ROM	Flash



0884962534656




884962534656



0884962534717



884962534717



0884962534762




884962534762



0884962534687




884962534687



0884962534595




884962534595



0884962534618




884962534618



0884962534588




884962534588



0884962534694




884962534694



0884962534632




884962534632



0884962534809



884962534809



0884962534915




884962534915



0885631755549




885631755549



0884962534816




884962534816



0884962534700




884962534700



0884962534823




884962534823



0884962534830




884962534830



0884962534847




884962534847



0884962534854




884962534854



0884962534861




884962534861



0884962534878




884962534878



0884962534885




884962534885



0884962534892




884962534892



0884962534908



884962534908



0884962534724



884962534724



0884962534731




884962534731




0884962534748



884962534748



0884962534755




884962534755



0884962720592



884962720592



0884962534557



884962534557



0884962534564



884962534564



0884962534571




884962534571




0884962534779



884962534779




0884962534601




884962534601



0884962534786



884962534786



0884962534793



884962534793



0884962534625



884962534625



0884962534649




884962534649



0884962696484



884962696484



0884962534663



884962534663



0884962534670



884962534670

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.