

Fujitsu PRIMERGY RX300 S8 serveur 0 Go Rack (2 U) DDR3-SDRAM

Marque : Fujitsu

Famille de produit: PRIMERGY Code produit: S26361-K1457-V301

Nom du produit : RX300 S8

Fujitsu PRIMERGY RX300 S8. Type de mémoire interne: DDR3-SDRAM. Capacité totale de stockage: 0 Go, Taille du disque dur: 2.5", Interface du disque dur: SATA, Série Attachée SCSI (SAS). Ethernet/LAN, Technologie de câblage: 10/100/1000Base-T(X). Type de châssis: Rack (2 U)



Processeur		Design	
Carte mère chipset	Intel C600	Ventilateurs redondants soutenir	✓
Nombre max. de processeurs SMP	2		
Mémoire		représentation / réalisation	
Type de mémoire interne *	DDR3-SDRAM	Niveau sonore	49 dB
Emplacements mémoire	24		
ECC	✓		
Mémoire interne maximale *	1,54 To		
Support de stockage		Logiciel	
Capacité totale de stockage *	0 Go	Système d'exploitation installé *	✗
Interface du disque dur	SATA, Série Attachée SCSI (SAS)		
Taille du disque dur	2.5"		
Nombre de disque dur supporté	12		
Support RAID *	✓		
Niveaux RAID	0, 1		
Prise en charge du branchement à chaud (Hot-Plug)	✓		
Lecteur optique *	✗		
Réseau		Systèmes d'exploitation compatibles *	Hyper-V Server 2012 R2 Windows Server 2012 R2 Datacenter Windows Server 2012 R2 Standard Windows Storage Server 2012 R2 Standard Hyper-V Server 2012 Windows Server 2012 Datacenter Windows Server 2012 Standard Windows Storage Server 2012 Standard Windows Server 2008 R2 Datacenter Windows Server 2008 R2 Enterprise Windows Server 2008 R2 Standard Windows Web Server 2008 R2 Windows HPC Server 2008 R2 Suite Windows Small Business Server 2011 Premium Add-On Windows Small Business Server Standard 2011 Windows Server 2008 Datacenter Windows Server 2008 Enterprise Windows Server 2008 Standard Windows Web Server 2008 VMware vSphere 5.5 VMware vSphere 5.1 Embedded VMware vSphere 5.1 VMware vSphere 5.0 Embedded VMware vSphere 5.0 SUSE Linux Enterprise Server 12 SUSE Linux Enterprise Server 11 Red Hat Enterprise Linux 7 Red Hat Enterprise Linux 6 Red Hat Enterprise Linux 5 Red Hat Enterprise Linux 5 with XEN Citrix XenServer Oracle Linux 7 Oracle Linux 6 Oracle VM 3 Univention Corporate Server 3.x
Ethernet/LAN	✓		
Technologie de câblage	10/100/1000Base-T(X)		
Type d'interface Ethernet	Gigabit Ethernet		
Connectivité		Puissance	
Nombre de port ethernet LAN (RJ-45) *	2	Alimentation redondante (RPS) *	✗
Quantité de Ports USB 2.0	10		
Nombre de ports VGA (D-Sub)	2		
Nombre de ports série	1		
Connecteurs d'extension		Conditions environnementales	
PCI Express x 8 emplacements (Gen. 3.x)	5	Température d'opération	5 - 40 °C
PCI Express x16 emplacement(s) (Gen 3.x)	2	Humidité relative de fonctionnement (H-H)	10 - 85%
Design		Certificat	
Type de châssis *	Rack (2 U)	Certification	CB, RoHS, WEEE, GS, CE, CSAc/us, FCC Class A, VCC, CCC, C-Tick, CNS
Grille de montage	✓		

Poids et dimensions

Largeur	445 mm
Profondeur	770 mm
Hauteur	86,9 mm

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.