

TP-Link Archer T9E Interno WLAN 1300 Mbit/s

Marchio : TP-Link

Codice prodotto: ARCHER T9E

Nome del prodotto : Archer T9E

TP-Link Archer T9E. Interno. Tecnologia di connessione: Wireless, Interfaccia host: PCI Express, Interfaccia: WLAN. Velocità massima di trasferimento dati: 1300 Mbit/s, Wi-Fi standard: Wi-Fi 5 (802.11ac), Banda Wi-Fi: Dual-band (2.4 GHz/5 GHz). Colore del prodotto: Nero



Connettività		Requisiti di sistema	
Tecnologia di connessione *	Wireless	Sistema operativo Windows supportato	Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Interfaccia host *	PCI Express		
Interfaccia *	WLAN		
Collegamento in rete			
Velocità massima di trasferimento dati *	1300 Mbit/s		
Standard di rete *	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n		
Wi-Fi	✔		
Banda Wi-Fi	Dual-band (2.4 GHz/5 GHz)		
Range di frequenza	2,4 - 5 GHz		
Wi-Fi standard	Wi-Fi 5 (802.11ac)		
Standard Wi-Fi	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)		
Velocità trasferimento dati WLAN	11,54,600,1300 Mbit/s		
Modulazione	16-QAM, 256-QAM, 64-QAM, CCK, DBPSK, DQPSK, OFDM	Condizioni ambientali	
Algoritmi di sicurezza supportati	128-bit WEP, 64-bit WEP, 802.1x RADIUS, WPA-PSK, WPA2-PSK	Intervallo temperatura di funzionamento	0 - 40 °C
		Intervallo di temperatura	10 - 90 °C
Design		Range di umidità di funzionamento	10 - 90%
Componente per *	PC	Umidità	5 - 90%
Colore del prodotto	Nero	Dimensioni e peso	
Interno *	✔	Larghezza	115,2 mm
Antenna	✔	Profondità	120,8 mm
Indicatori LED	✔	Altezza	21,5 mm
Certificazione	CE, FCC	Dati su imballaggio	
		Drivers inclusi	✔
		Quantità per pacco	1 pz
		Contenuto dell'imballo	
		Manuale dell'utente	✔
		Dettagli tecnici	
		Certificati di conformità	RoHS

Altre caratteristiche

Guida rapida	✓
Intervallo della potenza di trasmissione	0 - 20 dBmW



6935364080150



6935364080167



0845973080150



845973080150

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.