

DELL C1660w □□□ 600 x 600 **DPI A4 Wi-Fi**

____: DELL ____: LAC1660W

□□□: C1660w





000000		00000	
00000 (000, 00, A4/US Letter)	10 ppm		SNMPv1/v2
000 *	✓		Dell Mobile Print
0000000000 *	LED	000000	
00000 *	×	0000 *	128 MB
00000 *	600 x 600 DPI	0000000	8 MB
00000 (00, 00, A4/US Letter) *	12 ppm		384 MHz
	21 [
	25 []	* 	
			LCD
00000000 (OO) *	30000 🗆 🗆 🖂		
00000000 *	0000, 000, 0000, 0000		250 W
0000000000 *	4	0000000000 * 0000 (00000)	40 W
000000 *	GDI		8 W
00/0000			1.5 W
00000 *	150 🖂	AC[[110 - 240 V
00000 *	100 🖂	AC	50 - 60 Hz
00000	150 🖂		
	100 🖂		
000000000			
ISO A0000000 *	A4		
00000000	216 x 356 mm		
00000000000 *			
ISO A (A0A9) *	A4, A5		
ISO B-00000 (B0B9)	B5		
	000000 (184 x 267 00), 00000000 0000, 000000, 000		
	7 3/4, 10, C5		
	76.2 - 215.9 mm		
	127 - 355.6 mm		
000/0000000			
00000000	USB 2.0		

00000000 Wi-Fi * 000000LAN * Wi-Fi[0] 000000000000(IPv4)		WindowsOS <u>□</u> □	Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 8 Unidows 8 Enterprise, Windows 8 Enterprise, Windows 8 Enterprise, Windows 8 Pro x64, Windows 8 Pro, Windows Vista Business, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise, Windows Vista Home Basic, Windows Vista Home Basic, Windows Vista Home Premium, Windows Vista Home Premium, Windows Vista Ultimate, Windows Vista Ultimate, Windows Vista Ultimate, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
		MacOS[[]	Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion
		[][][][][][][][][][][][][][][][][][][]	Windows Server 2003, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 R2, Windows Server 2008 x64
		00000	5 - 32 °C
		(T-T)	15 - 85 °C
			0 - 3100 m
		00000000	
		000000000	ENERGY STAR
		00/00	
			394 mm
			300 mm
			225 mm
			10.5 kg
		0000000	
			525 mm
			431 mm
			380 mm
		000000	13 kg
		□□ LED	✓
			✓

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.