Lenovo.

Lenovo ThinkPad T43 35.8 cm (14.1") 0.5 GB DDR2-SDRAM 80 GB AMD Mobility Radeon X300 Windows XP Professional

Control Contro

ThinkPad T43





| 00000 | | 000/0000000 | |
|---|--|---|--|
| 000000000000000 * 0000000000 * 000000000 | 35.8 cm (14.1") 1400 x 1050 [[[[]]] 4:3 | 000000 0000 I/0000 000 (RJ-11) 000 | X 1 x Express card 1 x docking 1 |
| 00000 00000 0000000 * 000000000 | 2 GHz 2 MB | TV00 TV0000 00000000 | S |
| | L2 | | |
| 000000000000000 0000 | 533 MHz | | ThinkPad UltraNav 86 |
| 00000 * | 0.5 GB | 00000 | |
| 000000 000000 * | DDR2-SDRAM 2 GB | OS* | Windows XP Professional Access Program, ThinkVantage |
| 00000 00000000 * HDD00 0000000 * | 80 GB Ultra-ATA/100 5400 RPM DVD±RW | 0000000 | Access Connections, ThinkVantage Client Security Solution, ThinkVantage Rescue and Recovery, ThinkVantage Rescue and Recovery with Rapid Restore, Norton AntiVirus 2004, Norton AntiVirus 2005 with 90 days of virus |
| 000000 0000000000000000000000000000000 | AMD Mobility Radeon X300 | | definition upgrades, PC Doctor diagnostics, PC-Doctor, Adobe Acrobat Reader |
| * | ✓ | | |
| 0000000000000000 | 0.064 GB | 00000 | 6 |
| 00000 | | | 3.6 🛮 |
| | | | |
| 00000000 | SoundMAX | | |
| 0000000 | SoundMAX 2 | DC000000 | ✓ |
| 0000000 000 | 2 | | ✓ |
| 0000000 | | DC00000 | · |
| 0000000 000 | 2 x | DC00000 | |
| 0000000 000 000000 | 2 X Ethernet/Fast Ethernet/Gigabit | DC000000 00000000000000 | • |
| 0000000 000 000000 000000 | 2 x | DC000000 0000000000 00000000000 | • |
| 00000000 000 0000000 0000000 00000000 USB 2.0 0000 * | x Ethernet/Fast Ethernet/Gigabit Ethernet | DC000000 0000000000 00000000000 00/00 00 | JIBM 311 mm 255 mm |
| 00000000 000 000000 000000 0000000 000/000000 | 2 Ethernet/Fast Ethernet/Gigabit Ethernet 2 1 | DC000000 00000000000 000000000000 00/00 00 | JIBM 311 mm 255 mm 27 mm |
| 00000000 000 0000000 0000000 00000000 USB 2.0 0000 * | 2 Ethernet/Fast Ethernet/Gigabit Ethernet 2 1 | DC00000 0000000000 00000000000 00/00 00 00 | JIBM 311 mm 255 mm 27 mm |
| 00000000 000 0000000 00000000 000/00000000 | 2 Ethernet/Fast Ethernet/Gigabit Ethernet 2 1 X 1 | DC000000 000000000000000000000000000000 | JIBM 311 mm 255 mm 27 mm 2.4 kg IEEE 802.11a/IEEE 802.11b/IEEE |

| 000/0000000 | | | |
|------------------|------------|---------|-----------|
| 0000 PCMCIA00000 | 1 00011 | TV 0000 | × |
| | | | ✓ |
| | | | 56 Kbit/□ |
| | | | V.92 |

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.