

Fujitsu PRIMERGY RX300 S8 serveris 0 GB Stovas (2U) DDR3-SDRAM



Prekės ženklas : Fujitsu

Produkto šeima: PRIMERGY

Prekės kodas: S26361-K1457-V301

Produkto pavadinimas :
RX300 S8

Fujitsu PRIMERGY RX300 S8. Vidinės atminties tipas: DDR3-SDRAM. Iš viso talpa: 0 GB, Kietojo disko dydis: 2.5", Kietojo disko sąsaja: SATA, „Serial Attached SCSI (SAS)“. Ethernet LAN jungtis, Kabelių technologija: 10/100/1000Base-T(X). Bloko tipas: Stovas (2U)

Procesorius		Konstrukcija	
Pagrindinės plokštės lustas	Intel C600	Rezervinių ventiliatorių palaikymas	✓
Maksimalus SMP procesorių skaičius	2	Veikimo charakteristikos	
Atmintis		Garso lygis	49 dB
Vidinės atminties tipas *	DDR3-SDRAM	Programinė įranga	
Atminties lizdai	24	Numatyta operacinė sistema *	✗ Hyper-V Server 2012 R2 Windows Server 2012 R2 Datacenter Windows Server 2012 R2 Standard Windows Storage Server 2012 R2 Standard Hyper-V Server 2012 Windows Server 2012 Datacenter Windows Server 2012 Standard Windows Storage Server 2012 Standard Windows Server 2008 R2 Datacenter Windows Server 2008 R2 Enterprise Windows Server 2008 R2 Standard Windows Web Server 2008 R2 Windows HPC Server 2008 R2 Suite Windows Small Business Server 2011 Premium Add-On Windows Small Business Server Standard 2011 Windows Server 2008 Datacenter Windows Server 2008 Enterprise Windows Server 2008 Standard Windows Web Server 2008 VMware vSphere 5.5 VMware vSphere 5.1 Embedded VMware vSphere 5.1 VMware vSphere 5.0 Embedded VMware vSphere 5.0 SUSE Linux Enterprise Server 12 SUSE Linux Enterprise Server 11 Red Hat Enterprise Linux 7 Red Hat Enterprise Linux 6 Red Hat Enterprise Linux 5 Red Hat Enterprise Linux 5 with XEN Citrix XenServer Oracle Linux 7 Oracle Linux 6 Oracle VM 3 Univention Corporate Server 3.x
ECC	✓		
Maksimali vidinė atmintis *	1,54 TB		
Laikmenos			
Iš viso talpa *	0 GB		
Kietojo disko sąsaja	SATA, „Serial Attached SCSI (SAS)“		
Kietojo disko dydis	2.5"		
Palaikomų kietųjų diskų skaičius	12		
RAID palaikymas *	✓		
RAID lygiai	0, 1		
Hot-Plug palaikymas	✓		
Optinio įrenginio tipas *	✗		
Tinklas		Suderinamos operacinės sistemos *	
Ethernet LAN jungtis	✓		
Kabelių technologija	10/100/1000Base-T(X)		
Eterneto sąsajos tipas	Gigabitinis eternetas		
Ryšys			
Ethernet LAN (RJ-45) portų kiekis *	2		
USB 2.0 portų kiekis	10		
VGA (D-Sub) portų kiekis	2		
Serijinių portų kiekis	1		
Plėtotės lizdas			
PCI „Express“ x8 (3.x kart.) angos	5		
PCI „Express“ x16 (3.x kart.) angos	2		
Konstrukcija		Energijos valdymas	
Bloko tipas *	Stovas (2U)	Nereikalingos maitinimo (RPS) paramos *	✗
Stovo montavimas	✓	Aplinkos sąlygos	
		Darbo temperatūros diapazonas (TT)	5 - 40 °C
		Darbo santykinės drėgmės diapazonas	10 - 85%

Sertifikatai	
Sertifikavimas	CB, RoHS, WEEE, GS, CE, CSAc/us, FCC Class A, VCC, CCC, C-Tick, CNS
Svoris ir matmenys	
Plotis	445 mm
Ilgis	770 mm
Aukštis	86,9 mm

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.