

Samsung EX2F 1/1.7" Kompaktne kamere 12,4 MP CMOS 4000 x 3000 piksela Belo

Brand : Samsung Product family: EX2F Product code: EC-EX2FZZBPWDE

Product name : EX2F



Samsung EX2F . Tip fotoaparata: Kompaktne kamere, Megapiksel: 12,4 MP, Veličina senzora slike: 1/1.7", Tipovi senzora: CMOS, Maksimalna rezolucija slike: 4000 x 3000 piksela. ISO osetljivost (maks): 12800. Optički zum: 3,3x, Digitalni zum: 4x, Opsezi fokalne dužine: 5.2 - 17.2 mm. Wi-Fi. Tip visoke definicije (HD): Full HD, Maksimalna video-rezolucija: 1920 x 1080 piksela. Dijagonala monitora: 7,62 cm (3"). Težina: 286 g. Boja proizvoda: Belo



Kvalitet slike		Video	
Veličina senzora slike *	1/1.7"	Video-snimanje *	✓
Tip fotoaparata *	Kompaktne kamere	Maksimalna video-rezolucija *	1920 x 1080 piksela
Megapiksel *	12,4 MP	Tip visoke definicije (HD) *	Full HD
Tipovi senzora *	CMOS	Video rezolucije	320 x 240,640 x 360,1280 x 720,1920 x 1080
Maksimalna rezolucija slike *	4000 x 3000 piksela	Podržani video-formati	H.264, MP4
Stabilizatori slike *	✓	Audio	
Ukupno megapiksela	12,76 MP	Ugrađeni mikrofoni *	✓
Optika		Snimanje glasa	✓
Optički zum *	3,3x	Memorija	
Digitalni zum *	4x	Kompatibilne memorijske kartice *	MicroSD (TransFlash), microSDHC, microSDXC
Opsezi fokalne dužine	5.2 - 17.2 mm	Displej	
Minimalna fokalna dužina (ekvivalent filma od 35mm)	24 mm	Displej *	AMOLED
Maksimalna fokalna dužina (ekvivalent filma od 35mm)	80 mm	Dijagonala monitora *	7,62 cm (3")
Fokusiranje		Rezolucije ekrana (numeričke)	614000 piksela
Fokus *	TTL	Portovi i interfejsi	
Podešavanja fokusa *	Automatski/ručno	PictBridge *	✗
Normalan opseg fokusa (telefoto)	1 - ∞	Verzija USB-a *	2.0
Normalan opseg fokusa (široki ugao)	0.4 - ∞	Mreža	
Opseg standardnog fokusa	0.4 - ∞/1 - ∞	Bluetooth *	✗
Opseg makro fokusa (telefoto)	0.4 - 1 m	Wi-Fi *	✓
Opseg makro fokusa (široki ugao)	0.01 - 0.4 m	Kamera	
Automatski režim opsega fokusa (telefoto)	0.4 - ∞	Balans belog *	Automatski, Oblačno, Prilagođeni režimi, Dnevno svetlo, Fluorescent H, Fluorescent L, Tungsten
Automatski režim opsega fokusa (široki ugao)	0.01 - ∞		
Opseg ručnog fokusa (telefoto)	0.4 - ∞		

Fokusiranje		Kamera	
Opseg ručnog fokusa (široki ugao)	0.01 - ∞	Podržani su Windows operativni sistemi	Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Ekspozicija			
ISO osetljivost (min) *	20		
ISO osetljivost (maks) *	12800		
ISO osetljivost	80, 100, 200, 400, 800, 1600, 3200, 6400, 12800, Automatski		
Režimi ekspozicije *	Prioriteti blende AE, Ručno, Prioriteti zatvarača AE		
Podešavanje ekspozicije	Programi AE		
Korekcija ekspozicije *	± 2EV (1/3EV step)		
Blende			
Najveća brzina zatvarača fotoaparata *	1/2000 s		
Najmanja brzina zatvarača fotoaparata *	30 s		
Blic		Podržani su Mac operativni sistemi	Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion
Režimi blica *	Automatski, Na svako okidanje, Blic isključen, Uklanjanje efekata crvenih očiju, Spore sinhronizacije		
Opseg blica (široki ugao)	0,4 - 7,8 m		
Opseg blica (telefoto)	0,8 - 4,1 m		
Korekcije izloženosti blica	±1EV (1/3 EV step)		
Dizajni			
Boja proizvoda *	Belo		
Baterije			
Tehnologija baterije *	Litijum-jon (Li-Ion)		
Napon baterije	3,7 V		
Trajanje baterije (CIPA standard)	500 slike		
Trajanje baterije	1030 mAh		
Vrsta baterije	SLB-10A		
Broj podržanih baterija	1		
Radni uslovi			
Raspon radne temperature (T-T)	0 - 40 °C		
Radni opseg vlažnosti	5 - 85%		
Težina i dimenzije			
Širina	112,1 mm		
Dubina	27,6 mm		
Visina	62,4 mm		
Težina	286 g		
Sadržaj pakovanja			
Baterije su uključene	✓		
Ostale karakteristike			
Ugrađen blic	✓		
Broj HDMI portova	1		
Izvor napajanja	Baterija		

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.