



HP Smart Tank 794 All-in-One Printer Termalni inkjet A4 4800 x 1200 DPI 15 ppm Wi-Fi

Brand : HP

Product family: Smart Tank

Product code: 2G9Q9A

Product name : Smart Tank
794 All-in-One Printer



HP Smart Tank 794 All-in-One Printer. Tehnologija štampe: Termalni inkjet, Štampanje: Štampanje u boji, Max. rezolucija: 4800 x 1200 DPI, Brzina štampe (u boji, normalan kvalitet, A4/216x279): 9 ppm. Kopiranje: Kopiranje u boji, Maksimalna rezolucija kopiranja: 600 x 600 DPI. Skeniranje: Skeniranje u boji, Opciona rezolucija skeniranja: 1200 x 1200 DPI. Slanje faksa: Slanje faksova u boji. Obostrane funkcije: Faks. Maksimalna veličina papira ISO A-serije: A4. Wi-Fi. Boja proizvoda: Sivo, Belo



Brzina štampanja		Rukovanje papirom	
Režimi dvostranog štampanja	Automatski	ISO C-series veličine (C0...C9)	C5, C6
Rezolucija boje	4800 x 1200 DPI	Veličine medijuma za štampanje koje ne pripadaju ISO standardu	Hagaki čestitka, Legal format
Rezolucija štampe, crno-belo	1200 x 1200 DPI	Veličine koverti	C5, C6, DL
Tehnologija štampe *	Termalni inkjet	Veličine medijuma za štampanje bez ivica	A4, Pisma
Štampanje *	Štampanje u boji	Prilagođena širina medijuma	88,9 - 215,9 mm
Duplex štampanje *	✓	Prilagođena dužina medijuma	127 - 355,6 mm
Max. rezolucija *	4800 x 1200 DPI	Težina medija za ležište za papir	60 - 250 g/m ²
Brzina štampanja (crna, normalan kvalitet, A4/US Letter) *	15 ppm	Portovi i interfejsi	
Brzina štampe (u boji, normalan kvalitet, A4/216x279)	9 ppm	USB port	✓
Brzina štampanja (crnobela, minimalan kvalitet, A4/US Letter)	23 ppm	Mreža	
Brzina štampe (kolor, draft kvalitet, A4/US Letter)	22 ppm	Wi-Fi *	✓
Brzina štampanja (ISO/IEC 24734) crna	15 ppm	Ethernet LAN *	✓
Brzina štampanja (ISO/IEC 24734) u boji	9 ppm	Wi-Fi Direct	✓
Štampanje bez ivica	✓	Bluetooth	✓
Kopiranje		Tehnologije mobilnog štampanja	Apple AirPrint, Mopria Print Service
Dvostrano kopiranje *	✓	Performanse	
Kopiranje *	Kopiranje u boji	Maksimalna količina interne memorije	256 MB
Maksimalna rezolucija kopiranja *	600 x 600 DPI	Interna memorija *	256 MB
Brzina kopiranja (normalan kvalitet, crno, A4)	23 cpm	Ugrađen procesor	✓
Brzina kopiranja (standardan kvalitet, u boji, A4)	22 cpm	Frekvencija procesora	800 MHz
Maksimalni broj kopija	99 kopije	Nivo zvučne snage (štampanje)	6,5 dB
Mogućnost promene veličine	25 - 400%	Dizajni	
Funkcija automatskog uklapanja	✓	Boja proizvoda *	Sivo, Belo
Skeniranje		Pozicioniranje na tržištu *	Kuće i kancelarije
Duplex skeniranje *	✗	Ugrađeni ekrani *	✓
Skeniranje *	Skeniranje u boji	Dijagonala monitora	7,62 cm (3")
Opciona rezolucija skeniranja *	1200 x 1200 DPI	Tip kontrolera	Na dodir
Max. rezolucija skeniranja	1200 x 1200 DPI	Ekran u boji	✗


Skeniranje		Menadžment potrošnje	
Maksimalna površina skeniranja	216 x 297 mm	Potrošnja energije (stanje spavanja)	1,1 W
Tip skeniranja *	Ravni skener i skener sa automatskim uvlačenjem papira	Potrošnja energije (isključen)	0,1 W
Tehnologija skeniranja	CIS	Tipična potrošnja struje prema programu Energy Star	0,2 kWh/nedjeljno
Skeniraj na	Faks, Softver, E-mail Server	Ulazni napon naizmjenične struje	100 - 240 V
Podržani formati slika	BMP, JPG, PNG, TIFF	Ulazna frekvencija naizmjenične struje	50/60 Hz
Podržani formati dokumenata	PDF	Sistemski zahtevi	
Ulazna dubina boja	24 bita	Podržani su Windows operativni sistemi	Windows 10, Windows 11, Windows 7
Nivoi sivog	256	Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 11.0 Big Sur, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina	
Upravljački programi skenera	TWAIN	Podržani su Mac operativni sistemi	
Faks		Radni uslovi	
Dvostrano slanje faksova	✓	Preporučeni opseg vlažnosti pri radu	20 - 80%
Slanje faksa *	Slanje faksova u boji	Raspon radne temperature (T-T)	5 - 40 °C
Rezolucija faksa (crno-belo)	300 x 300 DPI	Relativna vlažnost (nekondenzujuće)	5 - 90%
Rezolucija faksa (u boji)	200 x 200 DPI	Sertifikati	
Brzina slanja faksa	4 s/strana	Sertifikacija	CISPR 32:2015/EN 55032:2015+A11:2020 Class B; CISPR24:2010+A1:2015/EN 55024:2010+A1:2015; EN55035:2017+A11:2020/CISPR35:2016; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; FCC CFR 47 Part 15 Subpart B; ICES-003 Issue 7:2020; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.2
Brzina modema	33,6 Kbit/s		
Faks memorija	100 strana	Održivost	
Automatsko ponovno pozivanje broja faksom	✓	Usklađenost sa održivošću	✓
Brzo biranje	✓	Sertifikati o održivosti	Post-Consumer Recycled Plastic
Forwardovanje faksova	✓	Težina i dimenzije	
Odloženo slanje faksimila	✓	Širina	427,5 mm
Automatska redukcija formata	✓	Dubina	364 mm
Karakteristike		Visina	240,3 mm
Preporučeni radni ciklus	400 - 1200 stranica mesečno	Težina	7,7 kg
Maksimalno vremensko trajanje jedne upotrebe *	6000 stranica mesečno	Podaci o pakovanju	
Obostrane funkcije *	Faks	Širina paketa	4840 mm
Boje za štampanje *	Crno, Cijan, Magenta, Žuto	Dubina paketa	2840 mm
Jezici opisa stranice	PCL 3 GUI	Visina paketa	410 mm
Istovremeno korišćenje Sve-U-Jednom mogućnosti	✓	Težina paketa	10,7 kg
Zemlja porekla	Brazil	Sadržaj pakovanja	
HP segment	Kućne	Kablovi uključeni	AC
Ulazni i izlazni kapacitet		Garantni list	✓
Ukupan broj ulaznih ležišta *	1	Dodatni softver	HP Printer Software, available online
Ukupni ulazni kapacitet *	250 stranice	Logistički podaci	
Ukupni izlazni kapacitet *	100 stranice	Težina palete	428 kg
Automatsko umetanje dokumenata (ADF)	✓	Broj nivoa po paleti	6 kom.
Kapacitet ležišta sa Auto Feed funkcijom	35 stranice	Komada na paleti	48 kom.
Kasimalni broj ulaznih ležišta	1	Tehnički detalji	
Maksimalni ulazni kapacitet	250 stranice	Broj kutija po nivou palete	8 kom.
Maksimalni izlazni kapacitet	100 stranice	Ostale karakteristike	
Rukovanje papirom		Broj korisnika	3 korisnik(ci)
Maksimalna veličina papira ISO A-serije *	A4	Dimentije palete	1220 x 1016 x 2590 mm
Max. veličina štampe	216 x 355.6 mm	Preporučena konfiguracija	
Tipovi medija za ležište za papir *	Sjajni papir, Mat papir, Foto papir, Obični papiri, Reciklirani papir, Debeli papiri	Windows 10, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer.	
ISO A-series veličine (A0...A9) *	A4, A5, A6		

Ostale karakteristike

PictBridge	✗
Dimenzije pakovanja (D x Š x V)	1219,2 x 1016 x 2590,8 mm (48 x 40 x 102")
Broj glava štampača	2



0195908302803



195908302803



0196337553408



196337553408

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.