



TP-Link TL-WPA8630P KIT 1350 Mbit/s 2 pc(s)

Brand : TP-Link Product code: TL-WPA8630P KIT V2 Product name : TL-WPA8630P KIT

Network		General	
Maximum data rate *	1350 Mbit/s	Operating mode *	Access point
Maximum power *	✓	Operating mode	CE
Maximum LAN ports	Gigabit Ethernet	Supported operating systems	
Maximum LAN ports (RJ-45)	10,100,1000 Mbit/s	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	
Maximum LAN (RJ-45) ports	3		
Wi-Fi *	✓		
Wi-Fi	Wi-Fi 5 (802.11ac)		
Wi-Fi	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)		
Wi-Fi	IEEE 1901, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3, IEEE 802.3u		
Wi-Fi	✓		
HomePlug AV2	HomePlug AV2		
OFDM	OFDM		
128-bit AES	128-bit AES		
300 m	300 m		
2400 - 5000 MHz	2400 - 5000 MHz		
QoS	✓		
QoS	✓		
Power		Supported operating systems	
Power consumption (idle)	10,8 W	Supported operating systems	✓
Power consumption (idle)	5 W	Supported operating systems	✓
AC voltage	230 V	Supported operating systems	macOS
AC frequency	50 Hz	Operating temperature	
Dimensions		Operating temperature (°C)	
Operating temperature	0°C, 40°C, WLAN	Storage temperature (°C)	
		Relative humidity (RH%)	
		Operating humidity (RH%)	
Weight & Dimensions		Weight	
		Height	
		Width	
Compliance		RoHS	

物理特性		
最大幅員		230 mm
最大幅員		190 mm
最大幅員		100 mm
重量		1,09 kg
インストール要件		
インストール要件 *		2 pc(s)
インストール		✓
インストール		LAN (RJ-45)



6935364093662




0845973093662



845973093662



6935364093679



6935364098674

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.