



Lenovo ThinkStation P7 Intel® Xeon W w5-3423 32 GB DDR5-SDRAM 1 TB SSD Windows 11 Pro for Workstations Tower

[illegible]

Brand : Lenovo

Product family: ThinkStation

Product code: 30F3001DMH

Product name : P7



CPU		GPU	
Processor * Intel		GPU PCI Express x8 (Gen 4.x)	1
Processor * Intel® Xeon W		PCI Express x16 (Gen 4.x) slots	1
Processor Intel Xeon Scalable 4th Gen		PCI Express x16 (Gen 5.x)	3
Processor * w5-3423		Memory	
Processor 12		Memory * Tower	
Processor 24		Memory Black	
Processor 4.2 GHz		Memory 39 GB	
Processor * 2.1 GHz		Memory / Processor	
Processor 30 MB		Memory ✓	
Storage		Memory Kensington	
Memory * 32 GB		Memory * 30, 30	
Memory * 1 TB		Network	
Memory DDR5-SDRAM		Network Intel W790	
Memory 2 x 16 GB		Network Realtek ALC897-Q	
Memory 8x DIMM		Network / Processor	
Memory 4800 MHz		Network (s) ✓	
ECC ✓		Network 1	
Display		Network ✓	
Display * 1 TB		Network / Processor	
Display * SSD		Network / Processor	
Display * X		Network / Processor	
Display 1		Network / Processor	
Display SSD 1 TB		Network / Processor	
Display SSD 1		Network / Processor	
Display Solid-state drive 1 TB		Network / Processor	
Display Solid-state drive PCI Express 4.0		Network / Processor	
NVMe ✓		Network / Processor	
Display SSD M.2		Network / Processor	
Display ✓		Network / Processor	
Power		Network / Processor	
Power * X		Network / Processor	
Power * X		Network / Processor	

General			Environmental	
Operating temperature range *	Operating		Operating temperature range (T-T)	10 - 35 °C
Storage temperature range *	Storage		Storage temperature range (T-T)	-40 - 60 °C
Humidity			Operating humidity (H-H)	20 - 80%
Operating humidity *	✓		Operating humidity range (R-H)	10 - 90%
Maximum data rate	10,100,1000,10000 Mbit/s		Maximum data rate	0 - 3048 1/s
Maximum data rate	10/100/1000Base-T(X)		Maximum data rate/throughput	0 - 12192 1/s
LAN	Intel® I219-LM, Marvell AQtion AQC113C		RoHS	
Wi-Fi *	✗		TCO, EPEAT Gold	
USB			Power consumption	
USB 2.0 *	2		Power consumption *	175 1/s
USB 3.2 Gen 2 (3.1 Gen 2) Type-A *	5		Power consumption *	508 1/s
USB 3.2 Gen 2 (3.1 Gen 2) Type-C *	2		Power consumption *	440.4 1/s
USB 3.2 Gen 2x2 Type-C	1		Power consumption *	24.5 1/s
USB (RJ-45)	2		Power consumption	
Power consumption	✓		Power consumption	✓
Power consumption	✓		Power consumption	
Power consumption	✓		Power consumption *	✗
PCI Express			Intel RSTe	
PCI Express x4 (Gen 4.x)	1			



0196804964546



196804964546

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.