



## MSI B75A-G41 motherboard Intel B75 LGA 1155 (Socket H2) ATX


Brand : MSI

Article code: B75A-G41

Product name : B75A-G41

Intel LGA 1155, Intel B75, 4 x DDR3 DIMMs 1066/1333/1600/1800/2000/2200/2400MHz DRAM max. 32GB, 1 x PCIe 3.0 x16, 1 x PCIe 2.0 x16, 2 x PCIe 2.0 x1, 2 x PCI, SATAIII/SATAII, Realtek ALC887 8-ch., Gigabit Ethernet, ATX

MSI B75A-G41. Processor manufacturer: Intel, Processor socket: LGA 1155 (Socket H2), Compatible processor series: Intel® Celeron® G, Intel® Pentium®. Supported memory types: DDR3-SDRAM, Maximum internal memory: 32 GB, Memory slots type: DIMM. Supported storage drive interfaces: SATA II, SATA III. Parallel processing technology support: 2-Way CrossFireX, Maximum graphics card memory: 1760 MB. Ethernet interface type: Gigabit Ethernet, LAN controller: Realtek RTL8111E



Processor		Internal I/O	
Processor manufacturer *	Intel	TPM connector	✓
Processor socket *	LGA 1155 (Socket H2)	Parallel connector	✓
Compatible processor series *	Intel® Celeron® G, Intel® Pentium®	Serial port headers	1
Memory		Rear panel I/O ports	
Supported memory types *	DDR3-SDRAM	USB 2.0 ports quantity *	4
Number of memory slots *	4	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Memory slots type	DIMM	Ethernet LAN (RJ-45) ports *	1
Memory channels	Dual-channel	PS/2 ports quantity	1
Supported memory clock speeds	1066,1333,1600,1800,2000,2200,2400 MHz	VGA (D-Sub) ports quantity *	1
Maximum internal memory *	32 GB	HDMI ports quantity *	1
Storage controllers		Headphone outputs	1
Supported storage drive interfaces * SATA II, SATA III		Microphone in	✓
Graphics		Network	
Maximum graphics card memory	1760 MB	Ethernet LAN	✓
Parallel processing technology support *	2-Way CrossFireX	Ethernet interface type	Gigabit Ethernet
On-board graphics card	✗	LAN controller	Realtek RTL8111E
DirectX version	11	Features	
Internal I/O		Motherboard chipset *	Intel B75
USB 2.0 connectors *	2	Audio chip	Realtek ALC887
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Audio output channels *	7.1 channels
Number of SATA III connectors *	1	Component for *	PC
Number of SATA II connectors	5	Motherboard form factor *	ATX
Front panel audio connector	✓	Motherboard chipset family *	Intel
ATX Power connector (24-pin)	✓	Power source type	ATX
Number of EATX power connectors	1	Expansion slots	
CPU fan connector	✓	PCI Express x1 slots	2
Number of chassis fan connectors	4	PCI Express x16 slots	2
Chassis intrusion connector	✓	PCI slots	2
		PCI Express slots version	2.0, 3.0

BIOS	
BIOS type *	UEFI
Clear CMOS jumper	✓
Weight & dimensions	
Width	12" (305 mm)
Depth	8.5" (216 mm)

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.