

HP Compaq LA2006x computer monitor 20" 1600 x 900 pixels Black

Brand: HP Article code: XN374AA#ABB

Product name : Compaq LA2006x

HP Compaq LA2006x 20-inch LED Backlit LCD Monitor

HP Compaq LA2006x computer monitor 20" 1600 x 900 pixels Black:





HP Compaq LA2006x. Display diagonal: 20", Display resolution: 1600 x 900 pixels. Display: LCD. Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 170°, Viewing angle, vertical: 160°. USB hub version: 2.0. Product color: Black

Display		Power	
Display diagonal *	20"	Power consumption (off)	0.5 W
Display resolution *	1600 x 900 pixels	AC input voltage	100 - 240 V
Native aspect ratio *	16:9	AC input frequency	50 - 60 Hz
Touchscreen *	×	Operational conditions	
Display brightness (typical)	250 cd/m ²	Operating temperature (T-T)	5 - 35 °C
Response time * Supported graphics resolutions	5 ms 720 x 400, 1600 x 900, 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1440 x 900 (WXGA+), 640 x 480 (VGA), 800 x 600 (SVGA)	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Operating temperature (T-T)	-20 - 60 °C 20 - 80% 5 - 95% 0 - 196850.4" (0 - 5000 m) 41 - 95 °F
Aspect ratio	16:9	Weight & dimensions	
Contrast ratio (typical) * Contrast ratio (dynamic) Viewing angle, horizontal Viewing angle, vertical Display number of colors * Pixel pitch 3D Multimedia Built-in speaker(s) *	1000:1 1000000:1 170° 160° 16.78 million colors 0.0109 x 0.0109" (0.277 x 0.277 mm) X	Width (with stand) Depth (with stand) Height (with stand) Width (without stand) Depth (without stand) Height (without stand) Weight (without stand) Packaging data Package width	19" (483.6 mm) 8.32" (211.3 mm) 16.5" (418 mm) 19" (483.6 mm) 1.87" (47.5 mm) 11.6" (295.7 mm) 12.1 lbs (5.48 kg)
Built-in camera *	X	Package depth Package height	6.65" (169 mm) 17.5" (445 mm)
Design		Package weight	16.7 lbs (7.58 kg)
Product color *	Black	Packaging content	,
Ports & interfaces		Cables included	AC, DVI
USB hub version	2.0	Quick start guide	√ ·
USB Type-A downstream ports quantity	2	Manual	·
VGA (D-Sub) ports quantity	1	Sustainability	
DVI-D ports quantity	1	Sustainability certificates	ENERGY STAR
DisplayPorts quantity	1	Other features	
HDCP	✓	Country of origin	China
Ergonomics		Display	LCD
Panel mounting interface	100 x 100 mm	TV tuner integrated	X
		•	

Ergonomics		Other features	
Cable lock slot * Swivel angle range Tilt angle range	× -360 - 360° -5 - 30° ✓ Power	Sync input impedance Mean time between failures (MTBF) Certification	75 Ω 30000 h EPEAT Gold
On Screen Display (OSD) LED indicators		Thin Client Thin client installed	×
Cable length	70.9" (1.8 m)	Tim chere instance	^
Power			
Power consumption (typical) * Power consumption (standby) *	34 W 0.5 W		

