ASUS Eee PC EeeTop PC ET1602 Intel Pentium Mobile N270 15.6" 1 GB DDR2-SDRAM 160 GB White

Brand : ASUS **Product family:** Eee PC **Article code:** ETP1602C-WT-X0051

Product name : EeeTop PC

ET1602

EeeTop PC ET1602 - Intel Atom N270 (1.60 GHz, 533 MHz FSB, 0.512 MB L2), 15.6" 16:9 Wide Single Touch Screen, 1GB DDR2, 160GB SATAII, 1.3M WebCam, Gigabit Ethernet, WLAN 802.11 n, Windows XP Home

ASUS Eee PC EeeTop PC ET1602. Display diagonal: 15.6". Processor family: Intel Pentium Mobile, Processor frequency: 1.6 GHz. Internal memory: 1 GB, Internal memory type: DDR2-SDRAM. Total storage capacity: 160 GB. Product color: White





| Display | | Processor special features | |
|--|------------------------|--|------------|
| Display diagonal * | 15.6" | Intel® My WiFi Technology (Intel® MWT) | × |
| Processor | | Intel® Anti-Theft Technology | |
| Processor manufacturer * | Intel | (Intel® AT) | × |
| Processor family * | Intel Pentium Mobile | Intel® Wireless Display (Intel® | × |
| Processor model * | N270 | WiDi) | |
| Processor cores | 1 | Enhanced Intel SpeedStep Technology | ✓ |
| Processor threads | 2 | Intel® Quick Sync Video Technology | × |
| Processor frequency * | 1.6 GHz | Intel® Clear Video HD Technology | • |
| Processor cache | 0.512 MB | (Intel® CVT HD) | × |
| Processor cache type | L2 | Intel Clear Video Technology | × |
| Thermal Design Power (TDP) | 2.5 W | Intel® Insider™ | × |
| Processor front side bus | 533 MHz | Intel® InTru™ 3D Technology | × |
| Processor socket | Socket F (1207) | Intel Flex Memory Access | |
| Processor lithography | 45 nm | · | X |
| Processor operating modes Stepping | 32-bit C0 | Intel® AES New Instructions (Intel® AES-NI) | × |
| Bus type | FSB | Intel Trusted Execution Technology | × |
| Processor codename | Diamondville | Intel Enhanced Halt State | × |
| Processor series | Intel Atom N200 Series | Intel VT-x with Extended Page | ^ |
| FSB Parity | × | Tables (EPT) | × |
| Processor code | SLB73 | Intel Demand Based Switching | × |
| Tjunction | 90 °C | Intel® Clear Video Technology for | |
| Number of Processing Die | | Mobile Internet Devices (Intel CVT | × |
| Transistors | 47 M | for MID) | |
| CPU multiplier (bus/core ratio) | 12 | Intel 64 | X |
| Processing Die size | 26 mm² | Execute Disable Bit | 1 |
| Conflict-Free processor | × | Idle States | × |
| ECC supported by processor | × | Thermal Monitoring Technologies | ✓ |
| Memory | | Processor package size | 22 x 22 mm |
| • | 1.00 | Supported instruction sets | SSE2, SSE3 |
| Internal memory * Internal memory type | 1 GB DDR2-SDRAM | Embedded options available | ✓ |
| | | Intel Virtualization Technology for Directed I/O (VT-d) | × |

| Storage | | Processor special features | |
|------------------------------------|--------------------|--|----------------------------|
| Total storage capacity * HDD speed | 160 GB 5400 RPM | Intel Virtualization Technology (VT-x) | × |
| HDD interface Optical drive type * | SATA II | Intel Dual Display Capable Technology | × |
| Card reader integrated | × | Intel FDI Technology | X |
| J | • | Intel Rapid Storage Technology | × |
| Graphics | | Intel Fast Memory Access | × |
| On-board graphics card * | ✓ | Processor ARK ID | 36331 |
| Audio | | Weight & dimensions | |
| Built-in microphone | ✓ | Weight (with stand) | 9.48 lbs (4.3 kg) |
| Audio system | SRS Premium Sound | Other features | |
| Network | | Audio output channels | 5.1 channels |
| Ethernet LAN data rates | 1000 Mbit/s | Cabling technology | 10/100/1000 Base-T(X) |
| Ports & interfaces | | Chassis type | All-in-One |
| Ethernet LAN (RJ-45) ports | 1 | Display Display included | Single Touch Screen |
| USB 2.0 ports quantity * | 6 | Networking features | Gigabit Ethernet, WLAN |
| Headphone outputs | 1 | Number of processors installed | 1 |
| Microphone in | ✓ | Power requirements | 19Vdc, 3.42A, 65W |
| Design | | Speakers | 2 x 4 W |
| Product color * | White | Wireless technology | 802.11 n |
| Processor special features | | Intel segment tagging | Enterprise, Small Business |
| Intel® Turbo Boost Technology | × | | |

Intel® Hyper Threading Technology (Intel® HT Technology)

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.