FUJITSU PRIMERGY

Fujitsu PRIMERGY RX300 S8 □□□ 900 GB □□□□2U□ Intel® Xeon® □□□ E5 V2 □□ E5-2620V2 2.1 GHz 64 GB DDR3-SDRAM 450 W

□□ : Fujitsu □□□□: PRIMERGY □□□□: VFY:R3008SX280DE/5

□□□□ : RX300 S8

Fujitsu PRIMERGY RX300 S8. □□□□□: Intel® Xeon® □□□ E5 V2 □□, □□□□□: 2.1 GHz, □□□□□: E5-2620V2. □□□ □□: 64 GB, □□□□□□□□: DDR3-SDRAM, □□□□□: 4 x 16 GB. □□□□□: 900 GB, □□□□: 3.5", □□□□: Serial ATA II, □□□ □□□□□□□SAS□. □□□□LAN□□, □□□□: 10/100/1000Base-T(X). □□□: DVD Super Multi □□□. □□□□: 450 W, □□□□□□ □RPS□. □□□□□□: □□□□2U□

□□□	
□□□□□□ *	Intel
□□□□□ *	Intel® Xeon® □□□ E5 V2 □□
□□□□□ *	E5-2620V2
□□□□□ *	2.1 GHz
□□□□□□□	2.6 GHz
□□□□□□□	6
□□□□□□□	15 MB
□□□□□□	Intel C600
□□□□□□□□□□□	□□ 4 □□
□□□□□	1
□□□□□□□TDP□	80 W
□□□□□□□□	□□□□
□□□□□	7.2 GT/□
□□SMP□□□□	2
□□□□□□	Intel® Xeon®
□□□□□	LGA 2011 (Socket R)
□□□□□	22 nm
□□□□□□□	12
□□□□□□□	64□□
FSB□□	✗
□□□□□	QPI
QPI□□□□	2
□□□□□□codename□	Ivy Bridge EP
□□□□□□□□□	71 °C
□□□□□□□□□□□□□	768 GB
□□□□□□□□□□□	DDR3-SDRAM
□□□□□□□□□□□□	800,1066,1333,1600 MHz
□□□□□□□□□□□□□□□□□□□	51.2 GB/□
□□□□□ ECC □□□	✔
□□□□□□□	✔
□□□□□	✔
□□□□□	✔
PCI Express □□□□□□□□□	40
PCI Express □□□□	x4, x8, x16
□□□□□□□□	52.5 x 45 mm
□□□□□□	AVX
□□□□	2S
□□□□□□□□PAE□	46 □□
□□□□□□□□	✗
□□□□□	Intel Xeon E5-2600 v2
□□□□□□□□□□□	✗
□□□□□□□□□□□(IPMI)	✔

□□□□□□□	
□□□□□□	1
□□□	
PCI Express X 8□Gen 3.x□□□	5
PCI Express□□□□	3.0
□□	
□□□□□□□ *	□□□□2U□
□□□□□□□	✔
□□	
□□□□□□□□□TPM□	✔
□□	
□□□□□□□ *	Windows Server 2008/2012 VMware vSphere SUSE Linux Enterprise Server 11 Red Hat Enterprise Linux 5/6 Citrix XenServ
□□□□□□□□□	
CPU□□(□□)	2
Intel®□□□□□□(RST)	✗
□□□Intel® SpeedStep□□	✔
Intel®□□□□□□□□□□	✗
Intel®□□□□□□	✗
Intel® □□□□□□□□□/□□	✔
Intel®□□ □□	✗
Intel®□□□□□□	✔
Intel®My WiFi □□	✗
Intel® Turbo Boost Technology (□□□ □□□)	2.0
Intel® Quick Sync Video Technology (□□□□□□□□)	✗
Intel® InTru™ 3D □□	✗
Intel®□□□□HD□□	✗
Intel® Insider™	✗
Intel®Flex□□□□□□	✗
Intel®□□□□□□□□□□□	✔
Intel® □□□□□□□	✔
Intel®□□□□□□	✔
Intel® VT-x □□ □□□□□□□□□□(EPT)□□	✔
Intel®□□□□□□	✔
Intel®□□□□	✔
Intel® TSX-NI	✗
Intel® OS Guard □□□□□□	✔

□□□	
□□□□□ *	64 GB
□□□□□□□ *	DDR3-SDRAM
□□□□□	24
□□□□□	✔
□□□□□□□	1600 MHz
□□□□□	4 x 16 GB
□□□□□□□(64-bit) *	1.54 TB
□□□	
□□□□□ *	900 GB
□□□□□□	3
□□□□	300 GB
□□□□	Serial ATA II, □□□□□□□□□SAS□
□□□□	15000 RPM
□□□□	3.5"
□□□□□	6
□□RAID *	✔
RAID□□	0, 1, 5, 6, 10, 50, 60
□□□	✔
□□□ *	DVD Super Multi □□□
□□	
□□□□□	✔
□□	
LAN□□□	Intel® I350
□□□LAN□□	✔
□□□□	10/100/1000Base-T(X)
□□□□□	
□□□LAN□RJ - 45□□□□ *	3
USB 2.0□□□□	6
VGA□D-SUB□□□□□	1

□□□□□□□	
Intel®Clear Video Technology □Intel® □□□□□□□	✕
□□□MID□Intel®□□□□□□	✕
Intel® 64	✔
Intel® Identity Protection Technology□Intel® □□□□□□□□□	0.00
Intel® Secure Key Technology □Intel® □□□□□□□□□	1.00
Intel® Virtualization Technology (VT-x)□Intel® □□□□□□	✔
Intel® TSX-NI □□	0.00
Intel®□□□□□□□	✕
Intel®□□□□□□□	✕
Intel®□□□□□□□□	✕
□□□ ARK ID	75789
□□□	
□□□□□□□RPS□ *	✔
□□□ *	450 W
□□□□□□□□	2
□□□□□□□□	2
□□□□	2
□□□	
□□□□□□□T - T□	5 - 40 °C
□□□□□□□(H-H)	10 - 85%
□□/□□	
□□	CB, RoHS, WEE
□□□□	
□□	445 mm
□□	770 mm
□□	86.9 mm
□□□	
□□□□	512 MB

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-JUL-2025. Prints or copies of Information are only valid on the printed Publication date