

ASUS Transformer Mini T102HA-GR038T Intel Atom® x5-Z8350 平板
显示尺寸 25.6 cm (10.1") 分辨率 HD 4 GB 128 GB 无线 Wi-Fi 5
(802.11ac) Windows 10 平板, 笔记本

品牌 : ASUS 系列 : Transformer 型号 : 90NB0D01-M02280
子型号 : T102HA-GR038T

ASUS Transformer Mini T102HA-GR038T. 处理器: 英特尔® 原子™, 型号: x5-Z8350, 频率: 1.44 GHz. 显示尺寸(英寸): 25.6 cm (10.1"), HD 分辨率: 1280 x 800 像素, 像素密度: 212 ppi. 内存: 4 GB. 存储: 128 GB, 接口: USB. 显卡: Intel® HD Graphics 400. 操作系统: Windows 10. 重量: 0.7 kg, 厚度: 11.9 mm



规格		规格	
品牌 *	华硕	有线 LAN	✗
系列 *	Transformer	无线	✓
型号 *	T102HA-GR038T	蓝牙	4.1
显示		接口	
显示尺寸(英寸) *	25.6 cm (10.1")	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	1
分辨率 *	1280 x 800 像素	USB *	✗
像素密度 *	212 ppi	DVI	✗
HD 分辨率	HD	Micro HDMI	1
LED 背光	✓	雷电/雷电 4	✓
刷新率	16:10	雷电	✓
面板	IPS	操作系统	
处理器		品牌	英特尔
品牌 *	Intel	系列 *	✗
型号 *	Intel Atom®	Windows	✓
型号 *	x5-Z8350	系统	
核心数	4	操作系统 *	Windows 10
线程数	4	兼容性	
频率	1.92 GHz	英特尔® 酷睿™	✓
频率 *	1.44 GHz	英特尔® 酷睿™	✓
缓存	2 MB	英特尔® Turbo Boost Technology (增强型)	✗
接口	Micro B	英特尔® 酷睿™	✓
接口	BGA 592	英特尔® 酷睿™ (SIPP)	✗
制程	14 nm	英特尔® 酷睿™	✓
制程	64 位	英特尔® 酷睿™ (SIPP)	✗
系列	Intel Atom x5 Series	英特尔® 酷睿™	✓
代号	Cherry Trail	尺寸	17 x 17 mm
功耗 TDP	2 W	接口	SR2KT
温度	90 °C		

Network		Security	
PCI Express ports	1	Secure Boot	✗
PCI Express version	2.0	Intel® Secure Boot Technology	✓
PCI Express lanes	1x1	Intel® Identity Protection Technology	1.00
Memory		Intel® Secure Boot Technology	1.00
RAM *	4 GB	Intel® Stable Image Platform Program	0.00
64-bit *	4 GB	Intel® Virtualization Technology (VT-x)	✓
Storage		Intel® ARK ID	93361
RAM *	128 GB	Secure Boot	✓
Storage *	SSD	Environmental	
Storage *	✗	AC input	50 - 60 Hz
Storage	✓	AC output	100 - 240 V
Storage	MicroSD (TransFlash)	Current	2 A
Graphics		Voltage	9 V
GPU	Intel	DC - in	✓
GPU *	✗	Compliance	
GPU	Intel® HD Graphics	RoHS	✓
GPU *	Intel® HD Graphics 400	UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
GPU	200 MHz	Weight	
GPU	500 MHz	Weight *	790 g
GPU	500 MHz	Dimensions	
GPU	2 GB	Weight	84713000
GPU	12	Security	
Audio		Secure Boot	✗
Audio	SonicMaster	Intel® Secure Boot Technology	✓
Audio	2	Intel® Identity Protection Technology	1.00
Audio	1.5 W	Intel® Secure Boot Technology	1.00
Audio	✓	Intel® Stable Image Platform Program	0.00
Camera		Intel® Virtualization Technology (VT-x)	✓
Camera	✓	Intel® ARK ID	93361
Camera	2 MP	Secure Boot	✓
Wireless		Environmental	
Wi-Fi	✓	AC input	50 - 60 Hz
Wi-Fi *	Wi-Fi 5 (802.11ac)	AC output	100 - 240 V
Wi-Fi	Wi-Fi 5 (802.11ac)	Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
		Weight	
		Weight *	790 g
		Dimensions	
		Weight	84713000
		Security	
		Secure Boot	✗
		Intel® Secure Boot Technology	✓
		Intel® Identity Protection Technology	1.00
		Intel® Secure Boot Technology	1.00
		Intel® Stable Image Platform Program	0.00
		Intel® Virtualization Technology (VT-x)	✓
		Intel® ARK ID	93361
		Secure Boot	✓
		Environmental	
		AC input	50 - 60 Hz
		AC output	100 - 240 V
		Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
		Weight	
		Weight *	790 g
		Dimensions	
		Weight	84713000
		Security	
		Secure Boot	✗
		Intel® Secure Boot Technology	✓
		Intel® Identity Protection Technology	1.00
		Intel® Secure Boot Technology	1.00
		Intel® Stable Image Platform Program	0.00
		Intel® Virtualization Technology (VT-x)	✓
		Intel® ARK ID	93361
		Secure Boot	✓
		Environmental	
		AC input	50 - 60 Hz
		AC output	100 - 240 V
		Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
		Weight	
		Weight *	790 g
		Dimensions	
		Weight	84713000
		Security	
		Secure Boot	✗
		Intel® Secure Boot Technology	✓
		Intel® Identity Protection Technology	1.00
		Intel® Secure Boot Technology	1.00
		Intel® Stable Image Platform Program	0.00
		Intel® Virtualization Technology (VT-x)	✓
		Intel® ARK ID	93361
		Secure Boot	✓
		Environmental	
		AC input	50 - 60 Hz
		AC output	100 - 240 V
		Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
		Weight	
		Weight *	790 g
		Dimensions	
		Weight	84713000
		Security	
		Secure Boot	✗
		Intel® Secure Boot Technology	✓
		Intel® Identity Protection Technology	1.00
		Intel® Secure Boot Technology	1.00
		Intel® Stable Image Platform Program	0.00
		Intel® Virtualization Technology (VT-x)	✓
		Intel® ARK ID	93361
		Secure Boot	✓
		Environmental	
		AC input	50 - 60 Hz
		AC output	100 - 240 V
		Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
		Weight	
		Weight *	790 g
		Dimensions	
		Weight	84713000
		Security	
		Secure Boot	✗
		Intel® Secure Boot Technology	✓
		Intel® Identity Protection Technology	1.00
		Intel® Secure Boot Technology	1.00
		Intel® Stable Image Platform Program	0.00
		Intel® Virtualization Technology (VT-x)	✓
		Intel® ARK ID	93361
		Secure Boot	✓
		Environmental	
		AC input	50 - 60 Hz
		AC output	100 - 240 V
		Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
		Weight	
		Weight *	790 g
		Dimensions	
		Weight	84713000
		Security	
		Secure Boot	✗
		Intel® Secure Boot Technology	✓
		Intel® Identity Protection Technology	1.00
		Intel® Secure Boot Technology	1.00
		Intel® Stable Image Platform Program	0.00
		Intel® Virtualization Technology (VT-x)	✓
		Intel® ARK ID	93361
		Secure Boot	✓
		Environmental	
		AC input	50 - 60 Hz
		AC output	100 - 240 V
		Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
		Weight	
		Weight *	790 g
		Dimensions	
		Weight	84713000
		Security	
		Secure Boot	✗
		Intel® Secure Boot Technology	✓
		Intel® Identity Protection Technology	1.00
		Intel® Secure Boot Technology	1.00
		Intel® Stable Image Platform Program	0.00
		Intel® Virtualization Technology (VT-x)	✓
		Intel® ARK ID	93361
		Secure Boot	✓
		Environmental	
		AC input	50 - 60 Hz
		AC output	100 - 240 V
		Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
		Weight	
		Weight *	790 g
		Dimensions	
		Weight	84713000
		Security	
		Secure Boot	✗
		Intel® Secure Boot Technology	✓
		Intel® Identity Protection Technology	1.00
		Intel® Secure Boot Technology	1.00
		Intel® Stable Image Platform Program	0.00
		Intel® Virtualization Technology (VT-x)	✓
		Intel® ARK ID	93361
		Secure Boot	✓
		Environmental	
		AC input	50 - 60 Hz
		AC output	100 - 240 V
		Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
		Weight	
		Weight *	790 g
		Dimensions	
		Weight	84713000
		Security	
		Secure Boot	✗
		Intel® Secure Boot Technology	✓
		Intel® Identity Protection Technology	1.00
		Intel® Secure Boot Technology	1.00
		Intel® Stable Image Platform Program	0.00
		Intel® Virtualization Technology (VT-x)	✓
		Intel® ARK ID	93361
		Secure Boot	✓
		Environmental	
		AC input	50 - 60 Hz
		AC output	100 - 240 V
		Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
		Weight	
		Weight *	790 g
		Dimensions	
		Weight	84713000
		Security	
		Secure Boot	✗
		Intel® Secure Boot Technology	✓
		Intel® Identity Protection Technology	1.00
		Intel® Secure Boot Technology	1.00
		Intel® Stable Image Platform Program	0.00
		Intel® Virtualization Technology (VT-x)	✓
		Intel® ARK ID	93361
		Secure Boot	✓
		Environmental	
		AC input	50 - 60 Hz
		AC output	100 - 240 V
		Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
		Weight	
		Weight *	790 g
		Dimensions	
		Weight	84713000
		Security	
		Secure Boot	✗
		Intel® Secure Boot Technology	✓
		Intel® Identity Protection Technology	1.00
		Intel® Secure Boot Technology	1.00
		Intel® Stable Image Platform Program	0.00
		Intel® Virtualization Technology (VT-x)	✓
		Intel® ARK ID	93361
		Secure Boot	✓
		Environmental	
		AC input	50 - 60 Hz
		AC output	100 - 240 V
		Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
		Weight	
		Weight *	790 g
		Dimensions	
		Weight	84713000
		Security	
		Secure Boot	✗
		Intel® Secure Boot Technology	✓
		Intel® Identity Protection Technology	1.00
		Intel® Secure Boot Technology	1.00
		Intel® Stable Image Platform Program	0.00
		Intel® Virtualization Technology (VT-x)	✓
		Intel® ARK ID	93361
		Secure Boot	✓
		Environmental	
		AC input	50 - 60 Hz
		AC output	100 - 240 V
		Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
		Weight	
		Weight *	790 g
		Dimensions	
		Weight	84713000
		Security	
		Secure Boot	✗
		Intel® Secure Boot Technology	✓
		Intel® Identity Protection Technology	1.00
		Intel® Secure Boot Technology	1.00
		Intel® Stable Image Platform Program	0.00
		Intel® Virtualization Technology (VT-x)	✓
		Intel® ARK ID	93361
		Secure Boot	✓
		Environmental	
		AC input	50 - 60 Hz
		AC output	100 - 240 V
		Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
		Weight	
		Weight *	790 g
		Dimensions	
		Weight	84713000
		Security	
		Secure Boot	✗
		Intel® Secure Boot Technology	✓
		Intel® Identity Protection Technology	1.00
		Intel® Secure Boot Technology	1.00
		Intel® Stable Image Platform Program	0.00
		Intel® Virtualization Technology (VT-x)	✓
		Intel® ARK ID	93361
		Secure Boot	✓
		Environmental	
		AC input	50 - 60 Hz
		AC output	100 - 240 V
		Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
		Weight	
		Weight *	790 g
		Dimensions	
		Weight	84713000
		Security	
		Secure Boot	✗
		Intel® Secure Boot Technology	✓
		Intel® Identity Protection Technology	1.00
		Intel® Secure Boot Technology	1.00
		Intel® Stable Image Platform Program	0.00
		Intel® Virtualization Technology (VT-x)	✓
		Intel® ARK ID	93361
		Secure Boot	✓
		Environmental	
		AC input	50 - 60 Hz
		AC output	100 - 240 V
		Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
		Weight	
		Weight *	790 g
		Dimensions	
		Weight	84713000
		Security	
		Secure Boot	✗
		Intel® Secure Boot Technology	✓
		Intel® Identity Protection Technology	1.00
		Intel® Secure Boot Technology	1.00
		Intel® Stable Image Platform Program	0.00
		Intel® Virtualization Technology (VT-x)	✓
		Intel® ARK ID	93361
		Secure Boot	✓
		Environmental	
		AC input	50 - 60 Hz
		AC output	100 - 240 V
		Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
		Weight	
		Weight *	790 g
		Dimensions	
		Weight	84713000
		Security	
		Secure Boot	✗
		Intel® Secure Boot Technology	✓
		Intel® Identity Protection Technology	1.00
		Intel® Secure Boot Technology	1.00
		Intel® Stable Image Platform Program	0.00
		Intel® Virtualization Technology (VT-x)	✓
		Intel® ARK ID	93361
		Secure Boot	✓
		Environmental	
		AC input	50 - 60 Hz
		AC output	100 - 240 V
		Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	
		Weight	
		Weight *	790 g
		Dimensions	
		Weight	84713000
		Security	
		Secure Boot	✗
		Intel® Secure Boot Technology	✓
		Intel® Identity Protection Technology	1.00
		Intel® Secure Boot Technology	1.00
		Intel® Stable Image Platform Program	0.00
		Intel® Virtualization Technology (VT-x)	✓
		Intel® ARK ID	93361
		Secure Boot	✓
		Environmental	
		AC input	50 - 60 Hz
		AC output	100 - 240 V
		Current	2 A
		Voltage	9 V
		DC - in	✓
		Compliance	
		RoHS	✓
		UL, MIC, CE Marking Compliance, FCC Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-R, CB, IDA, CECP, Erp 2013	

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.